

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN080921\
 Data File : BN015829.D
 Acq On : 09 Aug 2021 18:39
 Operator : CG/JU
 Sample : SSTDIC5.0
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 SSTDIC5.0

Quant Time: Aug 09 19:08:49 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN080921.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Aug 09 16:46:20 2021
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.928	152	10281	0.400	ng	0.00
7) Naphthalene-d8	10.724	136	44092	0.400	ng	0.00
13) Acenaphthene-d10	14.561	164	26158	0.400	ng	0.00
19) Phenanthrene-d10	17.310	188	54828	0.400	ng	0.00
29) Chrysene-d12	21.493	240	59106	0.400	ng	# 0.00
35) Perylene-d12	23.923	264	58829	0.400	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.494	112	119165	3.937	ng	0.00
5) Phenol-d6	7.080	99	163004	3.910	ng	0.00
8) Nitrobenzene-d5	9.076	82	187380	5.645	ng	0.00
11) 2-Methylnaphthalene-d10	12.314	152	345350	5.102	ng	0.00
14) 2,4,6-Tribromophenol	16.044	330	66763	4.889	ng	0.00
15) 2-Fluorobiphenyl	13.190	172	469695	4.811	ng	0.00
27) Fluoranthene-d10	19.336	212	846104	5.507	ng	0.00
31) Terphenyl-d14	19.937	244	817860	4.488	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.410	88	19357	4.673	ng	98
3) n-Nitrosodimethylamine	3.761	42	56140	5.758	ng	# 96
6) bis(2-Chloroethyl)ether	7.347	93	124432	4.196	ng	98
9) Naphthalene	10.774	128	545397	4.715	ng	99
10) Hexachlorobutadiene	11.066	225	143382	6.800	ng	# 99
12) 2-Methylnaphthalene	12.390	142	385659	4.916	ng	100
16) Acenaphthylene	14.282	152	566490	4.649	ng	100
17) Acenaphthene	14.624	154	362674	4.734	ng	96
18) Fluorene	15.601	166	452437	4.870	ng	99
20) 4,6-Dinitro-2-methylph...	15.677	198	45818	10.695	ng	# 78
21) 4-Bromophenyl-phenylether	16.494	248	138907	4.734	ng	98
22) Hexachlorobenzene	16.616	284	178179	4.929	ng	99
23) Atrazine	16.762	200	144158	4.794	ng	100
24) Pentachlorophenol	16.957	266	91320	6.695	ng	99
25) Phenanthrene	17.346	178	721840	4.614	ng	99
26) Anthracene	17.432	178	689873	4.544	ng	100
28) Fluoranthene	19.366	202	865087	4.941	ng	100
30) Pyrene	19.728	202	894277	4.272	ng	100
32) Benzo(a)anthracene	21.472	228	960081	4.760	ng	99
33) Chrysene	21.525	228	908729	4.769	ng	98
34) Bis(2-ethylhexyl)phtha...	21.408	149	523589	3.518	ng	99
36) Indeno(1,2,3-cd)pyrene	26.439	276	1033934	4.657	ng	99
37) Benzo(b)fluoranthene	23.180	252	986533	4.787	ng	98
38) Benzo(k)fluoranthene	23.231	252	904844	4.661	ng	99
39) Benzo(a)pyrene	23.813	252	882401	4.839	ng	98
40) Dibenzo(a,h)anthracene	26.463	278	852802	4.692	ng	97
41) Benzo(g,h,i)perylene	27.216	276	888250	4.626	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN080921\
Data File : BN015829.D
Acq On : 09 Aug 2021 18:39
Operator : CG/JU
Sample : SSTDICC5.0
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
SSTDICC5.0

Quant Time: Aug 09 19:08:49 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN080921.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Aug 09 16:46:20 2021
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 0.400 ng
 RT: 7.928 min Scan# 526
 Delta R.T. 0.000 min
 Lab File: BN015829.D
 Acq: 09 Aug 2021 18:39




Instrument :
 BNA_N
 ClientSampleId :
 SSTDICC5.0


Tgt Ion:152 Resp: 10281
 Ion Ratio Lower Upper
 152 100
 150 158.3 123.0 184.4
 115 64.1 52.2 78.2



#2
 1,4-Dioxane
 Concen: 4.673 ng
 RT: 3.410 min Scan# 36
 Delta R.T. 0.000 min
 Lab File: BN015829.D
 Acq: 09 Aug 2021 18:39

Tgt Ion: 88 Resp: 19357
 Ion Ratio Lower Upper
 88 100
 43 36.3 27.4 41.2
 58 81.9 64.3 96.5









#3
n-Nitrosodimethylamine
Concen: 5.758 ng
RT: 3.761 min Scan# 74
Delta R.T. -0.009 min
Lab File: BN015829.D
Acq: 09 Aug 2021 18:39




Instrument :
BNA_N
ClientSampleId :
SSTDICC5.0


Tgt Ion: 42 Resp: 56140
Ion Ratio Lower Upper
42 100
74 108.1 83.4 125.2
44 5.9 0.0 0.0#



#4
2-Fluorophenol
Concen: 3.937 ng
RT: 5.494 min Scan# 262
Delta R.T. 0.009 min
Lab File: BN015829.D
Acq: 09 Aug 2021 18:39

Tgt Ion: 112 Resp: 119165
Ion Ratio Lower Upper
112 100
64 67.0 53.4 80.0
63 35.6 28.6 43.0









#5
Phenol-d6
Concen: 3.910 ng
RT: 7.080 min Scan# 434
Delta R.T. 0.000 min
Lab File: BN015829.D
Acq: 09 Aug 2021 18:39




Instrument :
BNA_N
ClientSampled :
SSTDICC5.0


Tgt Ion: 99 Resp: 163004
Ion Ratio Lower Upper
99 100
42 22.8 19.0 28.4
71 39.2 31.2 46.8



#6
bis(2-Chloroethyl)ether
Concen: 4.196 ng
RT: 7.347 min Scan# 463
Delta R.T. 0.000 min
Lab File: BN015829.D
Acq: 09 Aug 2021 18:39

Tgt Ion: 93 Resp: 124432
Ion Ratio Lower Upper
93 100
63 78.9 64.3 96.5
95 32.6 25.6 38.4









#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.724 min Scan# 758
Delta R.T. 0.000 min
Lab File: BN015829.D
Acq: 09 Aug 2021 18:39




Instrument :
BNA_N
ClientSampleId :
SSTDICC5.0


Tgt Ion:	136	Resp:	44092
Ion	Ratio	Lower	Upper
136	100		
137	11.2	8.8	13.2
54	8.7	7.1	10.7
68	6.1	4.9	7.3



#8
Nitrobenzene-d5
Concen: 5.645 ng
RT: 9.076 min Scan# 628
Delta R.T. 0.000 min
Lab File: BN015829.D
Acq: 09 Aug 2021 18:39

Tgt Ion:	82	Resp:	187380
Ion	Ratio	Lower	Upper
82	100		
128	35.1	26.2	39.2
54	54.0	45.4	68.0









#9
Naphthalene
Concen: 4.715 ng
RT: 10.774 min Scan# 762
Delta R.T. 0.000 min
Lab File: BN015829.D
Acq: 09 Aug 2021 18:39




Instrument :
BNA_N
ClientSampled :
SSTDICC5.0


Tgt Ion:128 Resp: 545397
Ion Ratio Lower Upper
128 100
129 11.0 8.9 13.3
127 13.2 10.8 16.2



#10
Hexachlorobutadiene
Concen: 6.800 ng
RT: 11.066 min Scan# 785
Delta R.T. 0.000 min
Lab File: BN015829.D
Acq: 09 Aug 2021 18:39

Tgt Ion:225 Resp: 143382
Ion Ratio Lower Upper
225 100
223 0.0 0.0 0.0
227 63.9 51.8 77.8









#11
2-Methylnaphthalene-d10
Concen: 5.102 ng
RT: 12.314 min Scan# 1001
Delta R.T. 0.000 min
Lab File: BN015829.D
Acq: 09 Aug 2021 18:39




Instrument :
BNA_N
ClientSampleId :
SSTDICC5.0


Tgt Ion:152 Resp: 345350
Ion Ratio Lower Upper
152 100
151 20.3 16.4 24.6



#12
2-Methylnaphthalene
Concen: 4.916 ng
RT: 12.390 min Scan# 1018
Delta R.T. 0.000 min
Lab File: BN015829.D
Acq: 09 Aug 2021 18:39

Tgt Ion:142 Resp: 385659
Ion Ratio Lower Upper
142 100
141 88.2 70.6 106.0
115 36.1 29.1 43.7









#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.561 min Scan# 1206
Delta R.T. 0.000 min
Lab File: BN015829.D
Acq: 09 Aug 2021 18:39




Instrument :
BNA_N
ClientSampleId :
SSTDICC5.0


Tgt Ion:164 Resp: 26158
Ion Ratio Lower Upper
164 100
162 99.9 81.2 121.8
160 42.7 35.0 52.4



#14
2,4,6-Tribromophenol
Concen: 4.889 ng
RT: 16.044 min Scan# 1323
Delta R.T. 0.000 min
Lab File: BN015829.D
Acq: 09 Aug 2021 18:39

Tgt Ion:330 Resp: 66763
Ion Ratio Lower Upper
330 100
332 96.3 86.2 129.2
141 30.5 25.0 37.6









#15
2-Fluorobiphenyl
Concen: 4.811 ng
RT: 13.190 min Scan# 1098
Delta R.T. 0.000 min
Lab File: BN015829.D
Acq: 09 Aug 2021 18:39




Instrument :
BNA_N
ClientSampleId :
SSTDICC5.0


Tgt Ion:172 Resp: 469695
Ion Ratio Lower Upper
172 100
171 33.8 26.9 40.3
170 21.4 17.3 25.9



#16
Acenaphthylene
Concen: 4.649 ng
RT: 14.282 min Scan# 1184
Delta R.T. 0.000 min
Lab File: BN015829.D
Acq: 09 Aug 2021 18:39

Tgt Ion:152 Resp: 566490
Ion Ratio Lower Upper
152 100
151 19.5 15.6 23.4
153 13.1 10.5 15.7









#17
Acenaphthene
Concen: 4.734 ng
RT: 14.624 min Scan# 1211
Delta R.T. 0.000 min
Lab File: BN015829.D
Acq: 09 Aug 2021 18:39




Instrument :
BNA_N
ClientSampleId :
SSTDICC5.0


Tgt Ion:154 Resp: 362674
Ion Ratio Lower Upper
154 100
153 108.0 90.1 135.1
152 50.6 42.7 64.1



#18
Fluorene
Concen: 4.870 ng
RT: 15.601 min Scan# 1288
Delta R.T. 0.000 min
Lab File: BN015829.D
Acq: 09 Aug 2021 18:39

Tgt Ion:166 Resp: 452437
Ion Ratio Lower Upper
166 100
165 97.2 78.8 118.2
167 13.5 10.9 16.3









#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.310 min Scan# 1427
Delta R.T. 0.000 min
Lab File: BN015829.D
Acq: 09 Aug 2021 18:39




Instrument :
BNA_N
ClientSampleId :
SSTDICC5.0


Tgt Ion:	188	Resp:	54828
Ion	Ratio	Lower	Upper
188	100		
94	0.0	0.0	0.0
80	5.8	4.7	7.1



#20
4,6-Dinitro-2-methylphenol
Concen: 10.695 ng
RT: 15.677 min Scan# 1294
Delta R.T. 0.000 min
Lab File: BN015829.D
Acq: 09 Aug 2021 18:39

Tgt Ion:	198	Resp:	45818
Ion	Ratio	Lower	Upper
198	100		
182	4.6	10.8	16.2#
77	0.0	0.0	0.0









#21
4-Bromophenyl-phenylether
Concen: 4.734 ng
RT: 16.494 min Scan# 1360
Delta R.T. 0.000 min
Lab File: BN015829.D
Acq: 09 Aug 2021 18:39




Instrument :
BNA_N
ClientSampleId :
SSTDICC5.0


Tgt Ion:248 Resp: 138907
Ion Ratio Lower Upper
248 100
250 93.8 74.8 112.2
141 72.0 60.5 90.7



#22
Hexachlorobenzene
Concen: 4.929 ng
RT: 16.616 min Scan# 1370
Delta R.T. 0.000 min
Lab File: BN015829.D
Acq: 09 Aug 2021 18:39

Tgt Ion:284 Resp: 178179
Ion Ratio Lower Upper
284 100
142 28.2 23.0 34.4
249 31.3 25.3 37.9









#23
Atrazine
Concen: 4.794 ng
RT: 16.762 min Scan# 1382
Delta R.T. 0.000 min
Lab File: BN015829.D
Acq: 09 Aug 2021 18:39




Instrument :
BNA_N
ClientSampleId :
SSTDICC5.0


Tgt Ion:200 Resp: 144158
Ion Ratio Lower Upper
200 100
173 24.8 19.4 29.2
215 49.4 39.4 59.2



#24
Pentachlorophenol
Concen: 6.695 ng
RT: 16.957 min Scan# 1398
Delta R.T. 0.000 min
Lab File: BN015829.D
Acq: 09 Aug 2021 18:39

Tgt Ion:266 Resp: 91320
Ion Ratio Lower Upper
266 100
264 62.6 51.0 76.6
268 64.1 51.8 77.6









#25
Phenanthrene
Concen: 4.614 ng
RT: 17.346 min Scan# 1430
Delta R.T. 0.000 min
Lab File: BN015829.D
Acq: 09 Aug 2021 18:39




Instrument :
BNA_N
ClientSampleId :
SSTDICC5.0


Tgt Ion:178 Resp: 721840
Ion Ratio Lower Upper
178 100
176 18.4 14.6 22.0
179 15.4 12.7 19.1



#26
Anthracene
Concen: 4.544 ng
RT: 17.432 min Scan# 1437
Delta R.T. 0.000 min
Lab File: BN015829.D
Acq: 09 Aug 2021 18:39

Tgt Ion:178 Resp: 689873
Ion Ratio Lower Upper
178 100
176 17.8 14.3 21.5
179 15.4 12.3 18.5









#27
Fluoranthene-d10
Concen: 5.507 ng
RT: 19.336 min Scan# 1751
Delta R.T. -0.005 min
Lab File: BN015829.D
Acq: 09 Aug 2021 18:39




Instrument :
BNA_N
ClientSampleId :
SSTDICC5.0


Tgt Ion:212 Resp: 846104
Ion Ratio Lower Upper
212 100
106 9.6 7.8 11.8
104 5.5 4.6 6.8



#28
Fluoranthene
Concen: 4.941 ng
RT: 19.366 min Scan# 1757
Delta R.T. -0.005 min
Lab File: BN015829.D
Acq: 09 Aug 2021 18:39

Tgt Ion:202 Resp: 865087
Ion Ratio Lower Upper
202 100
101 8.9 7.0 10.6
203 17.5 13.8 20.8









#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.493 min Scan# 2026
Delta R.T. 0.000 min
Lab File: BN015829.D
Acq: 09 Aug 2021 18:39




Instrument :
BNA_N
ClientSampleId :
SSTDICC5.0


Tgt Ion:240 Resp: 59106
Ion Ratio Lower Upper
240 100
120 6.3 7.8 11.8#
236 25.7 21.1 31.7



#30
Pyrene
Concen: 4.272 ng
RT: 19.728 min Scan# 1830
Delta R.T. -0.005 min
Lab File: BN015829.D
Acq: 09 Aug 2021 18:39

Tgt Ion:202 Resp: 894277
Ion Ratio Lower Upper
202 100
200 20.1 16.2 24.2
203 17.7 14.1 21.1









#31
Terphenyl-d14
Concen: 4.488 ng
RT: 19.937 min Scan# 1872
Delta R.T. 0.000 min
Lab File: BN015829.D
Acq: 09 Aug 2021 18:39




Instrument :
BNA_N
ClientSampleId :
SSTDICC5.0


Tgt Ion:244 Resp: 817860
Ion Ratio Lower Upper
244 100
212 7.2 6.1 9.1
122 7.9 7.0 10.4



#32
Benzo(a)anthracene
Concen: 4.760 ng
RT: 21.472 min Scan# 2024
Delta R.T. -0.010 min
Lab File: BN015829.D
Acq: 09 Aug 2021 18:39

Tgt Ion:228 Resp: 960081
Ion Ratio Lower Upper
228 100
226 26.8 20.6 31.0
229 19.3 15.8 23.6









#33
Chrysene
Concen: 4.769 ng
RT: 21.525 min Scan# 2029
Delta R.T. -0.010 min
Lab File: BN015829.D
Acq: 09 Aug 2021 18:39

Instrument :
BNA_N
ClientSampleId :
SSTDICC5.0

Tgt Ion:228 Resp: 908729




Ion	Ratio	Lower	Upper
228	100		
226	29.7	22.7	34.1
229	19.2	15.8	23.8




#34
Bis(2-ethylhexyl)phthalate
Concen: 3.518 ng
RT: 21.408 min Scan# 2018
Delta R.T. -0.010 min
Lab File: BN015829.D
Acq: 09 Aug 2021 18:39

Tgt Ion:149 Resp: 523589


Ion	Ratio	Lower	Upper
149	100		
167	29.2	22.7	34.1
279	5.5	4.2	6.4








#35
Perylene-d12
Concen: 0.400 ng
RT: 23.923 min Scan# 2555
Delta R.T. -0.003 min
Lab File: BN015829.D
Acq: 09 Aug 2021 18:39

Instrument :
BNA_N
ClientSampleId :
SSTDICC5.0







Tgt Ion:264 Resp: 58829
Ion Ratio Lower Upper
264 100
260 23.9 19.6 29.4
265 25.2 21.7 32.5



#36
Indeno(1,2,3-cd)pyrene
Concen: 4.657 ng
RT: 26.439 min Scan# 3290
Delta R.T. -0.007 min
Lab File: BN015829.D
Acq: 09 Aug 2021 18:39

Tgt Ion:276 Resp: 1033934
Ion Ratio Lower Upper
276 100
138 17.5 14.5 21.7
277 25.3 20.2 30.4









#37
Benzo(b)fluoranthene
Concen: 4.787 ng
RT: 23.180 min Scan# 2338
Delta R.T. -0.007 min
Lab File: BN015829.D
Acq: 09 Aug 2021 18:39




Instrument :
BNA_N
ClientSampleId :
SSTDICC5.0


Tgt Ion:252 Resp: 986533
Ion Ratio Lower Upper
252 100
253 21.8 18.2 27.2
125 7.2 6.3 9.5



#38
Benzo(k)fluoranthene
Concen: 4.661 ng
RT: 23.231 min Scan# 2353
Delta R.T. -0.003 min
Lab File: BN015829.D
Acq: 09 Aug 2021 18:39


Tgt Ion:252 Resp: 904844
Ion Ratio Lower Upper
252 100
253 22.0 18.1 27.1
125 7.1 6.2 9.4








#39
Benzo(a)pyrene
Concen: 4.839 ng
RT: 23.813 min Scan# 2523
Delta R.T. -0.007 min
Lab File: BN015829.D
Acq: 09 Aug 2021 18:39

Instrument :
BNA_N
ClientSampleId :
SSTDICC5.0







Tgt Ion:252 Resp: 882401
Ion Ratio Lower Upper
252 100
253 21.9 18.5 27.7
125 7.9 7.0 10.6



#40
Dibenzo(a,h)anthracene
Concen: 4.692 ng
RT: 26.463 min Scan# 3297
Delta R.T. 0.000 min
Lab File: BN015829.D
Acq: 09 Aug 2021 18:39

Tgt Ion:278 Resp: 852802
Ion Ratio Lower Upper
278 100
139 11.4 10.5 15.7
279 23.5 19.5 29.3





#41
Benzo(g,h,i)perylene
Concen: 4.626 ng
RT: 27.216 min Scan# 3517
Delta R.T. 0.004 min
Lab File: BN015829.D
Acq: 09 Aug 2021 18:39

Instrument :
BNA_N
ClientSampleId :
SSTDICC5.0

Tgt Ion:276 Resp: 888250
Ion Ratio Lower Upper
276 100
277 23.9 19.0 28.6
138 14.9 12.2 18.4

