

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN080923\
 Data File : BN026853.D
 Acq On : 08 Aug 2023 17:26
 Operator : MA/JU
 Sample : 03815-04
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 BUILDING-B-7-(0-5)

Quant Time: Aug 09 01:11:19 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN080123.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Aug 09 01:06:23 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.109	152	7029	0.400	ng	0.00
7) Naphthalene-d8	10.938	136	19503	0.400	ng	0.00
13) Acenaphthene-d10	14.737	164	11789	0.400	ng	0.00
19) Phenanthrene-d10	17.480	188	28841	0.400	ng	0.00
29) Chrysene-d12	21.659	240	21989	0.400	ng	0.00
35) Perylene-d12	24.215	264	20235	0.400	ng	#-0.01
System Monitoring Compounds						
4) 2-Fluorophenol	5.618	112	108807	6.112	ng	0.00
5) Phenol-d6	7.235	99	139248	6.041	ng	0.00
8) Nitrobenzene-d5	9.294	82	47583	4.120	ng	0.00
11) 2-Methylnaphthalene-d10	12.509	152	11105	0.397	ng	0.00
14) 2,4,6-Tribromophenol	16.214	330	26377	6.572	ng	-0.01
15) 2-Fluorobiphenyl	13.368	172	166768	3.465	ng	0.00
27) Fluoranthene-d10	19.500	212	28255	0.408	ng	0.00
31) Terphenyl-d14	20.090	244	212410	4.633	ng	0.00
Target Compounds						
						Qvalue
9) Naphthalene	10.991	128	14156	0.264	ng	98
12) 2-Methylnaphthalene	12.581	142	4558	0.125	ng	97
16) Acenaphthylene	14.459	152	19468	0.334	ng	100
17) Acenaphthene	14.801	154	790	0.022	ng	93
18) Fluorene	15.779	166	3752	0.079	ng	# 90
20) 4,6-Dinitro-2-methylph...	16.946	198	37	0.079	ng	# 1
25) Phenanthrene	17.517	178	52464	0.599	ng	100
26) Anthracene	17.616	178	15256	0.195	ng	100
28) Fluoranthene	19.532	202	102448	1.050	ng	99
30) Pyrene	19.895	202	135540	1.426	ng	99
32) Benzo(a)anthracene	21.641	228	70989	0.940	ng	95
33) Chrysene	21.694	228	62971	0.754	ng	97
34) Bis(2-ethylhexyl)phtha...	21.533	149	7373	0.295	ng	100
36) Indeno(1,2,3-cd)pyrene	26.910	276	31053	0.376	ng	93
37) Benzo(b)fluoranthene	23.425	252	70656	0.887	ng	98
39) Benzo(a)pyrene	24.098	252	56303	0.775	ng	99
40) Dibenzo(a,h)anthracene	26.934	278	7560	0.118	ng	# 74
41) Benzo(g,h,i)perylene	27.752	276	33051	0.435	ng	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN080923\
Data File : BN026853.D
Acq On : 08 Aug 2023 17:26
Operator : MA/JU
Sample : 03815-04
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
BUILDING-B-7-(0-5)


Quant Time: Aug 09 01:11:19 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN080123.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 09 01:06:23 2023
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 8.109 min Scan# 71
Delta R.T. -0.001 min
Lab File: BN026853.D
Acq: 08 Aug 2023 17:26

Instrument :
BNA_N
ClientSampleId :
BUILDING-B-7-(0-5)







Tgt Ion:152 Resp: 7029
Ion Ratio Lower Upper
152 100
150 154.1 123.8 185.8
115 60.1 48.0 72.0



#4
2-Fluorophenol
Concen: 6.112 ng
RT: 5.618 min Scan# 379
Delta R.T. -0.000 min
Lab File: BN026853.D
Acq: 08 Aug 2023 17:26

Tgt Ion:112 Resp: 108807
Ion Ratio Lower Upper
112 100
64 51.6 42.2 63.2
63 27.0 22.7 34.1









#5
Phenol-d6
Concen: 6.041 ng
RT: 7.235 min Scan# 604
Delta R.T. -0.000 min
Lab File: BN026853.D
Acq: 08 Aug 2023 17:26




Instrument :
BNA_N
ClientSampleId :
BUILDING-B-7-(0-5)


Tgt Ion: 99 Resp: 139248
Ion Ratio Lower Upper
99 100
42 16.1 14.6 22.0
71 32.0 26.6 40.0



#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.938 min Scan# 998
Delta R.T. -0.000 min
Lab File: BN026853.D
Acq: 08 Aug 2023 17:26

Tgt Ion: 136 Resp: 19503
Ion Ratio Lower Upper
136 100
137 11.6 9.0 13.4
54 6.5 6.2 9.2
68 6.3 5.5 8.3









#8
Nitrobenzene-d5
Concen: 4.120 ng
RT: 9.294 min Scan# 84
Delta R.T. -0.000 min
Lab File: BN026853.D
Acq: 08 Aug 2023 17:26




Instrument :
BNA_N
ClientSampleId :
BUILDING-B-7-(0-5)


Tgt Ion: 82 Resp: 47583
Ion Ratio Lower Upper
82 100
128 40.7 30.5 45.7
54 43.7 39.4 59.2



#9
Naphthalene
Concen: 0.264 ng
RT: 10.991 min Scan# 1003
Delta R.T. -0.000 min
Lab File: BN026853.D
Acq: 08 Aug 2023 17:26

Tgt Ion: 128 Resp: 14156
Ion Ratio Lower Upper
128 100
129 12.0 9.0 13.4
127 13.8 10.6 16.0









#11
2-Methylnaphthalene-d10
Concen: 0.397 ng
RT: 12.509 min Scan# 11
Delta R.T. -0.004 min
Lab File: BN026853.D
Acq: 08 Aug 2023 17:26




Instrument :
BNA_N
ClientSampleId :
BUILDING-B-7-(0-5)


Tgt Ion:152 Resp: 11105
Ion Ratio Lower Upper
152 100
151 20.7 16.5 24.7



#12
2-Methylnaphthalene
Concen: 0.125 ng
RT: 12.581 min Scan# 1336
Delta R.T. -0.004 min
Lab File: BN026853.D
Acq: 08 Aug 2023 17:26

Tgt Ion:142 Resp: 4558
Ion Ratio Lower Upper
142 100
141 88.6 70.3 105.5
115 41.0 29.2 43.8









#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.737 min Scan# 11789
Delta R.T. -0.000 min
Lab File: BN026853.D
Acq: 08 Aug 2023 17:26




Instrument :
BNA_N
ClientSampleId :
BUILDING-B-7-(0-5)


Tgt Ion:164 Resp: 11789
Ion Ratio Lower Upper
164 100
162 100.7 83.0 124.6
160 49.3 40.8 61.2



#14
2,4,6-Tribromophenol
Concen: 6.572 ng
RT: 16.214 min Scan# 1739
Delta R.T. -0.013 min
Lab File: BN026853.D
Acq: 08 Aug 2023 17:26

Tgt Ion:330 Resp: 26377
Ion Ratio Lower Upper
330 100
332 96.1 77.8 116.6
141 41.9 34.8 52.2









#15
2-Fluorobiphenyl
Concen: 3.465 ng
RT: 13.368 min Scan# 1482
Delta R.T. -0.000 min
Lab File: BN026853.D
Acq: 08 Aug 2023 17:26




Instrument :
BNA_N
ClientSampleId :
BUILDING-B-7-(0-5)


Tgt Ion:172 Resp: 166768
Ion Ratio Lower Upper
172 100
171 34.1 28.0 42.0
170 22.9 19.2 28.8



#16
Acenaphthylene
Concen: 0.334 ng
RT: 14.459 min Scan# 1584
Delta R.T. -0.011 min
Lab File: BN026853.D
Acq: 08 Aug 2023 17:26

Tgt Ion:152 Resp: 19468
Ion Ratio Lower Upper
152 100
151 19.3 15.7 23.5
153 13.2 10.5 15.7









#17
Acenaphthene
Concen: 0.022 ng
RT: 14.801 min Scan# 1616
Delta R.T. -0.000 min
Lab File: BN026853.D
Acq: 08 Aug 2023 17:26




Instrument :
BNA_N
ClientSampleId :
BUILDING-B-7-(0-5)


Tgt Ion:154 Resp: 790
Ion Ratio Lower Upper
154 100
153 120.8 90.0 135.0
152 65.6 48.6 73.0



#18
Fluorene
Concen: 0.079 ng
RT: 15.779 min Scan# 1704
Delta R.T. -0.000 min
Lab File: BN026853.D
Acq: 08 Aug 2023 17:26

Tgt Ion:166 Resp: 3752
Ion Ratio Lower Upper
166 100
165 109.4 79.0 118.6
167 16.8 10.9 16.3#









#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.480 min Scan# 1841
Delta R.T. -0.000 min
Lab File: BN026853.D
Acq: 08 Aug 2023 17:26




Instrument :
BNA_N
ClientSampleId :
BUILDING-B-7-(0-5)


Tgt Ion:188 Resp: 28841
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 9.6 8.0 12.0



#20
4,6-Dinitro-2-methylphenol
Concen: 0.079 ng
RT: 16.946 min Scan# 1798
Delta R.T. 0.012 min
Lab File: BN026853.D
Acq: 08 Aug 2023 17:26

Tgt Ion:198 Resp: 37
Ion Ratio Lower Upper
198 100
51 447.4 150.5 225.7#
105 281.6 165.0 247.6#





#25

Phenanthrene

Concen: 0.599 ng

RT: 17.517 min Scan# 1844

Delta R.T. -0.013 min

Lab File: BN026853.D

Acq: 08 Aug 2023 17:26

Instrument :

BNA_N

ClientSampleId :

BUILDING-B-7-(0-5)





Tgt Ion:178 Resp: 52464

Ion Ratio Lower Upper

178 100

176 19.2 15.4 23.0

179 15.7 12.2 18.2



#26

Anthracene

Concen: 0.195 ng

RT: 17.616 min Scan# 1852

Delta R.T. -0.000 min

Lab File: BN026853.D

Acq: 08 Aug 2023 17:26




Tgt Ion:178 Resp: 15256


Ion Ratio Lower Upper

178 100

176 18.7 14.9 22.3

179 15.3 12.2 18.2









#27
Fluoranthene-d10
Concen: 0.408 ng
RT: 19.500 min Scan# 2137
Delta R.T. -0.005 min
Lab File: BN026853.D
Acq: 08 Aug 2023 17:26




Instrument :
BNA_N
ClientSampleId :
BUILDING-B-7-(0-5)


Tgt Ion:212 Resp: 28255
Ion Ratio Lower Upper
212 100
106 14.4 11.7 17.5
104 9.1 6.4 9.6



#28
Fluoranthene
Concen: 1.050 ng
RT: 19.532 min Scan# 2144
Delta R.T. -0.000 min
Lab File: BN026853.D
Acq: 08 Aug 2023 17:26

Tgt Ion:202 Resp: 102448
Ion Ratio Lower Upper
202 100
101 11.0 9.2 13.8
203 17.6 13.7 20.5





#29

Chrysene-d12

Concen: 0.400 ng

RT: 21.659 min Scan# 21

Delta R.T. -0.009 min

Lab File: BN026853.D

Acq: 08 Aug 2023 17:26

Instrument :

BNA_N

ClientSampleId :

BUILDING-B-7-(0-5)





Tgt Ion:240 Resp: 21989

Ion Ratio Lower Upper

240 100

120 12.3 9.2 13.8

236 28.1 21.9 32.9



#30

Pyrene

Concen: 1.426 ng

RT: 19.895 min Scan# 2222

Delta R.T. -0.005 min

Lab File: BN026853.D

Acq: 08 Aug 2023 17:26




Tgt Ion:202 Resp: 135540


Ion Ratio Lower Upper

202 100

200 20.8 16.8 25.2

203 18.8 14.2 21.2





#31

Terphenyl-d14

Concen: 4.633 ng

RT: 20.090 min Scan# 2124

Delta R.T. -0.005 min

Lab File: BN026853.D

Acq: 08 Aug 2023 17:26

Instrument :

BNA_N

ClientSampleId :

BUILDING-B-7-(0-5)





Tgt Ion:244 Resp: 212410

Ion Ratio Lower Upper

244 100

212 8.2 7.0 10.4

122 13.7 12.3 18.5



#32

Benzo(a)anthracene

Concen: 0.940 ng

RT: 21.641 min Scan# 2532

Delta R.T. -0.009 min

Lab File: BN026853.D

Acq: 08 Aug 2023 17:26




Tgt Ion:228 Resp: 70989


Ion Ratio Lower Upper

228 100

226 30.5 21.9 32.9

229 21.3 15.8 23.8





#33

Chrysene

Concen: 0.754 ng

RT: 21.694 min Scan# 21

Delta R.T. -0.009 min

Lab File: BN026853.D

Acq: 08 Aug 2023 17:26

Instrument :

BNA_N

ClientSampleId :

BUILDING-B-7-(0-5)





Tgt Ion:228 Resp: 62971

Ion Ratio Lower Upper

228 100

226 31.5 24.6 36.8

229 21.4 15.4 23.2



#34

Bis(2-ethylhexyl)phthalate

Concen: 0.295 ng

RT: 21.533 min Scan# 2520

Delta R.T. -0.009 min

Lab File: BN026853.D

Acq: 08 Aug 2023 17:26




Tgt Ion:149 Resp: 7373


Ion Ratio Lower Upper

149 100

167 26.1 20.8 31.2

279 3.2 2.4 3.6





#35

Perylene-d12

Concen: 0.400 ng

RT: 24.215 min Scan# 31

Delta R.T. -0.012 min

Lab File: BN026853.D


Acq: 08 Aug 2023 17:26

Instrument :

BNA_N

ClientSampleId :

BUILDING-B-7-(0-5)






Tgt Ion:264 Resp: 20235

Ion Ratio Lower Upper

264 100

260 25.3 21.0 31.6

265 44.7 22.6 33.8#



#36

Indeno(1,2,3-cd)pyrene

Concen: 0.376 ng

RT: 26.910 min Scan# 4157

Delta R.T. -0.021 min

Lab File: BN026853.D

Acq: 08 Aug 2023 17:26




Tgt Ion:276 Resp: 31053


Ion Ratio Lower Upper

276 100

138 23.2 22.8 34.2

277 23.6 19.9 29.9









#37
Benzo(b)fluoranthene
Concen: 0.887 ng
RT: 23.425 min Scan# 2971
Delta R.T. -0.006 min
Lab File: BN026853.D
Acq: 08 Aug 2023 17:26




Instrument :
BNA_N
ClientSampleId :
BUILDING-B-7-(0-5)


Tgt Ion:252 Resp: 70656
Ion Ratio Lower Upper
252 100
253 23.4 17.8 26.8
125 14.6 10.8 16.2



#39
Benzo(a)pyrene
Concen: 0.775 ng
RT: 24.098 min Scan# 3195
Delta R.T. -0.012 min
Lab File: BN026853.D
Acq: 08 Aug 2023 17:26

Tgt Ion:252 Resp: 56303
Ion Ratio Lower Upper
252 100
253 23.5 18.5 27.7
125 15.4 12.7 19.1









#40
Dibenzo(a,h)anthracene
Concen: 0.118 ng
RT: 26.934 min Scan# 41
Delta R.T. -0.032 min
Lab File: BN026853.D
Acq: 08 Aug 2023 17:26

Instrument :
BNA_N
ClientSampleId :
BUILDING-B-7-(0-5)

Tgt Ion:278 Resp: 7560
Ion Ratio Lower Upper
278 100
139 34.4 16.8 25.2#
279 35.7 19.5 29.3#



#41
Benzo(g,h,i)perylene
Concen: 0.435 ng
RT: 27.752 min Scan# 4445
Delta R.T. -0.018 min
Lab File: BN026853.D
Acq: 08 Aug 2023 17:26

Tgt Ion:276 Resp: 33051
Ion Ratio Lower Upper
276 100
277 25.1 19.1 28.7
138 25.7 19.8 29.6

