

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN081023\
 Data File : BN026866.D
 Acq On : 09 Aug 2023 13:42
 Operator : MA/JU
 Sample : PB154632BSD
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 PB154632BSD

Quant Time: Aug 09 14:14:48 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN080123.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Aug 09 01:06:23 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.116	152	8333	0.400	ng	0.00
7) Naphthalene-d8	10.949	136	25854	0.400	ng	# 0.01
13) Acenaphthene-d10	14.737	164	15987	0.400	ng	0.00
19) Phenanthrene-d10	17.492	188	37202	0.400	ng	# 0.01
29) Chrysene-d12	21.668	240	35346	0.400	ng	0.00
35) Perylene-d12	24.226	264	43836	0.400	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.625	112	6094	0.289	ng	0.00
5) Phenol-d6	7.243	99	7491	0.274	ng	0.00
8) Nitrobenzene-d5	9.304	82	5041	0.329	ng	0.01
11) 2-Methylnaphthalene-d10	12.517	152	10074	0.272	ng	0.00
14) 2,4,6-Tribromophenol	16.226	330	2024	0.372	ng	0.00
15) 2-Fluorobiphenyl	13.368	172	15981	0.245	ng	0.00
27) Fluoranthene-d10	19.509	212	25265	0.283	ng	0.00
31) Terphenyl-d14	20.094	244	18449	0.250	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	3.480	88	2444	0.251	ng	97
3) n-Nitrosodimethylamine	3.819	42	2647	0.244	ng	87
6) bis(2-Chloroethyl)ether	7.539	93	6608	0.268	ng	98
9) Naphthalene	10.991	128	18288	0.257	ng	98
10) Hexachlorobutadiene	11.237	225	3354	0.260	ng	# 99
12) 2-Methylnaphthalene	12.589	142	13016	0.268	ng	100
16) Acenaphthylene	14.469	152	20643	0.261	ng	100
17) Acenaphthene	14.801	154	12802	0.258	ng	97
18) Fluorene	15.779	166	17065	0.264	ng	99
20) 4,6-Dinitro-2-methylph...	16.934	198	159	0.264	ng	# 71
21) 4-Bromophenyl-phenylether	16.673	248	5750	0.256	ng	# 91
22) Hexachlorobenzene	16.760	284	6089	0.237	ng	98
23) Atrazine	16.934	200	4857	0.327	ng	97
24) Pentachlorophenol	17.108	266	2439	0.370	ng	96
25) Phenanthrene	17.530	178	28536	0.253	ng	100
26) Anthracene	17.616	178	26268	0.260	ng	100
28) Fluoranthene	19.537	202	33356	0.265	ng	99
30) Pyrene	19.904	202	35018	0.229	ng	100
32) Benzo(a)anthracene	21.650	228	34807	0.287	ng	99
33) Chrysene	21.703	228	33937	0.253	ng	99
34) Bis(2-ethylhexyl)phtha...	21.542	149	27478	0.683	ng	# 97
36) Indeno(1,2,3-cd)pyrene	26.928	276	47894	0.268	ng	98
37) Benzo(b)fluoranthene	23.431	252	37443	0.217	ng	95
38) Benzo(k)fluoranthene	23.484	252	37442	0.211	ng	# 94
39) Benzo(a)pyrene	24.110	252	37579	0.239	ng	96
40) Dibenzo(a,h)anthracene	26.963	278	37920	0.273	ng	97
41) Benzo(g,h,i)perylene	27.770	276	41046	0.250	ng	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN081023\
Data File : BN026866.D
Acq On : 09 Aug 2023 13:42
Operator : MA/JU
Sample : PB154632BSD
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
PB154632BSD


Quant Time: Aug 09 14:14:48 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN080123.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 09 01:06:23 2023
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 8.116 min Scan# 71
Delta R.T. 0.006 min
Lab File: BN026866.D
Acq: 09 Aug 2023 13:42

Instrument :
BNA_N
ClientSampleId :
PB154632BSD







Tgt Ion:152 Resp: 8333
Ion Ratio Lower Upper
152 100
150 152.7 123.8 185.8
115 61.1 48.0 72.0



#2
1,4-Dioxane
Concen: 0.251 ng
RT: 3.480 min Scan# 83
Delta R.T. -0.000 min
Lab File: BN026866.D
Acq: 09 Aug 2023 13:42

Tgt Ion: 88 Resp: 2444
Ion Ratio Lower Upper
88 100
43 27.7 21.7 32.5
58 63.1 53.3 79.9









#3
n-Nitrosodimethylamine
Concen: 0.244 ng
RT: 3.819 min Scan# 11
Delta R.T. -0.000 min
Lab File: BN026866.D
Acq: 09 Aug 2023 13:42




Instrument :
BNA_N
ClientSampleId :
PB154632BSD


Tgt Ion: 42 Resp: 2647
Ion Ratio Lower Upper
42 100
74 149.5 106.4 159.6
44 10.4 7.3 10.9



#4
2-Fluorophenol
Concen: 0.289 ng
RT: 5.625 min Scan# 380
Delta R.T. 0.007 min
Lab File: BN026866.D
Acq: 09 Aug 2023 13:42

Tgt Ion: 112 Resp: 6094
Ion Ratio Lower Upper
112 100
64 51.8 42.2 63.2
63 27.2 22.7 34.1









#5
Phenol-d6
Concen: 0.274 ng
RT: 7.243 min Scan# 604
Delta R.T. 0.007 min
Lab File: BN026866.D
Acq: 09 Aug 2023 13:42




Instrument :
BNA_N
ClientSampleId :
PB154632BSD


Tgt Ion: 99 Resp: 7491
Ion Ratio Lower Upper
99 100
42 17.8 14.6 22.0
71 32.2 26.6 40.0



#6
bis(2-Chloroethyl)ether
Concen: 0.268 ng
RT: 7.539 min Scan# 645
Delta R.T. -0.000 min
Lab File: BN026866.D
Acq: 09 Aug 2023 13:42

Tgt Ion: 93 Resp: 6608
Ion Ratio Lower Upper
93 100
63 68.3 56.7 85.1
95 32.9 25.9 38.9









#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.949 min Scan# 999
Delta R.T. 0.010 min
Lab File: BN026866.D
Acq: 09 Aug 2023 13:42




Instrument :
BNA_N
ClientSampleId :
PB154632BSD


Tgt Ion:	136	Resp:	25854
Ion Ratio	Lower	Upper	
136	100		
137	11.3	9.0	13.4
54	5.5	6.2	9.2#
68	5.6	5.5	8.3



#8
Nitrobenzene-d5
Concen: 0.329 ng
RT: 9.304 min Scan# 845
Delta R.T. 0.010 min
Lab File: BN026866.D
Acq: 09 Aug 2023 13:42

Tgt Ion:	82	Resp:	5041
Ion Ratio	Lower	Upper	
82	100		
128	50.3	30.5	45.7#
54	43.7	39.4	59.2









#9
Naphthalene
Concen: 0.257 ng
RT: 10.991 min Scan# 1003
Delta R.T. -0.000 min
Lab File: BN026866.D
Acq: 09 Aug 2023 13:42




Instrument :
BNA_N
ClientSampleId :
PB154632BSD


Tgt Ion:128 Resp: 18288
Ion Ratio Lower Upper
128 100
129 12.1 9.0 13.4
127 13.7 10.6 16.0



#10
Hexachlorobutadiene
Concen: 0.260 ng
RT: 11.237 min Scan# 1026
Delta R.T. 0.010 min
Lab File: BN026866.D
Acq: 09 Aug 2023 13:42

Tgt Ion:225 Resp: 3354
Ion Ratio Lower Upper
225 100
223 0.0 0.0 0.0
227 64.1 50.5 75.7









#11
2-Methylnaphthalene-d10
Concen: 0.272 ng
RT: 12.517 min Scan# 11
Delta R.T. 0.004 min
Lab File: BN026866.D
Acq: 09 Aug 2023 13:42




Instrument :
BNA_N
ClientSampleId :
PB154632BSD


Tgt Ion:152 Resp: 10074
Ion Ratio Lower Upper
152 100
151 20.1 16.5 24.7



#12
2-Methylnaphthalene
Concen: 0.268 ng
RT: 12.589 min Scan# 1338
Delta R.T. 0.004 min
Lab File: BN026866.D
Acq: 09 Aug 2023 13:42

Tgt Ion:142 Resp: 13016
Ion Ratio Lower Upper
142 100
141 88.0 70.3 105.5
115 36.6 29.2 43.8









#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.737 min Scan# 1611
Delta R.T. -0.000 min
Lab File: BN026866.D
Acq: 09 Aug 2023 13:42




Instrument :
BNA_N
ClientSampleId :
PB154632BSD


Tgt Ion:164 Resp: 15987
Ion Ratio Lower Upper
164 100
162 105.8 83.0 124.6
160 49.9 40.8 61.2



#14
2,4,6-Tribromophenol
Concen: 0.372 ng
RT: 16.226 min Scan# 1740
Delta R.T. -0.000 min
Lab File: BN026866.D
Acq: 09 Aug 2023 13:42

Tgt Ion:330 Resp: 2024
Ion Ratio Lower Upper
330 100
332 97.7 77.8 116.6
141 44.6 34.8 52.2









#15
2-Fluorobiphenyl
Concen: 0.245 ng
RT: 13.368 min Scan# 1482
Delta R.T. -0.000 min
Lab File: BN026866.D
Acq: 09 Aug 2023 13:42




Instrument :
BNA_N
ClientSampleId :
PB154632BSD


Tgt Ion:172	Resp:	15981
Ion Ratio	Lower	Upper
172	100	
171	35.2	28.0 42.0
170	24.2	19.2 28.8



#16
Acenaphthylene
Concen: 0.261 ng
RT: 14.469 min Scan# 1585
Delta R.T. -0.000 min
Lab File: BN026866.D
Acq: 09 Aug 2023 13:42

Tgt Ion:152	Resp:	20643
Ion Ratio	Lower	Upper
152	100	
151	19.6	15.7 23.5
153	13.1	10.5 15.7









#17
Acenaphthene
Concen: 0.258 ng
RT: 14.801 min Scan# 11
Delta R.T. -0.000 min
Lab File: BN026866.D
Acq: 09 Aug 2023 13:42




Instrument :
BNA_N
ClientSampleId :
PB154632BSD


Tgt Ion:154 Resp: 12802
Ion Ratio Lower Upper
154 100
153 114.8 90.0 135.0
152 56.7 48.6 73.0



#18
Fluorene
Concen: 0.264 ng
RT: 15.779 min Scan# 1704
Delta R.T. -0.000 min
Lab File: BN026866.D
Acq: 09 Aug 2023 13:42

Tgt Ion:166 Resp: 17065
Ion Ratio Lower Upper
166 100
165 97.5 79.0 118.6
167 13.7 10.9 16.3









#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.492 min Scan# 1842
Delta R.T. 0.012 min
Lab File: BN026866.D
Acq: 09 Aug 2023 13:42




Instrument :
BNA_N
ClientSampleId :
PB154632BSD


Tgt Ion:188 Resp: 37202
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 6.9 8.0 12.0#



#20
4,6-Dinitro-2-methylphenol
Concen: 0.264 ng
RT: 16.934 min Scan# 1797
Delta R.T. -0.000 min
Lab File: BN026866.D
Acq: 09 Aug 2023 13:42

Tgt Ion:198 Resp: 159
Ion Ratio Lower Upper
198 100
51 188.8 150.5 225.7
105 291.3 165.0 247.6#









#21
4-Bromophenyl-phenylether
Concen: 0.256 ng
RT: 16.673 min Scan# 1776
Delta R.T. -0.000 min
Lab File: BN026866.D
Acq: 09 Aug 2023 13:42




Instrument :
BNA_N
ClientSampleId :
PB154632BSD


Tgt Ion:248 Resp: 5750
Ion Ratio Lower Upper
248 100
250 97.4 80.6 121.0
141 55.5 32.6 48.8#



#22
Hexachlorobenzene
Concen: 0.237 ng
RT: 16.760 min Scan# 1783
Delta R.T. 0.012 min
Lab File: BN026866.D
Acq: 09 Aug 2023 13:42

Tgt Ion:284 Resp: 6089
Ion Ratio Lower Upper
284 100
142 38.0 32.0 48.0
249 30.5 25.0 37.4









#23
Atrazine
Concen: 0.327 ng
RT: 16.934 min Scan# 1111
Delta R.T. -0.000 min
Lab File: BN026866.D
Acq: 09 Aug 2023 13:42




Instrument :
BNA_N
ClientSampleId :
PB154632BSD


Tgt Ion:200 Resp: 4857
Ion Ratio Lower Upper
200 100
173 26.8 19.2 28.8
215 48.6 39.8 59.8



#24
Pentachlorophenol
Concen: 0.370 ng
RT: 17.108 min Scan# 1811
Delta R.T. -0.000 min
Lab File: BN026866.D
Acq: 09 Aug 2023 13:42

Tgt Ion:266 Resp: 2439
Ion Ratio Lower Upper
266 100
264 60.7 50.8 76.2
268 60.5 50.8 76.2









#25
Phenanthrene
Concen: 0.253 ng
RT: 17.530 min Scan# 1845
Delta R.T. -0.000 min
Lab File: BN026866.D
Acq: 09 Aug 2023 13:42




Instrument :
BNA_N
ClientSampleId :
PB154632BSD


Tgt Ion:178 Resp: 28536
Ion Ratio Lower Upper
178 100
176 19.1 15.4 23.0
179 15.4 12.2 18.2



#26
Anthracene
Concen: 0.260 ng
RT: 17.616 min Scan# 1852
Delta R.T. -0.000 min
Lab File: BN026866.D
Acq: 09 Aug 2023 13:42

Tgt Ion:178 Resp: 26268
Ion Ratio Lower Upper
178 100
176 18.6 14.9 22.3
179 15.0 12.2 18.2









#27
Fluoranthene-d10
Concen: 0.283 ng
RT: 19.509 min Scan# 2140
Delta R.T. 0.004 min
Lab File: BN026866.D
Acq: 09 Aug 2023 13:42




Instrument :
BNA_N
ClientSampleId :
PB154632BSD


Tgt Ion:212 Resp: 25265
Ion Ratio Lower Upper
212 100
106 13.6 11.7 17.5
104 7.5 6.4 9.6



#28
Fluoranthene
Concen: 0.265 ng
RT: 19.537 min Scan# 2145
Delta R.T. 0.004 min
Lab File: BN026866.D
Acq: 09 Aug 2023 13:42

Tgt Ion:202 Resp: 33356
Ion Ratio Lower Upper
202 100
101 11.2 9.2 13.8
203 16.9 13.7 20.5









#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.668 min Scan# 21
Delta R.T. -0.000 min
Lab File: BN026866.D
Acq: 09 Aug 2023 13:42




Instrument :
BNA_N
ClientSampleId :
PB154632BSD


Tgt Ion:	240	Resp:	35346
Ion	Ratio	Lower	Upper
240	100		
120	12.1	9.2	13.8
236	27.7	21.9	32.9



#30
Pyrene
Concen: 0.229 ng
RT: 19.904 min Scan# 2224
Delta R.T. 0.004 min
Lab File: BN026866.D
Acq: 09 Aug 2023 13:42

Tgt Ion:	202	Resp:	35018
Ion	Ratio	Lower	Upper
202	100		
200	21.0	16.8	25.2
203	17.9	14.2	21.2









#31
 Terphenyl-d14
 Concen: 0.250 ng
 RT: 20.094 min Scan# 21
 Delta R.T. -0.000 min
 Lab File: BN026866.D
 Acq: 09 Aug 2023 13:42




Instrument :
 BNA_N
 ClientSampleId :
 PB154632BSD


Tgt Ion:244 Resp: 18449
 Ion Ratio Lower Upper
 244 100
 212 8.8 7.0 10.4
 122 15.1 12.3 18.5



#32
 Benzo(a)anthracene
 Concen: 0.287 ng
 RT: 21.650 min Scan# 2533
 Delta R.T. -0.000 min
 Lab File: BN026866.D
 Acq: 09 Aug 2023 13:42

Tgt Ion:228 Resp: 34807
 Ion Ratio Lower Upper
 228 100
 226 27.5 21.9 32.9
 229 20.7 15.8 23.8









#33
Chrysene
Concen: 0.253 ng
RT: 21.703 min Scan# 21703
Delta R.T. -0.000 min
Lab File: BN026866.D
Acq: 09 Aug 2023 13:42




Instrument :
BNA_N
ClientSampleId :
PB154632BSD


Tgt Ion:228 Resp: 33937
Ion Ratio Lower Upper
228 100
226 30.9 24.6 36.8
229 20.1 15.4 23.2



#34
Bis(2-ethylhexyl)phthalate
Concen: 0.683 ng
RT: 21.542 min Scan# 2521
Delta R.T. -0.000 min
Lab File: BN026866.D
Acq: 09 Aug 2023 13:42

Tgt Ion:149 Resp: 27478
Ion Ratio Lower Upper
149 100
167 27.5 20.8 31.2
279 4.2 2.4 3.6#









#35
Perylene-d12
Concen: 0.400 ng
RT: 24.226 min Scan# 31
Delta R.T. -0.000 min
Lab File: BN026866.D
Acq: 09 Aug 2023 13:42




Instrument :
BNA_N
ClientSampleId :
PB154632BSD


Tgt Ion:264 Resp: 43836
Ion Ratio Lower Upper
264 100
260 25.8 21.0 31.6
265 32.8 22.6 33.8



#36
Indeno(1,2,3-cd)pyrene
Concen: 0.268 ng
RT: 26.928 min Scan# 4163
Delta R.T. -0.003 min
Lab File: BN026866.D
Acq: 09 Aug 2023 13:42

Tgt Ion:276 Resp: 47894
Ion Ratio Lower Upper
276 100
138 26.6 22.8 34.2
277 25.0 19.9 29.9









#37
Benzo(b)fluoranthene
Concen: 0.217 ng
RT: 23.431 min Scan# 2971
Delta R.T. -0.000 min
Lab File: BN026866.D
Acq: 09 Aug 2023 13:42




Instrument :
BNA_N
ClientSampleId :
PB154632BSD


Tgt Ion:252 Resp: 37443
Ion Ratio Lower Upper
252 100
253 24.8 17.8 26.8
125 15.8 10.8 16.2



#38
Benzo(k)fluoranthene
Concen: 0.211 ng
RT: 23.484 min Scan# 2985
Delta R.T. -0.000 min
Lab File: BN026866.D
Acq: 09 Aug 2023 13:42

Tgt Ion:252 Resp: 37442
Ion Ratio Lower Upper
252 100
253 24.5 18.0 27.0
125 15.9 9.4 14.2#









#39
Benzo(a)pyrene
Concen: 0.239 ng
RT: 24.110 min Scan# 31
Delta R.T. -0.000 min
Lab File: BN026866.D
Acq: 09 Aug 2023 13:42




Instrument :
BNA_N
ClientSampleId :
PB154632BSD


Tgt Ion:252 Resp: 37579
Ion Ratio Lower Upper
252 100
253 25.1 18.5 27.7
125 17.8 12.7 19.1



#40
Dibenzo(a,h)anthracene
Concen: 0.273 ng
RT: 26.963 min Scan# 4175
Delta R.T. -0.003 min
Lab File: BN026866.D
Acq: 09 Aug 2023 13:42


Tgt Ion:278 Resp: 37920
Ion Ratio Lower Upper
278 100
139 22.2 16.8 25.2
279 26.5 19.5 29.3





#41
 Benzo(g,h,i)perylene
 Concen: 0.250 ng
 RT: 27.770 min Scan# 44
 Delta R.T. -0.000 min
 Lab File: BN026866.D
 Acq: 09 Aug 2023 13:42

Instrument :
 BNA_N
 ClientSampleId :
 PB154632BSD



Tgt Ion:276 Resp: 41046

Ion	Ratio	Lower	Upper
276	100		
277	26.1	19.1	28.7
138	25.1	19.8	29.6

