

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN081123\
 Data File : BN026873.D
 Acq On : 10 Aug 2023 08:44
 Operator : MA/JU
 Sample : SSTDICC0.2
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :

Quant Time: Aug 11 01:49:26 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN081123.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Aug 11 01:48:37 2023
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.109	152	7367	0.400	ng	0.00
7) Naphthalene-d8	10.938	136	17771	0.400	ng	0.00
13) Acenaphthene-d10	14.737	164	14118	0.400	ng	0.00
19) Phenanthrene-d10	17.480	188	33147	0.400	ng	0.00
29) Chrysene-d12	21.659	240	30097	0.400	ng	0.00
35) Perylene-d12	24.215	264	34104	0.400	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.618	112	4772	0.256	ng	0.00
5) Phenol-d6	7.236	99	5693	0.236	ng	0.00
8) Nitrobenzene-d5	9.294	82	3481	0.331	ng	0.00
11) 2-Methylnaphthalene-d10	12.510	152	6159	0.242	ng	0.00
14) 2,4,6-Tribromophenol	16.214	330	1556	0.324	ng	-0.01
15) 2-Fluorobiphenyl	13.368	172	10633	0.184	ng	0.00
27) Fluoranthene-d10	19.500	212	16827	0.211	ng	0.00
31) Terphenyl-d14	20.090	244	12686	0.202	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.480	88	1689	0.196	ng	96
3) n-Nitrosodimethylamine	3.819	42	1814	0.189	ng	# 94
6) bis(2-Chloroethyl)ether	7.532	93	4551	0.209	ng	100
9) Naphthalene	10.992	128	9445	0.193	ng	97
10) Hexachlorobutadiene	11.226	225	2227	0.251	ng	# 100
12) 2-Methylnaphthalene	12.581	142	7998	0.240	ng	99
16) Acenaphthylene	14.459	152	13141	0.188	ng	99
17) Acenaphthene	14.801	154	8382	0.191	ng	99
18) Fluorene	15.780	166	11272	0.198	ng	100
20) 4,6-Dinitro-2-methylph...	16.934	198	103	0.192	ng	# 53
21) 4-Bromophenyl-phenylether	16.661	248	3706	0.185	ng	# 67
22) Hexachlorobenzene	16.748	284	4131	0.180	ng	99
23) Atrazine	16.934	200	3350	0.253	ng	97
24) Pentachlorophenol	17.108	266	1867	0.317	ng	99
25) Phenanthrene	17.517	178	18965	0.188	ng	100
26) Anthracene	17.617	178	17015	0.189	ng	100
28) Fluoranthene	19.532	202	22233	0.198	ng	100
30) Pyrene	19.895	202	23334	0.179	ng	100
32) Benzo(a)anthracene	21.641	228	21653	0.210	ng	99
33) Chrysene	21.695	228	22100	0.193	ng	99
34) Bis(2-ethylhexyl)phtha...	21.533	149	16169	0.472	ng	99
36) Indeno(1,2,3-cd)pyrene	26.908	276	28348	0.204	ng	99
37) Benzo(b)fluoranthene	23.420	252	22127	0.165	ng	# 93
38) Benzo(k)fluoranthene	23.475	252	22709	0.165	ng	# 93
39) Benzo(a)pyrene	24.098	252	22764	0.186	ng	# 93
40) Dibenzo(a,h)anthracene	26.943	278	22312	0.206	ng	95
41) Benzo(g,h,i)perylene	27.750	276	24494	0.191	ng	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN081123\
 Data File : BN026873.D
 Acq On : 10 Aug 2023 08:44
 Operator : MA/JU
 Sample : SSTDICC0.2
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :


Quant Time: Aug 11 01:49:26 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN081123.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Aug 11 01:48:37 2023
 Response via : Initial Calibration







#1
 1,4-Dichlorobenzene-d4
 Concen: 0.400 ng
 RT: 8.109 min Scan# 71
 Delta R.T. 0.000 min
 Lab File: BN026873.D
 Acq: 10 Aug 2023 08:44

Instrument :
 BNA_N
 ClientSampleId :



Tgt Ion:152 Resp: 7367




Ion	Ratio	Lower	Upper
152	100		
150	154.6	123.8	185.6
115	62.8	49.7	74.5



#2
 1,4-Dioxane
 Concen: 0.196 ng
 RT: 3.480 min Scan# 83
 Delta R.T. 0.000 min
 Lab File: BN026873.D
 Acq: 10 Aug 2023 08:44

Tgt Ion: 88 Resp: 1689

Ion	Ratio	Lower	Upper
88	100		
43	27.1	19.2	28.8
58	65.3	54.5	81.7








#3
n-Nitrosodimethylamine
Concen: 0.189 ng
RT: 3.819 min Scan# 11
Delta R.T. -0.007 min
Lab File: BN026873.D
Acq: 10 Aug 2023 08:44




Instrument :
BNA_N
ClientSampleId :


Tgt Ion: 42 Resp: 1814
Ion Ratio Lower Upper
42 100
74 155.9 119.4 179.2
44 7.2 8.7 13.1#



#4
2-Fluorophenol
Concen: 0.256 ng
RT: 5.618 min Scan# 379
Delta R.T. 0.000 min
Lab File: BN026873.D
Acq: 10 Aug 2023 08:44


Tgt Ion: 112 Resp: 4772
Ion Ratio Lower Upper
112 100
64 52.0 41.5 62.3
63 27.6 21.7 32.5







#5
Phenol-d6
Concen: 0.236 ng
RT: 7.236 min Scan# 603
Delta R.T. 0.000 min
Lab File: BN026873.D
Acq: 10 Aug 2023 08:44


Instrument :
BNA_N
ClientSampleId :





Tgt Ion: 99 Resp: 5693
Ion Ratio Lower Upper
99 100
42 17.3 13.6 20.4
71 31.9 26.0 39.0



#6
bis(2-Chloroethyl)ether
Concen: 0.209 ng
RT: 7.532 min Scan# 644
Delta R.T. 0.000 min
Lab File: BN026873.D
Acq: 10 Aug 2023 08:44



Tgt Ion: 93 Resp: 4551
Ion Ratio Lower Upper
93 100
63 68.9 55.0 82.4
95 32.9 26.2 39.2








#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.938 min Scan# 998
Delta R.T. 0.000 min
Lab File: BN026873.D
Acq: 10 Aug 2023 08:44




Instrument :
BNA_N
ClientSampleId :


Tgt Ion:	136	Resp:	17771
Ion	Ratio	Lower	Upper
136	100		
137	11.4	9.0	13.6
54	7.3	5.5	8.3
68	7.2	5.4	8.2



#8
Nitrobenzene-d5
Concen: 0.331 ng
RT: 9.294 min Scan# 844
Delta R.T. 0.000 min
Lab File: BN026873.D
Acq: 10 Aug 2023 08:44

Tgt Ion:	82	Resp:	3481
Ion	Ratio	Lower	Upper
82	100		
128	45.5	34.1	51.1
54	47.6	37.0	55.4





#9

Naphthalene

Concen: 0.193 ng

RT: 10.992 min Scan# 1003

Delta R.T. 0.000 min

Lab File: BN026873.D





Acq: 10 Aug 2023 08:44

Instrument :

BNA_N

ClientSampleId :

Tgt Ion:128	Resp:	9445
Ion Ratio	Lower	Upper
128	100	
129	13.0	9.4 14.0
127	14.3	10.6 16.0



#10

Hexachlorobutadiene

Concen: 0.251 ng




RT: 11.226 min Scan# 1025

Delta R.T. 0.000 min

Lab File: BN026873.D

Acq: 10 Aug 2023 08:44

Tgt Ion:225	Resp:	2227
Ion Ratio	Lower	Upper
225	100	
223	0.0	0.0 0.0
227	63.5	50.8 76.2









#11
2-Methylnaphthalene-d10
Concen: 0.242 ng
RT: 12.510 min Scan# 11
Delta R.T. 0.000 min
Lab File: BN026873.D
Acq: 10 Aug 2023 08:44




Instrument :
BNA_N
ClientSampleId :


Tgt Ion:152 Resp: 6159
Ion Ratio Lower Upper
152 100
151 20.4 16.3 24.5



#12
2-Methylnaphthalene
Concen: 0.240 ng
RT: 12.581 min Scan# 1336
Delta R.T. 0.000 min
Lab File: BN026873.D
Acq: 10 Aug 2023 08:44


Tgt Ion:142 Resp: 7998
Ion Ratio Lower Upper
142 100
141 88.2 71.0 106.6
115 38.7 29.4 44.2







#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.737 min Scan# 1610
Delta R.T. 0.000 min
Lab File: BN026873.D
Acq: 10 Aug 2023 08:44


Instrument :
BNA_N
ClientSampleId :





Tgt Ion:164 Resp: 14118
Ion Ratio Lower Upper
164 100
162 101.1 79.7 119.5
160 47.5 37.4 56.0



#14
2,4,6-Tribromophenol
Concen: 0.324 ng
RT: 16.214 min Scan# 1739
Delta R.T. -0.012 min
Lab File: BN026873.D
Acq: 10 Aug 2023 08:44



Tgt Ion:330 Resp: 1556
Ion Ratio Lower Upper
330 100
332 97.1 76.6 114.8
141 44.7 32.3 48.5








#15
2-Fluorobiphenyl
Concen: 0.184 ng
RT: 13.368 min Scan# 1482
Delta R.T. 0.000 min
Lab File: BN026873.D
Acq: 10 Aug 2023 08:44




Instrument :
BNA_N
ClientSampleId :


Tgt Ion:172 Resp: 10633
Ion Ratio Lower Upper
172 100
171 34.9 27.4 41.0
170 23.8 18.0 27.0



#16
Acenaphthylene
Concen: 0.188 ng
RT: 14.459 min Scan# 1584
Delta R.T. 0.000 min
Lab File: BN026873.D
Acq: 10 Aug 2023 08:44

Tgt Ion:152 Resp: 13141
Ion Ratio Lower Upper
152 100
151 19.9 15.5 23.3
153 13.0 10.5 15.7









#17
Acenaphthene
Concen: 0.191 ng
RT: 14.801 min Scan# 1616
Delta R.T. 0.000 min
Lab File: BN026873.D
Acq: 10 Aug 2023 08:44




Instrument :
BNA_N
ClientSampleId :


Tgt Ion:154 Resp: 8382
Ion Ratio Lower Upper
154 100
153 115.6 92.0 138.0
152 57.1 46.2 69.2



#18
Fluorene
Concen: 0.198 ng
RT: 15.780 min Scan# 1704
Delta R.T. 0.000 min
Lab File: BN026873.D
Acq: 10 Aug 2023 08:44

Tgt Ion:166 Resp: 11272
Ion Ratio Lower Upper
166 100
165 97.3 77.4 116.2
167 13.4 10.9 16.3





#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 17.480 min Scan# 1841

Delta R.T. 0.000 min

Lab File: BN026873.D

Acq: 10 Aug 2023 08:44

Instrument :

BNA_N

ClientSampleId :





Tgt Ion:188 Resp: 33147

Ion Ratio Lower Upper

188 100

94 0.0 0.0 0.0

80 9.7 7.4 11.2



#20

4,6-Dinitro-2-methylphenol

Concen: 0.192 ng

RT: 16.934 min Scan# 1797

Delta R.T. 0.013 min

Lab File: BN026873.D

Acq: 10 Aug 2023 08:44




Tgt Ion:198 Resp: 103


Ion Ratio Lower Upper

198 100

51 275.8 143.8 215.8#


105 263.3 273.5 410.3#








#21
4-Bromophenyl-phenylether
Concen: 0.185 ng
RT: 16.661 min Scan# 1775
Delta R.T. -0.012 min
Lab File: BN026873.D
Acq: 10 Aug 2023 08:44

Instrument :
BNA_N
ClientSampleId :






Tgt Ion:248 Resp: 3706
Ion Ratio Lower Upper
248 100
250 91.8 83.0 124.4
141 93.2 29.9 44.9#



#22
Hexachlorobenzene
Concen: 0.180 ng
RT: 16.748 min Scan# 1782
Delta R.T. 0.000 min
Lab File: BN026873.D
Acq: 10 Aug 2023 08:44

Tgt Ion:284 Resp: 4131
Ion Ratio Lower Upper
284 100
142 36.5 30.0 45.0
249 30.7 24.4 36.6





#23

Atrazine

Concen: 0.253 ng

RT: 16.934 min Scan# 11

Delta R.T. 0.000 min

Lab File: BN026873.D





Acq: 10 Aug 2023 08:44

Instrument :

BNA_N

ClientSampleId :

Tgt Ion:	200	Resp:	3350
Ion Ratio	Lower	Upper	
200	100		
173	23.9	17.1	25.7
215	51.3	39.6	59.4



#24

Pentachlorophenol

Concen: 0.317 ng




RT: 17.108 min Scan# 1811


Delta R.T. 0.000 min

Lab File: BN026873.D

Acq: 10 Aug 2023 08:44

Tgt Ion:	266	Resp:	1867
Ion Ratio	Lower	Upper	
266	100		
264	61.3	49.7	74.5
268	61.4	49.3	73.9





#25

Phenanthrene

Concen: 0.188 ng

RT: 17.517 min Scan# 1844

Delta R.T. 0.000 min

Lab File: BN026873.D

Acq: 10 Aug 2023 08:44

Instrument :

BNA_N

ClientSampleId :





Tgt Ion:178 Resp: 18965

Ion Ratio Lower Upper

178 100

176 19.4 15.3 22.9

179 15.2 12.2 18.4



#26

Anthracene

Concen: 0.189 ng

RT: 17.617 min Scan# 1852

Delta R.T. 0.000 min

Lab File: BN026873.D

Acq: 10 Aug 2023 08:44




Tgt Ion:178 Resp: 17015


Ion Ratio Lower Upper

178 100

176 18.7 14.8 22.2

179 15.3 12.1 18.1








#27
Fluoranthene-d10
Concen: 0.211 ng
RT: 19.500 min Scan# 2137
Delta R.T. 0.000 min
Lab File: BN026873.D
Acq: 10 Aug 2023 08:44




Instrument :
BNA_N
ClientSampleId :

Tgt Ion:212 Resp: 16827
Ion Ratio Lower Upper
212 100
106 13.9 10.9 16.3
104 7.8 5.9 8.9



#28
Fluoranthene
Concen: 0.198 ng
RT: 19.532 min Scan# 2144
Delta R.T. 0.000 min
Lab File: BN026873.D
Acq: 10 Aug 2023 08:44

Tgt Ion:202 Resp: 22233
Ion Ratio Lower Upper
202 100
101 11.2 8.9 13.3
203 17.2 13.7 20.5





#29

Chrysene-d12

Concen: 0.400 ng

RT: 21.659 min Scan# 21

Delta R.T. 0.000 min

Lab File: BN026873.D

Acq: 10 Aug 2023 08:44

Instrument :

BNA_N

ClientSampleId :





Tgt Ion:240 Resp: 30097

Ion Ratio Lower Upper

240 100

120 13.5 11.1 16.7

236 27.8 22.2 33.2



#30

Pyrene

Concen: 0.179 ng

RT: 19.895 min Scan# 2222

Delta R.T. 0.000 min

Lab File: BN026873.D

Acq: 10 Aug 2023 08:44




Tgt Ion:202 Resp: 23334


Ion Ratio Lower Upper

202 100

200 20.7 16.6 25.0

203 18.0 14.4 21.6





#31

Terphenyl-d14

Concen: 0.202 ng

RT: 20.090 min Scan# 21

Delta R.T. 0.000 min


Lab File: BN026873.D

Acq: 10 Aug 2023 08:44

Instrument :

BNA_N

ClientSampleId :






Tgt Ion:244 Resp: 12686

Ion Ratio Lower Upper

244 100

212 9.0 6.9 10.3

122 15.2 11.9 17.9



#32

Benzo(a)anthracene

Concen: 0.210 ng

RT: 21.641 min Scan# 2532

Delta R.T. 0.000 min

Lab File: BN026873.D

Acq: 10 Aug 2023 08:44




Tgt Ion:228 Resp: 21653


Ion Ratio Lower Upper

228 100

226 28.0 22.1 33.1

229 20.1 15.5 23.3





#33

Chrysene

Concen: 0.193 ng

RT: 21.695 min Scan# 21

Delta R.T. 0.000 min

Lab File: BN026873.D

Acq: 10 Aug 2023 08:44

Instrument :

BNA_N

ClientSampleId :





Tgt Ion:228 Resp: 22100

Ion Ratio Lower Upper

228 100

226 31.0 24.6 37.0

229 20.0 15.5 23.3



#34

Bis(2-ethylhexyl)phthalate

Concen: 0.472 ng

RT: 21.533 min Scan# 2520

Delta R.T. 0.000 min

Lab File: BN026873.D

Acq: 10 Aug 2023 08:44




Tgt Ion:149 Resp: 16169


Ion Ratio Lower Upper

149 100

167 27.1 21.4 32.0

279 3.7 3.6 5.4





#35

Perylene-d12

Concen: 0.400 ng

RT: 24.215 min Scan# 31

Delta R.T. 0.000 min


Lab File: BN026873.D

Acq: 10 Aug 2023 08:44

Instrument :

BNA_N

ClientSampleId :






Tgt Ion:264 Resp: 34104

Ion Ratio Lower Upper

264 100

260 25.4 20.4 30.6

265 36.7 27.0 40.6



#36

Indeno(1,2,3-cd)pyrene

Concen: 0.204 ng

RT: 26.908 min Scan# 4156

Delta R.T. -0.003 min

Lab File: BN026873.D

Acq: 10 Aug 2023 08:44




Tgt Ion:276 Resp: 28348


Ion Ratio Lower Upper

276 100

138 26.7 21.1 31.7

277 24.6 19.9 29.9





#37

Benzo(b)fluoranthene

Concen: 0.165 ng

RT: 23.420 min Scan# 2963

Delta R.T. 0.000 min

Lab File: BN026873.D

Acq: 10 Aug 2023 08:44

Instrument :

BNA_N

ClientSampleId :





Tgt Ion:252 Resp: 22127

Ion Ratio Lower Upper

252 100

253 25.6 18.4 27.6

125 16.4 10.2 15.2#



#38

Benzo(k)fluoranthene

Concen: 0.165 ng

RT: 23.475 min Scan# 2982

Delta R.T. 0.000 min

Lab File: BN026873.D

Acq: 10 Aug 2023 08:44




Tgt Ion:252 Resp: 22709

Ion Ratio Lower Upper

252 100

253 25.6 18.4 27.6


125 16.3 10.2 15.2#








#39
Benzo(a)pyrene
Concen: 0.186 ng
RT: 24.098 min Scan# 3194
Delta R.T. 0.003 min
Lab File: BN026873.D
Acq: 10 Aug 2023 08:44

Instrument :
BNA_N
ClientSampleId :







Tgt Ion:252 Resp: 22764
Ion Ratio Lower Upper
252 100
253 26.1 18.6 28.0
125 18.1 11.7 17.5#



#40
Dibenzo(a,h)anthracene
Concen: 0.206 ng
RT: 26.943 min Scan# 4168
Delta R.T. -0.006 min
Lab File: BN026873.D
Acq: 10 Aug 2023 08:44


Tgt Ion:278 Resp: 22312
Ion Ratio Lower Upper
278 100
139 22.5 15.3 22.9
279 26.4 19.9 29.9





#41
Benzo(g,h,i)perylene
Concen: 0.191 ng
RT: 27.750 min Scan# 44
Delta R.T. -0.003 min
Lab File: BN026873.D
Acq: 10 Aug 2023 08:44

Instrument :
BNA_N
ClientSampleId :



Tgt Ion:	276	Resp:	24494
Ion	Ratio	Lower	Upper
276	100		
277	26.3	19.8	29.8
138	25.5	19.0	28.4

