

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN081518\
 Data File : BN002344.D
 Acq On : 15 Aug 2018 20:39
 Operator : JU/SJ
 Sample : J4490-08
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :

Quant Time: Aug 16 01:51:41 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN081318MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Aug 16 01:50:44 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.68	152	157700	20.00	ng/ul	0.00
18) Naphthalene-d8	10.45	136	758576	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.31	164	485928	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.06	188	1139528	20.00	ng/ul	0.00
77) Chrysene-d12	21.26	240	1321714	20.00	ng/ul	0.00
85) Perylene-d12	23.49	264	1427897	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.24	96	17052	5.10	ng/uL	0.00
5) Phenol-d5	6.86	99	89768	6.21	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.02	67	294592	32.44	ng/ul	0.00
9) 2-Chlorophenol-d4	7.22	132	277418	25.19	ng/ul	0.00
13) 4-Methylphenol-d8	8.38	113	180629	15.63	ng/ul	0.00
19) Nitrobenzene-d5	8.83	128	197729	32.75	ng/ul	0.00
22) 2-Nitrophenol-d4	9.55	143	207653	32.70	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.08	165	327818	28.09	ng/ul	0.00
29) 4-Chloroaniline-d4	10.63	131	4093	0.32	ng/ul	0.04
43) Dimethylphthalate-d6	13.72	166	1359380	33.75	ng/ul	0.00
46) Acenaphthylene-d8	14.00	160	1543834	31.24	ng/ul	0.00
51) 4-Nitrophenol-d4	14.53	143	30699	4.03	ng/ul	0.01
57) Fluorene-d10	15.30	176	1169514	33.49	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.43	200	200472	27.63	ng/ul	0.00
70) Anthracene-d10	17.16	188	1875982	34.46	ng/ul	0.00
78) Pyrene-d10	19.46	212	2142981	33.88	ng/ul	0.00
89) Benzo(a)pyrene-d12	23.35	264	2400955	32.16	ng/ul	0.00


Target Compounds					Ovalue	
2) 1,4-Dioxane	3.27	88	10833	3.031	ng/uL	91




(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN081518\
Data File : BN002344.D
Acq On : 15 Aug 2018 20:39
Operator : JU/SJ
Sample : J4490-08
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :

Quant Time: Aug 16 01:51:41 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN081318MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Aug 16 01:50:44 2018
Response via : Initial Calibration





#2

1,4-Dioxane

Concen: 3.031 ng/uL

RT: 3.27 min Scan# 48

Delta R.T. 0.00 min

Lab File: BN002344.D

Acq: 15 Aug 2018 20:39

Instrument :

BNA_N

ClientSampleId :

Tot Ion: 88 Resp: 10833

Ion Ratio Lower Upper

88 100

43 34.2 32.0 48.0

58 81.0 72.0 108.0

