

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN081523\
 Data File : BN026898.D
 Acq On : 15 Aug 2023 13:12
 Operator : MA/JU
 Sample : 03965-01
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 A4832

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 08/16/2023
 Supervised By :Sohil Jodhani 08/16/2023

Quant Time: Aug 16 00:53:33 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-SIM-BN080323.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Aug 16 00:50:05 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.110	152	17493	0.400	ng/ul	0.00
4) Naphthalene-d8	10.938	136	57409	0.400	ng/ul	0.00
9) Acenaphthene-d10	14.735	164	33956	0.400	ng/ul	0.00
13) Phenanthrene-d10	17.481	188	77907	0.400	ng/ul	0.00
17) Chrysene-d12	21.656	240	67968	0.400	ng/ul	0.00
23) Perylene-d12	24.208	264	75499	0.400	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.439	96	69772	3.360	ng/ul	0.00
6) 2-Methylnaphthalene-d10	12.511	152	19536	0.231	ng/ul	0.00
18) Fluoranthene-d10	19.497	212	52789	0.246	ng/ul	0.00
Target Compounds						
						Qvalue
10) Acenaphthylene	14.467	152	5635	0.030	ng/ul#	94
11) Acenaphthene	14.800	153	3281	0.025	ng/ul	98
12) Fluorene	15.781	166	4570	0.031	ng/ul#	98
15) Phenanthrene	17.523	178	89146	0.348	ng/ul	100
16) Anthracene	17.616	178	14505	0.063	ng/ul	98
19) Fluoranthene	19.529	202	263883	0.935	ng/ul	100
20) Pyrene	19.896	202	220252m	0.731	ng/ul	
21) Benzo(a)anthracene	21.638	228	97506	0.361	ng/ul	99
22) Chrysene	21.694	228	129058m	0.484	ng/ul	
24) Benzo(b)fluoranthene	23.413	252	183608m	0.643	ng/ul	
25) Benzo(k)fluoranthene	23.462	252	61689m	0.219	ng/ul	
26) Benzo(a)pyrene	24.094	252	116024	0.450	ng/ul	98
27) Indeno(1,2,3-cd)pyrene	26.894	276	86068	0.255	ng/ul#	90
28) Dibenzo(a,h)anthracene	26.921	278	18485	0.069	ng/ul#	89
29) Benzo(g,h,i)perylene	27.739	276	76636	0.273	ng/ul	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN081523\
Data File : BN026898.D
Acq On : 15 Aug 2023 13:12
Operator : MA/JU
Sample : 03965-01
Misc :
ALS Vial : 9 Sample Multiplier: 1


Instrument :
BNA_N
ClientSampleId :
A4832

Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 08/16/2023
Supervised By :Sohil Jodhani 08/16/2023


Quant Time: Aug 16 00:53:33 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-SIM-BN080323.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Aug 16 00:50:05 2023
Response via : Initial Calibration





#10
Acenaphthylene
Concen: 0.030 ng/ul
RT: 14.467 min Scan# 2538
Delta R.T. 0.005 min
Lab File: BN026898.D
Acq: 15 Aug 2023 13:12




Instrument :
BNA_N
ClientSampleId :
A4832



Tgt Ion:152 Resp: 5638
Ion Ratio Lower Upper
152 100
151 22.0 15.9 23.9
153 16.9 11.0 16.6




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 08/16/2023
Supervised By :Sohil Jodhani 08/16/2023



#11
Acenaphthene
Concen: 0.025 ng/ul
RT: 14.800 min Scan# 2611
Delta R.T. 0.000 min
Lab File: BN026898.D
Acq: 15 Aug 2023 13:12


Tgt Ion:153 Resp: 3281
Ion Ratio Lower Upper
153 100
152 54.2 41.1 61.7
154 88.7 71.6 107.4





#12
Fluorene
Concen: 0.031 ng/u1
RT: 15.781 min Scan# 2823
Delta R.T. 0.000 min
Lab File: BN026898.D
Acq: 15 Aug 2023 13:12




Instrument :
BNA_N
ClientSampleId :
A4832



Tgt Ion:166 Resp: 4570
Ion Ratio Lower Upper
166 100
165 98.2 79.1 118.7
167 17.3 11.4 17.0




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 08/16/2023
Supervised By :Sohil Jodhani 08/16/2023



#15
Phenanthrene
Concen: 0.348 ng/u1
RT: 17.523 min Scan# 3231
Delta R.T. 0.000 min
Lab File: BN026898.D
Acq: 15 Aug 2023 13:12


Tgt Ion:178 Resp: 89146
Ion Ratio Lower Upper
178 100
179 15.4 12.6 18.8
176 19.1 15.4 23.2





#16
 Anthracene
 Concen: 0.063 ng/ul
 RT: 17.616 min Scan# 31
 Delta R.T. 0.000 min
 Lab File: BN026898.D
 Acq: 15 Aug 2023 13:12




Instrument :
 BNA_N
 ClientSampleId :
 A4832



Tgt Ion:178 Resp: 1450
 Ion Ratio Lower Upper
 178 100
 179 17.2 12.6 19.0
 176 19.5 15.0 22.6




Manual Integrations
 APPROVED


Reviewed By :Yogesh Patel 08/16/2023
 Supervised By :Sohil Jodhani 08/16/2023



#19
 Fluoranthene
 Concen: 0.935 ng/ul
 RT: 19.529 min Scan# 3684
 Delta R.T. 0.000 min
 Lab File: BN026898.D
 Acq: 15 Aug 2023 13:12


Tgt Ion:202 Resp: 263883
 Ion Ratio Lower Upper
 202 100
 101 10.5 8.3 12.5
 100 7.7 6.2 9.2





#20
Pyrene
Concen: 0.731 ng/ul m
RT: 19.896 min Scan# 3763
Delta R.T. 0.000 min
Lab File: BN026898.D
Acq: 15 Aug 2023 13:12




Instrument :
BNA_N
ClientSampleId :
A4832




Tgt Ion:202 Resp: 22025
Ion Ratio Lower Upper
202 100
101 12.2 10.7 16.1
100 9.7 8.5 12.7

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 08/16/2023
Supervised By :Sohil Jodhani 08/16/2023




#21
Benzo(a)anthracene
Concen: 0.361 ng/ul
RT: 21.638 min Scan# 4282
Delta R.T. -0.003 min
Lab File: BN026898.D
Acq: 15 Aug 2023 13:12




Tgt Ion:228 Resp: 97506
Ion Ratio Lower Upper
228 100
229 20.6 16.0 24.0
226 27.8 22.2 33.2





#22
Chrysene
Concen: 0.484 ng/ul m
RT: 21.694 min Scan# 4301
Delta R.T. -0.006 min
Lab File: BN026898.D
Acq: 15 Aug 2023 13:12




Instrument :
BNA_N
ClientSampleId :
A4832



Tgt Ion:228 Resp: 129058
Ion Ratio Lower Upper
228 100
226 30.4 24.6 36.8
229 21.2 15.8 23.6




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 08/16/2023
Supervised By :Sohil Jodhani 08/16/2023



#24
Benzo(b)fluoranthene
Concen: 0.643 ng/ul m
RT: 23.413 min Scan# 4889
Delta R.T. -0.009 min
Lab File: BN026898.D
Acq: 15 Aug 2023 13:12


Tgt Ion:252 Resp: 183608
Ion Ratio Lower Upper
252 100
253 22.9 0.0 46.8
125 12.2 0.0 25.2





#25
Benzo(k)fluoranthene
Concen: 0.219 ng/ul m
RT: 23.462 min Scan# 4906
Delta R.T. -0.012 min
Lab File: BN026898.D
Acq: 15 Aug 2023 13:12




Instrument :
BNA_N
ClientSampleId :
A4832



Tgt Ion:252 Resp: 61689
Ion Ratio Lower Upper
252 100
253 23.6 18.2 27.4
125 13.4 9.9 14.9




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 08/16/2023
Supervised By :Sohil Jodhani 08/16/2023



#26
Benzo(a)pyrene
Concen: 0.450 ng/ul
RT: 24.094 min Scan# 5122
Delta R.T. -0.006 min
Lab File: BN026898.D
Acq: 15 Aug 2023 13:12

Tgt Ion:252 Resp: 116024
Ion Ratio Lower Upper
252 100
253 22.9 19.0 28.6
125 12.9 11.4 17.0





#27

Indeno(1,2,3-cd)pyrene

Concen: 0.255 ng/ul

RT: 26.894 min Scan# 5997

Delta R.T. -0.013 min

Lab File: BN026898.D


Acq: 15 Aug 2023 13:12

Instrument :

BNA_N

ClientSampleId :

A4832



Tgt Ion:276 Resp: 8606

Ion Ratio Lower Upper

276 100

138 21.8 21.6 32.4




227 0.1 0.0 0.0

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 08/16/2023

Supervised By :Sohil Jodhani 08/16/2023



#28

Dibenzo(a,h)anthracene

Concen: 0.069 ng/ul

RT: 26.921 min Scan# 6005

Delta R.T. -0.017 min

Lab File: BN026898.D

Acq: 15 Aug 2023 13:12




Tgt Ion:278 Resp: 18485


Ion Ratio Lower Upper

278 100

139 24.9 15.7 23.5#


279 30.9 20.2 30.4#





#29
Benzo(g,h,i)perylene
Concen: 0.273 ng/ul
RT: 27.739 min Scan# 61
Delta R.T. -0.007 min
Lab File: BN026898.D
Acq: 15 Aug 2023 13:12

Instrument :
BNA_N
ClientSampleId :
A4832



Tgt Ion:276 Resp: 76630
Ion Ratio Lower Upper
276 100
138 24.0 19.3 28.9
277 24.9 19.8 29.8

Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 08/16/2023
Supervised By :Sohil Jodhani 08/16/2023

