

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN082018\
 Data File : BN002418.D
 Acq On : 20 Aug 2018 12:32
 Operator : JU/SJ
 Sample : J4491-13
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :

Quant Time: Aug 21 00:53:47 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN081318MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Sat Aug 18 04:58:06 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.68	152	139848	20.00	ng/ul	0.00
18) Naphthalene-d8	10.45	136	672412	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.30	164	421805	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.05	188	997205	20.00	ng/ul	0.00
77) Chrysene-d12	21.25	240	1123884	20.00	ng/ul	0.00
85) Perylene-d12	23.47	264	1180169	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.24	96	19077	6.44	ng/uL	0.00
5) Phenol-d5	6.86	99	102525	8.00	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.02	67	314738	39.08	ng/ul	0.00
9) 2-Chlorophenol-d4	7.21	132	299246	30.64	ng/ul	0.00
13) 4-Methylphenol-d8	8.38	113	201052	19.61	ng/ul	0.00
19) Nitrobenzene-d5	8.82	128	212659	39.73	ng/ul	0.00
22) 2-Nitrophenol-d4	9.54	143	220670	39.20	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.08	165	352313	34.06	ng/ul	0.00
29) 4-Chloroaniline-d4	10.63	131	1506	0.13	ng/ul	0.05
43) Dimethylphthalate-d6	13.72	166	1426804	40.80	ng/ul	0.00
46) Acenaphthylene-d8	14.00	160	1776927	41.42	ng/ul	0.00
51) 4-Nitrophenol-d4	14.52	143	34886	5.28	ng/ul	0.00
57) Fluorene-d10	15.30	176	1238654	40.86	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.43	200	199010	31.34	ng/ul	0.00
70) Anthracene-d10	17.15	188	1961029	41.16	ng/ul	0.00
78) Pyrene-d10	19.45	212	2226314	41.40	ng/ul	0.00
89) Benzo(a)pyrene-d12	23.33	264	2412649	39.10	ng/ul	0.00

Target Compounds


				Ovalue	
2) 1,4-Dioxane	3.27	88	16478	5.198	ng/uL# 80
45) 2,6-Dinitrotoluene	13.72	165	7777	1.122	ng/ul# 39


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN082018\
Data File : BN002418.D
Acq On : 20 Aug 2018 12:32
Operator : JU/SJ
Sample : J4491-13
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :

Quant Time: Aug 21 00:53:47 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN081318MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Sat Aug 18 04:58:06 2018
Response via : Initial Calibration





#2

1,4-Dioxane

Concen: 5.198 ng/uL

RT: 3.27 min Scan# 48

Delta R.T. -0.00 min

Lab File: BN002418.D

Acq: 20 Aug 2018 12:32

Instrument :

BNA_N

ClientSampled :


Tot Ion: 88 Resp: 16478

Ion Ratio Lower Upper




88 100

43 23.7 32.0 48.0#

58 73.8 72.0 108.0



Abundance Ion 88.00 (87.70 to 88.70): BN0
Ion 43.00 (42.70 to 43.70): BN0
Ion 58.00 (57.70 to 58.70): BN0



#45

2,6-Dinitrotoluene

Concen: 1.122 ng/uL

RT: 13.72 min Scan# 1825

Delta R.T. -0.16 min

Lab File: BN002418.D

Acq: 20 Aug 2018 12:32


Tgt Ion:165 Resp: 7777

Ion Ratio Lower Upper

165 100

89 0.0 42.4 63.6#

121 32.5 16.6 24.8#



Abundance Ion 165.00 (164.70 to 165.70): E
Ion 89.00 (88.70 to 89.70): BN0
Ion 121.00 (120.70 to 121.70): E

