

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN082123\
 Data File : BN027024.D
 Acq On : 22 Aug 2023 11:34
 Operator : MA/JU
 Sample : PB154830BS
 Misc :
 ALS Vial : 42 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 SLCS830

Quant Time: Aug 22 12:03:30 2023
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SFAM-EPA-SIM-BN080323.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Aug 18 13:11:26 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.097	152	8180	0.400	ng/ul	0.00
4) Naphthalene-d8	10.927	136	26414	0.400	ng/ul	0.00
9) Acenaphthene-d10	14.726	164	16157	0.400	ng/ul	0.00
13) Phenanthrene-d10	17.472	188	33958	0.400	ng/ul	0.00
17) Chrysene-d12	21.647	240	26422	0.400	ng/ul	0.00
23) Perylene-d12	24.190	264	23985	0.400	ng/ul	# 0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.439	96	5848	0.602	ng/ul	0.00
6) 2-Methylnaphthalene-d10	12.500	152	16121	0.415	ng/ul	0.00
18) Fluoranthene-d10	19.487	212	34673	0.416	ng/ul	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	3.477	88	13589	1.371	ng/ul#	94
5) Naphthalene	10.977	128	24299	0.326	ng/ul	100
7) 2-Methylnaphthalene	12.572	142	16514	0.365	ng/ul	100
8) 1-Methylnaphthalene	12.786	142	18109	0.383	ng/ul	100
10) Acenaphthylene	14.458	152	25229	0.279	ng/ul	100
11) Acenaphthene	14.791	153	18972	0.303	ng/ul	99
12) Fluorene	15.772	166	20733	0.293	ng/ul	98
14) Pentachlorophenol	17.097	266	4919	0.512	ng/ul	100
15) Phenanthrene	17.515	178	33269	0.298	ng/ul	100
16) Anthracene	17.608	178	30112	0.299	ng/ul	99
19) Fluoranthene	19.520	202	39139	0.357	ng/ul	98
20) Pyrene	19.887	202	40823	0.349	ng/ul	98
21) Benzo(a)anthracene	21.630	228	34630	0.330	ng/ul	100
22) Chrysene	21.685	228	34259	0.330	ng/ul	99
24) Benzo(b)fluoranthene	23.398	252	31426	0.346	ng/ul	91
25) Benzo(k)fluoranthene	23.454	252	31241	0.349	ng/ul#	90
26) Benzo(a)pyrene	24.076	252	26163	0.320	ng/ul#	87
27) Indeno(1,2,3-cd)pyrene	26.881	276	31451	0.294	ng/ul#	98
28) Dibenzo(a,h)anthracene	26.904	278	25329	0.297	ng/ul	95
29) Benzo(g,h,i)perylene	27.716	276	26592	0.298	ng/ul	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN082123\
Data File : BN027024.D
Acq On : 22 Aug 2023 11:34
Operator : MA/JU
Sample : PB154830BS
Misc :
ALS Vial : 42 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
SLCS830

Quant Time: Aug 22 12:03:30 2023
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SFAM-EPA-SIM-BN080323.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Aug 18 13:11:26 2023
Response via : Initial Calibration

