

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN082318\
 Data File : BN002493.D
 Acq On : 24 Aug 2018 07:17
 Operator : JU/SJ
 Sample : J4424-15DL 5X
 Misc :
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 A3Z61DL

Manual Integrations
 APPROVED

Sohil
 8/24/2018 5:38:26 PM

Quant Time: Aug 24 13:29:17 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\SOM-EPA-SIM-BN082318.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Aug 24 02:20:09 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.68	152	1848	0.40	ng/ul	0.00
2) Naphthalene-d8	10.45	136	8069	0.40	ng/ul	0.00
6) Acenaphthene-d10	14.31	164	4849	0.40	ng/ul	0.00
10) Phenanthrene-d10	17.05	188	10491m	0.40	ng/ul	0.00
16) Chrysene-d12	21.25	240	10530m	0.40	ng/ul	0.00
20) Perylene-d12	23.47	264	11447	0.40	ng/ul	0.00
System Monitoring Compounds						
4) 2-Methylnaphthalene-d10	12.03	152	550	0.04	ng/ul	-0.02
14) Fluoranthene-d10	19.09	212	702m	0.02	ng/ul	0.00
Target Compounds						
3) Naphthalene	10.51	128	677	0.033	ng/ul#	1
7) Acenaphthylene	14.03	152	4520	0.199	ng/ul#	1
8) Acenaphthene	14.40	153	3663	0.211	ng/ul#	36
9) Fluorene	15.36	166	4580	0.231	ng/ul#	56
15) Fluoranthene	19.12	202	2968m	0.081	ng/ul	
17) Pyrene	19.48	202	7920	0.221	ng/ul#	89
18) Benzo(a)anthracene	21.24	228	863	0.027	ng/ul#	1
19) Chrysene	21.29	228	1124	0.032	ng/ul#	1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN082318\
Data File : BN002493.D
Acq On : 24 Aug 2018 07:17
Operator : JU/SJ
Sample : J4424-15DL 5X
Misc :
ALS Vial : 29 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
A3Z61DL

Manual Integrations
APPROVED

Sohil
8/24/2018 5:38:26 PM

Quant Time: Aug 24 13:29:17 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\SOM-EPA-SIM-BN082318.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Aug 24 02:20:09 2018
Response via : Initial Calibration

