

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN082523\
 Data File : BN027154.D
 Acq On : 26 Aug 2023 14:09
 Operator : MA/JU
 Sample : 04095-11
 Misc :
 ALS Vial : 42 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 TT162S1-20230818

Quant Time: Aug 26 22:34:15 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN081123.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Aug 26 02:13:59 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.080	152	5912	0.400	ng	0.00
7) Naphthalene-d8	10.906	136	13048	0.400	ng	0.00
13) Acenaphthene-d10	14.705	164	8907	0.400	ng	0.00
19) Phenanthrene-d10	17.455	188	20994	0.400	ng	0.00
29) Chrysene-d12	21.632	240	17189	0.400	ng	0.00
35) Perylene-d12	24.168	264	15889	0.400	ng	# 0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.596	112	2589	0.155	ng	0.00
5) Phenol-d6	7.214	99	1660	0.081	ng	0.00
8) Nitrobenzene-d5	9.273	82	3231	0.293	ng	0.00
11) 2-Methylnaphthalene-d10	12.479	152	8329	0.402	ng	0.00
14) 2,4,6-Tribromophenol	16.202	330	1469	0.310	ng	0.00
15) 2-Fluorobiphenyl	13.336	172	10616	0.321	ng	0.00
27) Fluoranthene-d10	19.476	212	25691	0.477	ng	0.00
31) Terphenyl-d14	20.057	244	17562	0.489	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.465	88	1978	0.311	ng	# 78
34) Bis(2-ethylhexyl)phtha...	21.488	149	2080	0.047	ng	# 96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN082523\
Data File : BN027154.D
Acq On : 26 Aug 2023 14:09
Operator : MA/JU
Sample : 04095-11
Misc :
ALS Vial : 42 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
TT162S1-20230818


Quant Time: Aug 26 22:34:15 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN081123.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Aug 26 02:13:59 2023
Response via : Initial Calibration








#1
 1,4-Dichlorobenzene-d4
 Concen: 0.400 ng
 RT: 8.080 min Scan# 71
 Delta R.T. -0.008 min
 Lab File: BN027154.D
 Acq: 26 Aug 2023 14:09

Instrument :
 BNA_N
 ClientSampleId :
 TT162S1-20230818







Tgt Ion:152 Resp: 5912
 Ion Ratio Lower Upper
 152 100
 150 155.8 123.8 185.6
 115 62.5 49.7 74.5



#2
 1,4-Dioxane
 Concen: 0.311 ng
 RT: 3.465 min Scan# 81
 Delta R.T. -0.007 min
 Lab File: BN027154.D
 Acq: 26 Aug 2023 14:09

Tgt Ion: 88 Resp: 1978
 Ion Ratio Lower Upper
 88 100
 43 62.3 19.2 28.8#
 58 66.1 54.5 81.7









#4
2-Fluorophenol
Concen: 0.155 ng
RT: 5.596 min Scan# 31
Delta R.T. -0.007 min
Lab File: BN027154.D
Acq: 26 Aug 2023 14:09




Instrument :
BNA_N
ClientSampleId :
TT162S1-20230818


Tgt Ion:112 Resp: 2589
Ion Ratio Lower Upper
112 100
64 54.5 41.5 62.3
63 29.4 21.7 32.5



#5
Phenol-d6
Concen: 0.081 ng
RT: 7.214 min Scan# 600
Delta R.T. -0.007 min
Lab File: BN027154.D
Acq: 26 Aug 2023 14:09

Tgt Ion: 99 Resp: 1660
Ion Ratio Lower Upper
99 100
42 18.3 13.6 20.4
71 31.4 26.0 39.0









#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.906 min Scan# 998
Delta R.T. 0.000 min
Lab File: BN027154.D
Acq: 26 Aug 2023 14:09




Instrument :
BNA_N
ClientSampleId :
TT162S1-20230818


Tgt Ion:	136	Resp:	13048
Ion	Ratio	Lower	Upper
136	100		
137	11.8	9.0	13.6
54	7.5	5.5	8.3
68	6.8	5.4	8.2



#8
Nitrobenzene-d5
Concen: 0.293 ng
RT: 9.273 min Scan# 842
Delta R.T. 0.000 min
Lab File: BN027154.D
Acq: 26 Aug 2023 14:09

Tgt Ion:	82	Resp:	3231
Ion	Ratio	Lower	Upper
82	100		
128	46.9	34.1	51.1
54	45.5	37.0	55.4









#11
2-Methylnaphthalene-d10
Concen: 0.402 ng
RT: 12.479 min Scan# 11
Delta R.T. -0.004 min
Lab File: BN027154.D
Acq: 26 Aug 2023 14:09




Instrument :
BNA_N
ClientSampleId :
TT162S1-20230818


Tgt Ion:152 Resp: 8329
Ion Ratio Lower Upper
152 100
151 20.8 16.3 24.5



#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.705 min Scan# 1607
Delta R.T. 0.000 min
Lab File: BN027154.D
Acq: 26 Aug 2023 14:09


Tgt Ion:164 Resp: 8907
Ion Ratio Lower Upper
164 100
162 104.6 79.7 119.5
160 54.3 37.4 56.0








#14
2,4,6-Tribromophenol
Concen: 0.310 ng
RT: 16.202 min Scan# 11
Delta R.T. 0.000 min
Lab File: BN027154.D
Acq: 26 Aug 2023 14:09

Instrument :
BNA_N
ClientSampleId :
TT162S1-20230818







Tgt Ion:330 Resp: 1469
Ion Ratio Lower Upper
330 100
332 96.7 76.6 114.8
141 46.2 32.3 48.5



#15
2-Fluorobiphenyl
Concen: 0.321 ng
RT: 13.336 min Scan# 1479
Delta R.T. 0.000 min
Lab File: BN027154.D
Acq: 26 Aug 2023 14:09

Tgt Ion:172 Resp: 10616
Ion Ratio Lower Upper
172 100
171 34.8 27.4 41.0
170 23.6 18.0 27.0









#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.455 min Scan# 1839
Delta R.T. 0.000 min
Lab File: BN027154.D
Acq: 26 Aug 2023 14:09




Instrument :
BNA_N
ClientSampleId :
TT162S1-20230818


Tgt Ion:188 Resp: 20994
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 10.9 7.4 11.2



#27
Fluoranthene-d10
Concen: 0.477 ng
RT: 19.476 min Scan# 2132
Delta R.T. 0.000 min
Lab File: BN027154.D
Acq: 26 Aug 2023 14:09

Tgt Ion:212 Resp: 25691
Ion Ratio Lower Upper
212 100
106 14.8 10.9 16.3
104 8.5 5.9 8.9









#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.632 min Scan# 21
Delta R.T. 0.000 min
Lab File: BN027154.D
Acq: 26 Aug 2023 14:09




Instrument :
BNA_N
ClientSampleId :
TT162S1-20230818


Tgt Ion:240 Resp: 17189
Ion Ratio Lower Upper
240 100
120 15.6 11.1 16.7
236 28.2 22.2 33.2



#31
Terphenyl-d14
Concen: 0.489 ng
RT: 20.057 min Scan# 2257
Delta R.T. -0.005 min
Lab File: BN027154.D
Acq: 26 Aug 2023 14:09

Tgt Ion:244 Resp: 17562
Ion Ratio Lower Upper
244 100
212 9.2 6.9 10.3
122 17.6 11.9 17.9









#34
 Bis(2-ethylhexyl)phthalate
 Concen: 0.047 ng
 RT: 21.488 min Scan# 2149
 Delta R.T. -0.009 min
 Lab File: BN027154.D
 Acq: 26 Aug 2023 14:09

Instrument :
 BNA_N
 ClientSampleId :
 TT162S1-20230818

Tgt Ion:149 Resp: 2080
 Ion Ratio Lower Upper
 149 100
 167 25.0 21.4 32.0
 279 2.5 3.6 5.4#



#35
 Perylene-d12
 Concen: 0.400 ng
 RT: 24.168 min Scan# 3219
 Delta R.T. -0.003 min
 Lab File: BN027154.D
 Acq: 26 Aug 2023 14:09

Tgt Ion:264 Resp: 15889
 Ion Ratio Lower Upper
 264 100
 260 26.0 20.4 30.6
 265 69.5 27.0 40.6#

