

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN082523\
 Data File : BN027159.D
 Acq On : 26 Aug 2023 18:26
 Operator : MA/JU
 Sample : PB154887BL
 Misc :
 ALS Vial : 48 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 PB154887BL

Quant Time: Aug 26 22:35:09 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN081123.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Aug 26 02:13:59 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.081	152	6088	0.400	ng	0.00
7) Naphthalene-d8	10.906	136	13755	0.400	ng	0.00
13) Acenaphthene-d10	14.715	164	8372	0.400	ng	0.01
19) Phenanthrene-d10	17.455	188	18462	0.400	ng	# 0.00
29) Chrysene-d12	21.632	240	13775	0.400	ng	# 0.00
35) Perylene-d12	24.171	264	12501	0.400	ng	# 0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.596	112	6337	0.369	ng	0.00
5) Phenol-d6	7.214	99	6482	0.306	ng	0.00
8) Nitrobenzene-d5	9.273	82	3699	0.318	ng	0.00
11) 2-Methylnaphthalene-d10	12.479	152	7687	0.352	ng	0.00
14) 2,4,6-Tribromophenol	16.202	330	959	0.215	ng	0.00
15) 2-Fluorobiphenyl	13.336	172	10610	0.341	ng	0.00
27) Fluoranthene-d10	19.477	212	17807	0.376	ng	0.00
31) Terphenyl-d14	20.062	244	13117	0.456	ng	0.00


Target Compounds Qvalue

 (#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN082523\
Data File : BN027159.D
Acq On : 26 Aug 2023 18:26
Operator : MA/JU
Sample : PB154887BL
Misc :
ALS Vial : 48 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
PB154887BL


Quant Time: Aug 26 22:35:09 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN081123.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Aug 26 02:13:59 2023
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 8.081 min Scan# 71
Delta R.T. -0.007 min
Lab File: BN027159.D
Acq: 26 Aug 2023 18:26

Instrument :
BNA_N
ClientSampleId :
PB154887BL



Tgt Ion:152 Resp: 6088




Ion	Ratio	Lower	Upper
152	100		
150	154.1	123.8	185.6
115	60.6	49.7	74.5




#4
2-Fluorophenol
Concen: 0.369 ng
RT: 5.596 min Scan# 376
Delta R.T. -0.007 min
Lab File: BN027159.D
Acq: 26 Aug 2023 18:26

Tgt Ion:112 Resp: 6337

Ion	Ratio	Lower	Upper
112	100		
64	54.1	41.5	62.3
63	30.4	21.7	32.5









#5
Phenol-d6
Concen: 0.306 ng
RT: 7.214 min Scan# 600
Delta R.T. -0.007 min
Lab File: BN027159.D
Acq: 26 Aug 2023 18:26




Instrument :
BNA_N
ClientSampleId :
PB154887BL


Tgt Ion:	99	Resp:	6482
Ion	Ratio	Lower	Upper
99	100		
42	17.3	13.6	20.4
71	33.0	26.0	39.0



#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.906 min Scan# 995
Delta R.T. 0.000 min
Lab File: BN027159.D
Acq: 26 Aug 2023 18:26

Tgt Ion:	136	Resp:	13755
Ion	Ratio	Lower	Upper
136	100		
137	11.6	9.0	13.6
54	7.2	5.5	8.3
68	6.5	5.4	8.2









#8
Nitrobenzene-d5
Concen: 0.318 ng
RT: 9.273 min Scan# 84
Delta R.T. 0.000 min
Lab File: BN027159.D
Acq: 26 Aug 2023 18:26




Instrument :
BNA_N
ClientSampleId :
PB154887BL


Tgt Ion: 82 Resp: 3699
Ion Ratio Lower Upper
82 100
128 45.2 34.1 51.1
54 45.4 37.0 55.4



#11
2-Methylnaphthalene-d10
Concen: 0.352 ng
RT: 12.479 min Scan# 1309
Delta R.T. -0.004 min
Lab File: BN027159.D
Acq: 26 Aug 2023 18:26

Tgt Ion: 152 Resp: 7687
Ion Ratio Lower Upper
152 100
151 19.8 16.3 24.5









#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.715 min Scan# 1608
Delta R.T. 0.011 min
Lab File: BN027159.D
Acq: 26 Aug 2023 18:26




Instrument :
BNA_N
ClientSampleId :
PB154887BL


Tgt Ion:164 Resp: 8372
Ion Ratio Lower Upper
164 100
162 102.0 79.7 119.5
160 52.2 37.4 56.0



#14
2,4,6-Tribromophenol
Concen: 0.215 ng
RT: 16.202 min Scan# 1738
Delta R.T. 0.000 min
Lab File: BN027159.D
Acq: 26 Aug 2023 18:26

Tgt Ion:330 Resp: 959
Ion Ratio Lower Upper
330 100
332 96.9 76.6 114.8
141 45.7 32.3 48.5









#15
2-Fluorobiphenyl
Concen: 0.341 ng
RT: 13.336 min Scan# 1482
Delta R.T. 0.000 min
Lab File: BN027159.D
Acq: 26 Aug 2023 18:26




Instrument :
BNA_N
ClientSampleId :
PB154887BL


Tgt Ion:172 Resp: 10610
Ion Ratio Lower Upper
172 100
171 35.1 27.4 41.0
170 24.5 18.0 27.0



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.455 min Scan# 1839
Delta R.T. 0.000 min
Lab File: BN027159.D
Acq: 26 Aug 2023 18:26

Tgt Ion:188 Resp: 18462
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 14.2 7.4 11.2#





#27

Fluoranthene-d10

Concen: 0.376 ng

RT: 19.477 min Scan# 2132

Delta R.T. 0.000 min

Lab File: BN027159.D

Acq: 26 Aug 2023 18:26

Instrument :

BNA_N

ClientSampleId :

PB154887BL





Tgt Ion:212 Resp: 17807

Ion Ratio Lower Upper

212 100

106 14.8 10.9 16.3

104 8.5 5.9 8.9



#29

Chrysene-d12

Concen: 0.400 ng

RT: 21.632 min Scan# 2531

Delta R.T. 0.000 min

Lab File: BN027159.D

Acq: 26 Aug 2023 18:26




Tgt Ion:240 Resp: 13775


Ion Ratio Lower Upper

240 100

120 18.2 11.1 16.7#

236 28.9 22.2 33.2









#31
 Terphenyl-d14
 Concen: 0.456 ng
 RT: 20.062 min Scan# 21
 Delta R.T. 0.000 min
 Lab File: BN027159.D
 Acq: 26 Aug 2023 18:26

Instrument :
 BNA_N
 ClientSampleId :
 PB154887BL

Tgt Ion:244 Resp: 13117
 Ion Ratio Lower Upper
 244 100
 212 9.2 6.9 10.3
 122 16.4 11.9 17.9



#35
 Perylene-d12
 Concen: 0.400 ng
 RT: 24.171 min Scan# 3220
 Delta R.T. 0.000 min
 Lab File: BN027159.D
 Acq: 26 Aug 2023 18:26

Tgt Ion:264 Resp: 12501
 Ion Ratio Lower Upper
 264 100
 260 26.1 20.4 30.6
 265 85.5 27.0 40.6#

