

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN082523\
 Data File : BN027202.D
 Acq On : 27 Aug 2023 23:08
 Operator : MA/JU
 Sample : 04051-04
 Misc :
 ALS Vial : 93 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 TT180D-20230816

Quant Time: Aug 28 00:46:11 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN081123.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Aug 26 02:13:59 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.073	152	6030	0.400	ng	-0.01
7) Naphthalene-d8	10.895	136	13313	0.400	ng	#-0.01
13) Acenaphthene-d10	14.705	164	8846	0.400	ng	0.00
19) Phenanthrene-d10	17.443	188	19865	0.400	ng	#-0.01
29) Chrysene-d12	21.623	240	15349	0.400	ng	0.00
35) Perylene-d12	24.156	264	12684	0.400	ng	#-0.01
System Monitoring Compounds						
4) 2-Fluorophenol	5.589	112	1933	0.114	ng	-0.01
5) Phenol-d6	7.214	99	1217	0.058	ng	0.00
8) Nitrobenzene-d5	9.262	82	3279	0.292	ng	-0.01
11) 2-Methylnaphthalene-d10	12.472	152	6571	0.311	ng	-0.01
14) 2,4,6-Tribromophenol	16.189	330	1032	0.219	ng	-0.01
15) 2-Fluorobiphenyl	13.326	172	10116	0.308	ng	-0.01
27) Fluoranthene-d10	19.467	212	21358	0.419	ng	0.00
31) Terphenyl-d14	20.053	244	15698	0.489	ng	0.00
Target Compounds						Qvalue
2) 1,4-Dioxane	3.466	88	1382	0.213	ng	# 66
34) Bis(2-ethylhexyl)phtha...	21.480	149	2313	0.058	ng	# 96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN082523\
Data File : BN027202.D
Acq On : 27 Aug 2023 23:08
Operator : MA/JU
Sample : 04051-04
Misc :
ALS Vial : 93 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
TT180D-20230816

Quant Time: Aug 28 00:46:11 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN081123.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Aug 26 02:13:59 2023
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 0.400 ng
 RT: 8.073 min Scan# 71
 Delta R.T. -0.015 min
 Lab File: BN027202.D
 Acq: 27 Aug 2023 23:08




Instrument :
 BNA_N
 ClientSampleId :
 TT180D-20230816


Tgt Ion:152 Resp: 6030
 Ion Ratio Lower Upper
 152 100
 150 158.0 123.8 185.6
 115 62.5 49.7 74.5



#2
 1,4-Dioxane
 Concen: 0.213 ng
 RT: 3.466 min Scan# 81
 Delta R.T. -0.007 min
 Lab File: BN027202.D
 Acq: 27 Aug 2023 23:08

Tgt Ion: 88 Resp: 1382
 Ion Ratio Lower Upper
 88 100
 43 84.1 19.2 28.8#
 58 70.8 54.5 81.7









#4
2-Fluorophenol
Concen: 0.114 ng
RT: 5.589 min Scan# 31
Delta R.T. -0.014 min
Lab File: BN027202.D
Acq: 27 Aug 2023 23:08




Instrument :
BNA_N
ClientSampleId :
TT180D-20230816


Tgt Ion:	112	Resp:	1933
Ion	Ratio	Lower	Upper
112	100		
64	54.5	41.5	62.3
63	31.2	21.7	32.5



#5
Phenol-d6
Concen: 0.058 ng
RT: 7.214 min Scan# 600
Delta R.T. -0.007 min
Lab File: BN027202.D
Acq: 27 Aug 2023 23:08

Tgt Ion:	99	Resp:	1217
Ion	Ratio	Lower	Upper
99	100		
42	19.1	13.6	20.4
71	30.3	26.0	39.0









#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.895 min Scan# 998
Delta R.T. -0.011 min
Lab File: BN027202.D
Acq: 27 Aug 2023 23:08




Instrument :
BNA_N
ClientSampleId :
TT180D-20230816


Tgt Ion:	136	Resp:	13313
Ion Ratio	Lower	Upper	
136	100		
137	11.5	9.0	13.6
54	9.1	5.5	8.3
68	7.8	5.4	8.2



#8
Nitrobenzene-d5
Concen: 0.292 ng
RT: 9.262 min Scan# 841
Delta R.T. -0.011 min
Lab File: BN027202.D
Acq: 27 Aug 2023 23:08

Tgt Ion:	82	Resp:	3279
Ion Ratio	Lower	Upper	
82	100		
128	39.7	34.1	51.1
54	49.5	37.0	55.4









#11
2-Methylnaphthalene-d10
Concen: 0.311 ng
RT: 12.472 min Scan# 11
Delta R.T. -0.011 min
Lab File: BN027202.D
Acq: 27 Aug 2023 23:08




Instrument :
BNA_N
ClientSampleId :
TT180D-20230816


Tgt Ion:152 Resp: 6571
Ion Ratio Lower Upper
152 100
151 20.5 16.3 24.5



#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.705 min Scan# 1607
Delta R.T. 0.000 min
Lab File: BN027202.D
Acq: 27 Aug 2023 23:08


Tgt Ion:164 Resp: 8846
Ion Ratio Lower Upper
164 100
162 103.7 79.7 119.5
160 53.3 37.4 56.0








#14
2,4,6-Tribromophenol
Concen: 0.219 ng
RT: 16.189 min Scan# 11
Delta R.T. -0.012 min
Lab File: BN027202.D
Acq: 27 Aug 2023 23:08


Instrument :
BNA_N
ClientSampleId :
TT180D-20230816





Tgt Ion:330 Resp: 1032
Ion Ratio Lower Upper
330 100
332 96.0 76.6 114.8
141 49.9 32.3 48.5#




#15
2-Fluorobiphenyl
Concen: 0.308 ng
RT: 13.326 min Scan# 1478
Delta R.T. -0.011 min
Lab File: BN027202.D
Acq: 27 Aug 2023 23:08



Tgt Ion:172 Resp: 10116
Ion Ratio Lower Upper
172 100
171 36.0 27.4 41.0
170 25.0 18.0 27.0





#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 17.443 min Scan# 11

Delta R.T. -0.012 min

Lab File: BN027202.D

Acq: 27 Aug 2023 23:08

Instrument :

BNA_N

ClientSampleId :

TT180D-20230816





Tgt Ion:188 Resp: 19865

Ion Ratio Lower Upper

188 100

94 0.0 0.0 0.0

80 15.1 7.4 11.2#



#27

Fluoranthene-d10

Concen: 0.419 ng

RT: 19.467 min Scan# 2130

Delta R.T. -0.009 min

Lab File: BN027202.D

Acq: 27 Aug 2023 23:08




Tgt Ion:212 Resp: 21358


Ion Ratio Lower Upper

212 100

106 15.6 10.9 16.3

104 8.9 5.9 8.9#









#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.623 min Scan# 21
Delta R.T. -0.009 min
Lab File: BN027202.D
Acq: 27 Aug 2023 23:08




Instrument :
BNA_N
ClientSampleId :
TT180D-20230816


Tgt Ion:240 Resp: 15349
Ion Ratio Lower Upper
240 100
120 15.9 11.1 16.7
236 28.3 22.2 33.2



#31
Terphenyl-d14
Concen: 0.489 ng
RT: 20.053 min Scan# 2256
Delta R.T. -0.009 min
Lab File: BN027202.D
Acq: 27 Aug 2023 23:08

Tgt Ion:244 Resp: 15698
Ion Ratio Lower Upper
244 100
212 9.3 6.9 10.3
122 17.3 11.9 17.9









#34
 Bis(2-ethylhexyl)phthalate
 Concen: 0.058 ng
 RT: 21.480 min Scan# 2149
 Delta R.T. -0.018 min
 Lab File: BN027202.D
 Acq: 27 Aug 2023 23:08

Instrument :
 BNA_N
 ClientSampleId :
 TT180D-20230816

Tgt Ion:149 Resp: 2313
 Ion Ratio Lower Upper
 149 100
 167 28.9 21.4 32.0
 279 3.5 3.6 5.4#



#35
 Perylene-d12
 Concen: 0.400 ng
 RT: 24.156 min Scan# 3215
 Delta R.T. -0.015 min
 Lab File: BN027202.D
 Acq: 27 Aug 2023 23:08

Tgt Ion:264 Resp: 12684
 Ion Ratio Lower Upper
 264 100
 260 26.9 20.4 30.6
 265 79.1 27.0 40.6#

