

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN090222\
 Data File : BN021561.D
 Acq On : 02 Sep 2022 14:54
 Operator : CG/JU
 Sample : N4357-18
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 TT180D1-20220823

Quant Time: Sep 03 03:06:56 2022
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN082922.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Sep 02 00:53:31 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.069	152	4403	0.400	ng	0.00
7) Naphthalene-d8	10.898	136	13670	0.400	ng	0.00
13) Acenaphthene-d10	14.718	164	7365	0.400	ng	0.00
19) Phenanthrene-d10	17.470	188	15422	0.400	ng	0.00
29) Chrysene-d12	21.664	240	8871	0.400	ng	0.00
35) Perylene-d12	24.182	264	5674	0.400	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.599	112	1204	0.140	ng	0.00
5) Phenol-d6	7.224	99	847	0.077	ng	0.00
8) Nitrobenzene-d5	9.243	82	2784	0.302	ng	0.00
11) 2-Methylnaphthalene-d10	12.486	152	10427	0.338	ng	0.00
14) 2,4,6-Tribromophenol	16.218	330	677	0.280	ng	0.00
15) 2-Fluorobiphenyl	13.349	172	10835	0.337	ng	0.00
27) Fluoranthene-d10	19.501	212	14965	0.377	ng	0.00
31) Terphenyl-d14	20.088	244	10993	0.551	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.403	88	16425	2.983	ng	Qvalue # 90
12) 2-Methylnaphthalene	12.187	142	1	0.127	ng	# 1
24) Pentachlorophenol	17.131	266	18	0.207	ng	# 66
34) Bis(2-ethylhexyl)phtha...	21.557	149	888	0.071	ng	# 98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN090222\
Data File : BN021561.D
Acq On : 02 Sep 2022 14:54
Operator : CG/JU
Sample : N4357-18
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
TT180D1-20220823


Quant Time: Sep 03 03:06:56 2022
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN082922.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Sep 02 00:53:31 2022
Response via : Initial Calibration







#1
 1,4-Dichlorobenzene-d4
 Concen: 0.400 ng
 RT: 8.069 min Scan# 60
 Delta R.T. -0.000 min
 Lab File: BN021561.D
 Acq: 02 Sep 2022 14:54

Instrument :
 BNA_N
 ClientSampleId :
 TT180D1-20220823






Tgt Ion:152 Resp: 4403
 Ion Ratio Lower Upper
 152 100
 150 156.1 121.4 182.0
 115 61.8 48.6 72.8



#2
 1,4-Dioxane
 Concen: 2.983 ng
 RT: 3.403 min Scan# 17
 Delta R.T. -0.000 min
 Lab File: BN021561.D
 Acq: 02 Sep 2022 14:54

Tgt Ion: 88 Resp: 16425
 Ion Ratio Lower Upper
 88 100
 43 29.9 35.8 53.8#
 58 72.4 57.1 85.7









#4
2-Fluorophenol
Concen: 0.140 ng
RT: 5.599 min Scan# 321
Delta R.T. 0.007 min
Lab File: BN021561.D
Acq: 02 Sep 2022 14:54




Instrument :
BNA_N
ClientSampleId :
TT180D1-20220823

Tgt Ion: 112 Resp: 1204
Ion Ratio Lower Upper
112 100
64 56.8 43.5 65.3
63 30.0 22.6 34.0



#5
Phenol-d6
Concen: 0.077 ng
RT: 7.224 min Scan# 546
Delta R.T. 0.007 min
Lab File: BN021561.D
Acq: 02 Sep 2022 14:54

Tgt Ion: 99 Resp: 847
Ion Ratio Lower Upper
99 100
42 22.8 15.5 23.3
71 40.1 24.2 36.2#








#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.898 min Scan# 91
Delta R.T. -0.000 min
Lab File: BN021561.D
Acq: 02 Sep 2022 14:54




Instrument :
BNA_N
ClientSampleId :
TT180D1-20220823


Tgt Ion:	136	Resp:	13670
Ion Ratio	Lower	Upper	
136	100		
137	11.5	9.3	13.9
54	9.3	6.9	10.3
68	7.8	6.1	9.1



#8
Nitrobenzene-d5
Concen: 0.302 ng
RT: 9.243 min Scan# 784
Delta R.T. -0.000 min
Lab File: BN021561.D
Acq: 02 Sep 2022 14:54

Tgt Ion:	82	Resp:	2784
Ion Ratio	Lower	Upper	
82	100		
128	39.4	30.9	46.3
54	51.4	42.7	64.1





#11

2-Methylnaphthalene-d10

Concen: 0.338 ng

RT: 12.486 min Scan# 1176

Delta R.T. -0.000 min

Lab File: BN021561.D

Acq: 02 Sep 2022 14:54

Instrument :

BNA_N

ClientSampleId :





TT180D1-20220823

Tgt Ion:152 Resp: 10427

Ion Ratio Lower Upper

152 100

151 20.6 14.5 21.7



#12

2-Methylnaphthalene

Concen: 0.127 ng

RT: 12.187 min Scan# 1176

Delta R.T. 0.004 min

Lab File: BN021561.D

Acq: 02 Sep 2022 14:54




Tgt Ion:142 Resp: 1

Ion Ratio Lower Upper

142 100

141 104.0 12.2 18.2#

115 160.0 7.9 11.9#








#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.718 min Scan# 1467
Delta R.T. -0.000 min
Lab File: BN021561.D
Acq: 02 Sep 2022 14:54




Instrument :
BNA_N
ClientSampleId :
TT180D1-20220823

Tgt Ion:164 Resp: 7365
Ion Ratio Lower Upper
164 100
162 105.8 82.2 123.4
160 52.0 39.5 59.3



#14
2,4,6-Tribromophenol
Concen: 0.280 ng
RT: 16.218 min Scan# 1609
Delta R.T. -0.000 min
Lab File: BN021561.D
Acq: 02 Sep 2022 14:54

Tgt Ion:330 Resp: 677
Ion Ratio Lower Upper
330 100
332 97.5 79.3 118.9
141 45.1 37.1 55.7









#15
2-Fluorobiphenyl
Concen: 0.337 ng
RT: 13.349 min Scan# 11
Delta R.T. -0.000 min
Lab File: BN021561.D
Acq: 02 Sep 2022 14:54




Instrument :
BNA_N
ClientSampleId :
TT180D1-20220823


Tgt Ion:172 Resp: 10835
Ion Ratio Lower Upper
172 100
171 35.1 27.8 41.6
170 23.9 18.6 28.0



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.470 min Scan# 1731
Delta R.T. -0.000 min
Lab File: BN021561.D
Acq: 02 Sep 2022 14:54

Tgt Ion:188 Resp: 15422
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 13.3 9.5 14.3









#24
 Pentachlorophenol
 Concen: 0.207 ng
 RT: 17.131 min Scan# 1698
 Delta R.T. 0.010 min
 Lab File: BN021561.D
 Acq: 02 Sep 2022 14:54




Instrument :
 BNA_N
 ClientSampleId :
 TT180D1-20220823


Tgt Ion:	266	Resp:	18
Ion Ratio	Lower	Upper	
266	100		
264	77.8	49.0	73.6#
268	27.8	50.9	76.3#



#27
 Fluoranthene-d10
 Concen: 0.377 ng
 RT: 19.501 min Scan# 2137
 Delta R.T. -0.000 min
 Lab File: BN021561.D
 Acq: 02 Sep 2022 14:54

Tgt Ion:	212	Resp:	14965
Ion Ratio	Lower	Upper	
212	100		
106	18.3	14.2	21.2
104	10.3	7.8	11.6









#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.664 min Scan# 2442
Delta R.T. -0.000 min
Lab File: BN021561.D
Acq: 02 Sep 2022 14:54




Instrument :
BNA_N
ClientSampleId :
TT180D1-20220823


Tgt Ion:240 Resp: 8871
Ion Ratio Lower Upper
240 100
120 14.8 10.2 15.4
236 28.0 22.1 33.1



#31
Terphenyl-d14
Concen: 0.551 ng
RT: 20.088 min Scan# 2266
Delta R.T. -0.009 min
Lab File: BN021561.D
Acq: 02 Sep 2022 14:54

Tgt Ion:244 Resp: 10993
Ion Ratio Lower Upper
244 100
212 10.0 6.5 9.7#
122 19.8 9.1 13.7#









#34
 Bis(2-ethylhexyl)phthalate
 Concen: 0.071 ng
 RT: 21.557 min Scan# 2430
 Delta R.T. -0.000 min
 Lab File: BN021561.D
 Acq: 02 Sep 2022 14:54

Instrument :
 BNA_N
 ClientSampleId :
 TT180D1-20220823

Tgt Ion:149 Resp: 888
 Ion Ratio Lower Upper
 149 100
 167 26.4 21.4 32.0
 279 6.3 2.2 3.2#



#35
 Perylene-d12
 Concen: 0.400 ng
 RT: 24.182 min Scan# 3132
 Delta R.T. -0.003 min
 Lab File: BN021561.D
 Acq: 02 Sep 2022 14:54

Tgt Ion:264 Resp: 5674
 Ion Ratio Lower Upper
 264 100
 260 27.3 21.0 31.6
 265 44.6 32.2 48.2

