

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN090222\
 Data File : BN021583.D
 Acq On : 03 Sep 2022 06:18
 Operator : CG/JU
 Sample : N4471-06
 Misc :
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 MW-11B-35-40-083122

Quant Time: Sep 03 06:48:30 2022
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN082922.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Sep 02 00:53:31 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.069	152	5130	0.400	ng	0.00
7) Naphthalene-d8	10.898	136	17021	0.400	ng	0.00
13) Acenaphthene-d10	14.718	164	10081	0.400	ng	0.00
19) Phenanthrene-d10	17.470	188	20703	0.400	ng	0.00
29) Chrysene-d12	21.655	240	13598	0.400	ng	0.00
35) Perylene-d12	24.167	264	9762	0.400	ng	-0.02
System Monitoring Compounds						
4) 2-Fluorophenol	5.592	112	882	0.088	ng	0.00
5) Phenol-d6	7.217	99	735	0.057	ng	0.00
8) Nitrobenzene-d5	9.243	82	3798	0.330	ng	0.00
11) 2-Methylnaphthalene-d10	12.482	152	13028	0.340	ng	0.00
14) 2,4,6-Tribromophenol	16.208	330	791	0.239	ng	-0.01
15) 2-Fluorobiphenyl	13.349	172	13821	0.314	ng	0.00
27) Fluoranthene-d10	19.493	212	19617	0.369	ng	0.00
31) Terphenyl-d14	20.088	244	15891	0.520	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.403	88	185826	28.962	ng	# 90
12) 2-Methylnaphthalene	12.172	142	2	0.127	ng	# 1
24) Pentachlorophenol	17.111	266	41	0.211	ng	# 78
34) Bis(2-ethylhexyl)phtha...	21.548	149	3972	0.208	ng	# 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN090222\
Data File : BN021583.D
Acq On : 03 Sep 2022 06:18
Operator : CG/JU
Sample : N4471-06
Misc :
ALS Vial : 24 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
MW-11B-35-40-083122


Quant Time: Sep 03 06:48:30 2022
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN082922.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Sep 02 00:53:31 2022
Response via : Initial Calibration








#1
 1,4-Dichlorobenzene-d4
 Concen: 0.400 ng
 RT: 8.069 min Scan# 60
 Delta R.T. -0.000 min
 Lab File: BN021583.D
 Acq: 03 Sep 2022 06:18

Instrument :
 BNA_N
 ClientSampleId :
 MW-11B-35-40-083122







Tgt Ion:152 Resp: 5130
 Ion Ratio Lower Upper
 152 100
 150 153.4 121.4 182.0
 115 59.5 48.6 72.8



#2
 1,4-Dioxane
 Concen: 28.962 ng
 RT: 3.403 min Scan# 17
 Delta R.T. 0.000 min
 Lab File: BN021583.D
 Acq: 03 Sep 2022 06:18

Tgt Ion: 88 Resp: 185826
 Ion Ratio Lower Upper
 88 100
 43 28.0 35.8 53.8#
 58 71.7 57.1 85.7









#4
2-Fluorophenol
Concen: 0.088 ng
RT: 5.592 min Scan# 31
Delta R.T. 0.000 min
Lab File: BN021583.D
Acq: 03 Sep 2022 06:18




Instrument :
BNA_N
ClientSampleId :
MW-11B-35-40-083122


Tgt Ion:112 Resp: 882
Ion Ratio Lower Upper
112 100
64 56.3 43.5 65.3
63 29.9 22.6 34.0



#5
Phenol-d6
Concen: 0.057 ng
RT: 7.217 min Scan# 545
Delta R.T. 0.000 min
Lab File: BN021583.D
Acq: 03 Sep 2022 06:18

Tgt Ion: 99 Resp: 735
Ion Ratio Lower Upper
99 100
42 31.4 15.5 23.3#
71 41.5 24.2 36.2#









#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.898 min Scan# 91
Delta R.T. 0.000 min
Lab File: BN021583.D
Acq: 03 Sep 2022 06:18




Instrument :
BNA_N
ClientSampleId :
MW-11B-35-40-083122


Tgt Ion:	136	Resp:	17021
Ion	Ratio	Lower	Upper
136	100		
137	11.1	9.3	13.9
54	7.1	6.9	10.3
68	6.5	6.1	9.1



#8
Nitrobenzene-d5
Concen: 0.330 ng
RT: 9.243 min Scan# 784
Delta R.T. 0.000 min
Lab File: BN021583.D
Acq: 03 Sep 2022 06:18

Tgt Ion:	82	Resp:	3798
Ion	Ratio	Lower	Upper
82	100		
128	45.9	30.9	46.3
54	46.5	42.7	64.1









#11
2-Methylnaphthalene-d10
Concen: 0.340 ng
RT: 12.482 min Scan# 11
Delta R.T. -0.004 min
Lab File: BN021583.D
Acq: 03 Sep 2022 06:18




Instrument :
BNA_N
ClientSampleId :
MW-11B-35-40-083122


Tgt Ion:152 Resp: 13028
Ion Ratio Lower Upper
152 100
151 21.3 14.5 21.7



#12
2-Methylnaphthalene
Concen: 0.127 ng
RT: 12.172 min Scan# 1172
Delta R.T. -0.011 min
Lab File: BN021583.D
Acq: 03 Sep 2022 06:18

Tgt Ion:142 Resp: 2
Ion Ratio Lower Upper
142 100
141 101.7 12.2 18.2#
115 178.3 7.9 11.9#









#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.718 min Scan# 1467
Delta R.T. 0.000 min
Lab File: BN021583.D
Acq: 03 Sep 2022 06:18




Instrument :
BNA_N
ClientSampleId :
MW-11B-35-40-083122


Tgt Ion:	164	Resp:	10081
Ion Ratio	Lower	Upper	
164	100		
162	102.3	82.2	123.4
160	49.3	39.5	59.3



#14
2,4,6-Tribromophenol
Concen: 0.239 ng
RT: 16.208 min Scan# 1608
Delta R.T. -0.010 min
Lab File: BN021583.D
Acq: 03 Sep 2022 06:18

Tgt Ion:	330	Resp:	791
Ion Ratio	Lower	Upper	
330	100		
332	95.6	79.3	118.9
141	43.7	37.1	55.7









#15
2-Fluorobiphenyl
Concen: 0.314 ng
RT: 13.349 min Scan# 1339
Delta R.T. 0.000 min
Lab File: BN021583.D
Acq: 03 Sep 2022 06:18




Instrument :
BNA_N
ClientSampleId :
MW-11B-35-40-083122


Tgt Ion:172 Resp: 13821
Ion Ratio Lower Upper
172 100
171 34.0 27.8 41.6
170 22.4 18.6 28.0



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.470 min Scan# 1731
Delta R.T. 0.000 min
Lab File: BN021583.D
Acq: 03 Sep 2022 06:18

Tgt Ion:188 Resp: 20703
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 10.5 9.5 14.3





#24

Pentachlorophenol

Concen: 0.211 ng

RT: 17.111 min Scan# 1696

Delta R.T. -0.010 min

Lab File: BN021583.D

Acq: 03 Sep 2022 06:18

Instrument :

BNA_N

ClientSampleId :

MW-11B-35-40-083122





Tgt Ion:266 Resp: 41

Ion Ratio Lower Upper

266 100

264 75.6 49.0 73.6#

268 82.9 50.9 76.3#



#27

Fluoranthene-d10

Concen: 0.369 ng

RT: 19.493 min Scan# 2135

Delta R.T. -0.008 min

Lab File: BN021583.D

Acq: 03 Sep 2022 06:18




Tgt Ion:212 Resp: 19617


Ion Ratio Lower Upper

212 100

106 18.3 14.2 21.2

104 10.4 7.8 11.6









#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.655 min Scan# 2441
Delta R.T. -0.009 min
Lab File: BN021583.D
Acq: 03 Sep 2022 06:18




Instrument :
BNA_N
ClientSampleId :
MW-11B-35-40-083122


Tgt Ion:240 Resp: 13598
Ion Ratio Lower Upper
240 100
120 13.3 10.2 15.4
236 28.1 22.1 33.1



#31
Terphenyl-d14
Concen: 0.520 ng
RT: 20.088 min Scan# 2266
Delta R.T. -0.009 min
Lab File: BN021583.D
Acq: 03 Sep 2022 06:18

Tgt Ion:244 Resp: 15891
Ion Ratio Lower Upper
244 100
212 7.5 6.5 9.7
122 11.0 9.1 13.7









#34
 Bis(2-ethylhexyl)phthalate
 Concen: 0.208 ng
 RT: 21.548 min Scan# 2431
 Delta R.T. -0.009 min
 Lab File: BN021583.D
 Acq: 03 Sep 2022 06:18

Instrument :
 BNA_N
 ClientSampleId :
 MW-11B-35-40-083122

Tgt Ion:149 Resp: 3972
 Ion Ratio Lower Upper
 149 100
 167 26.0 21.4 32.0
 279 3.1 2.2 3.2



#35
 Perylene-d12
 Concen: 0.400 ng
 RT: 24.167 min Scan# 3127
 Delta R.T. -0.018 min
 Lab File: BN021583.D
 Acq: 03 Sep 2022 06:18

Tgt Ion:264 Resp: 9762
 Ion Ratio Lower Upper
 264 100
 260 27.2 21.0 31.6
 265 35.9 32.2 48.2

