

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN090921\
 Data File : BN016273.D
 Acq On : 10 Sep 2021 02:06
 Operator : CG/JU
 Sample : PB138841BS
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 PB138841BS

Manual Integrations
 APPROVED

mohammad
 9/10/2021 3:23:50 PM

Quant Time: Sep 10 03:12:26 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN090921.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Sep 09 15:19:08 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.864	152	13080	0.400	ng	0.00
7) Naphthalene-d8	10.660	136	64936	0.400	ng	0.00
13) Acenaphthene-d10	14.484	164	36250	0.400	ng	-0.01
19) Phenanthrene-d10	17.237	188	71468	0.400	ng	0.00
29) Chrysene-d12	21.429	240	67261	0.400	ng	0.00
35) Perylene-d12	23.810	264	39661	0.400	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.457	112	12751	0.382	ng	0.00
5) Phenol-d6	7.034	99	15800	0.378	ng	0.00
8) Nitrobenzene-d5	9.013	82	19420	0.372	ng	0.00
11) 2-Methylnaphthalene-d10	12.243	152	38620	0.381	ng	0.00
14) 2,4,6-Tribromophenol	15.982	330	5208	0.350	ng	0.00
15) 2-Fluorobiphenyl	13.114	172	54857	0.386	ng	0.00
27) Fluoranthene-d10	19.271	212	79348	0.378	ng	0.00
31) Terphenyl-d14	19.867	244	69015	0.409	ng	0.00
Target Compounds						Qvalue
2) 1,4-Dioxane	3.373	88	1808	0.390	ng	86
3) n-Nitrosodimethylamine	3.742	42	3553	0.369	ng	# 97
6) bis(2-Chloroethyl)ether	7.292	93	13668	0.397	ng	99
9) Naphthalene	10.711	128	67052	0.386	ng	100
10) Hexachlorobutadiene	10.990	225	13674	0.386	ng	# 99
12) 2-Methylnaphthalene	12.319	142	45429	0.389	ng	100
16) Acenaphthylene	14.205	152	62553	0.386	ng	100
17) Acenaphthene	14.548	154	40471	0.384	ng	100
18) Fluorene	15.538	166	49861	0.383	ng	99
20) 4,6-Dinitro-2-methylph...	15.639	198	311	0.314	ng	# 86
21) 4-Bromophenyl-phenylether	16.421	248	15188	0.397	ng	# 74
22) Hexachlorobenzene	16.543	284	18300	0.399	ng	99
23) Atrazine	16.689	200	12384	0.352	ng	# 91
24) Pentachlorophenol	16.896	266	1660	0.356	ng	96
25) Phenanthrene	17.273	178	81711	0.394	ng	99
26) Anthracene	17.371	178	72951	0.382	ng	100
28) Fluoranthene	19.301	202	96792	0.397	ng	100
30) Pyrene	19.664	202	95755	0.420	ng	100
32) Benzo(a)anthracene	21.408	228	81951	0.391	ng	100
33) Chrysene	21.461	228	86247	0.415	ng	99
34) Bis(2-ethylhexyl)phtha...	21.334	149	46932	0.364	ng	100
36) Indeno(1,2,3-cd)pyrene	26.281	276	24765	0.375	ng	98
37) Benzo(b)fluoranthene	23.081	252	66305m	0.433	ng	
38) Benzo(k)fluoranthene	23.132	252	57866	0.424	ng	99
39) Benzo(a)pyrene	23.704	252	48123	0.423	ng	# 90
40) Dibenzo(a,h)anthracene	26.298	278	19723	0.391	ng	98
41) Benzo(g,h,i)perylene	27.037	276	19516	0.356	ng	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN090921\
 Data File : BN016273.D
 Acq On : 10 Sep 2021 02:06
 Operator : CG/JU
 Sample : PB138841BS
 Misc :
 ALS Vial : 21 Sample Multiplier: 1


Instrument :
 BNA_N
 ClientSampleId :
 PB138841BS

Manual Integrations
 APPROVED

mohammad
 9/10/2021 3:23:50 PM


Quant Time: Sep 10 03:12:26 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN090921.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Sep 09 15:19:08 2021
 Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.864 min Scan# 519
Delta R.T. -0.000 min
Lab File: BN016273.D
Acq: 10 Sep 2021 02:06




Instrument :
BNA_N
ClientSampled :
PB138841BS




Tgt Ion:152 Resp: 13080
Ion Ratio Lower Upper
152 100
150 154.6 125.6 188.4
115 60.6 50.2 75.2

Manual Integrations
APPROVED



mohammad
9/10/2021 3:23:50 PM




#2
1,4-Dioxane
Concen: 0.390 ng
RT: 3.373 min Scan# 32
Delta R.T. 0.000 min
Lab File: BN016273.D
Acq: 10 Sep 2021 02:06




Tgt Ion: 88 Resp: 1808
Ion Ratio Lower Upper
88 100
43 24.5 20.3 30.5
58 70.6 69.9 104.9









#3
n-Nitrosodimethylamine
Concen: 0.369 ng
RT: 3.742 min Scan# 72
Delta R.T. 0.000 min
Lab File: BN016273.D
Acq: 10 Sep 2021 02:06





Tgt Ion: 42 Resp: 3553
Ion Ratio Lower Upper
42 100
74 138.7 113.6 170.4
44 0.0 0.0 0.0



#4
2-Fluorophenol
Concen: 0.382 ng
RT: 5.457 min Scan# 258
Delta R.T. 0.000 min
Lab File: BN016273.D
Acq: 10 Sep 2021 02:06




Tgt Ion: 112 Resp: 12751
Ion Ratio Lower Upper
112 100
64 59.8 47.3 70.9
63 28.8 23.4 35.0



Instrument :
BNA_N
ClientSampleId :
PB138841BS

Manual Integrations
APPROVED

mohammad
9/10/2021 3:23:50 PM







#5
Phenol-d6
Concen: 0.378 ng
RT: 7.034 min Scan# 429
Delta R.T. 0.000 min
Lab File: BN016273.D
Acq: 10 Sep 2021 02:06

Tgt Ion:	99	Resp:	15800
Ion	Ratio	Lower	Upper
99	100		
42	18.2	14.0	21.0
71	29.7	23.8	35.6

Instrument :
BNA_N
ClientSampleId :
PB138841BS




Manual Integrations
APPROVED


mohammad
9/10/2021 3:23:50 PM



#6
bis(2-Chloroethyl)ether
Concen: 0.397 ng
RT: 7.292 min Scan# 457
Delta R.T. 0.000 min
Lab File: BN016273.D
Acq: 10 Sep 2021 02:06

Tgt Ion:	93	Resp:	13668
Ion	Ratio	Lower	Upper
93	100		
63	80.4	63.4	95.0
95	33.2	26.8	40.2









#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.660 min Scan# 753
Delta R.T. 0.000 min
Lab File: BN016273.D
Acq: 10 Sep 2021 02:06

Instrument :
BNA_N
ClientSampleId :
PB138841BS

Tgt Ion:	136	Resp:	64936
Ion	Ratio	Lower	Upper
136	100		
137	11.0	8.8	13.2
54	5.8	5.3	7.9
68	4.4	3.9	5.9




Manual Integrations
APPROVED


mohammad
9/10/2021 3:23:50 PM



#8
Nitrobenzene-d5
Concen: 0.372 ng
RT: 9.013 min Scan# 623
Delta R.T. 0.000 min
Lab File: BN016273.D
Acq: 10 Sep 2021 02:06

Tgt Ion:	82	Resp:	19420
Ion	Ratio	Lower	Upper
82	100		
128	41.3	31.7	47.5
54	56.7	46.4	69.6









#9
Naphthalene
Concen: 0.386 ng
RT: 10.711 min Scan# 757
Delta R.T. 0.000 min
Lab File: BN016273.D
Acq: 10 Sep 2021 02:06

Tgt Ion:	128	Resp:	67052
Ion Ratio	Lower	Upper	
128	100		
129	11.1	8.9	13.3
127	12.5	10.1	15.1

Instrument :
BNA_N
ClientSampleId :
PB138841BS




Manual Integrations
APPROVED


mohammad
9/10/2021 3:23:50 PM



#10
Hexachlorobutadiene
Concen: 0.386 ng
RT: 10.990 min Scan# 779
Delta R.T. 0.000 min
Lab File: BN016273.D
Acq: 10 Sep 2021 02:06

Tgt Ion:	225	Resp:	13674
Ion Ratio	Lower	Upper	
225	100		
223	0.0	0.0	0.0
227	63.7	51.5	77.3









#11
2-Methylnaphthalene-d10
Concen: 0.381 ng
RT: 12.243 min Scan# 985
Delta R.T. -0.004 min
Lab File: BN016273.D
Acq: 10 Sep 2021 02:06

Tgt Ion:152 Resp: 38620
Ion Ratio Lower Upper
152 100
151 20.0 16.1 24.1

Instrument :
BNA_N
ClientSampleId :
PB138841BS




Manual Integrations
APPROVED


mohammad
9/10/2021 3:23:50 PM



#12
2-Methylnaphthalene
Concen: 0.389 ng
RT: 12.319 min Scan# 1002
Delta R.T. 0.000 min
Lab File: BN016273.D
Acq: 10 Sep 2021 02:06

Tgt Ion:142 Resp: 45429
Ion Ratio Lower Upper
142 100
141 86.9 69.8 104.8
115 30.2 24.4 36.6









#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.484 min Scan# 1200
Delta R.T. -0.013 min
Lab File: BN016273.D
Acq: 10 Sep 2021 02:06

Tgt Ion:164 Resp: 36250
Ion Ratio Lower Upper
164 100
162 102.5 79.0 118.4
160 47.0 34.1 51.1

Instrument :
BNA_N
ClientSampleId :
PB138841BS




Manual Integrations
APPROVED


mohammad
9/10/2021 3:23:50 PM



#14
2,4,6-Tribromophenol
Concen: 0.350 ng
RT: 15.982 min Scan# 1318
Delta R.T. 0.000 min
Lab File: BN016273.D
Acq: 10 Sep 2021 02:06

Tgt Ion:330 Resp: 5208
Ion Ratio Lower Upper
330 100
332 0.0 0.0 0.0
141 31.1 25.0 37.4









#15
2-Fluorobiphenyl
Concen: 0.386 ng
RT: 13.114 min Scan# 1092
Delta R.T. 0.000 min
Lab File: BN016273.D
Acq: 10 Sep 2021 02:06

Tgt Ion:	172	Resp:	54857
Ion Ratio	Lower	Upper	
172	100		
171	34.3	27.8	41.6
170	22.3	18.2	27.2

Instrument :
BNA_N
ClientSampleId :
PB138841BS




Manual Integrations
APPROVED


mohammad
9/10/2021 3:23:50 PM



#16
Acenaphthylene
Concen: 0.386 ng
RT: 14.205 min Scan# 1178
Delta R.T. 0.000 min
Lab File: BN016273.D
Acq: 10 Sep 2021 02:06


Tgt Ion:	152	Resp:	62553
Ion Ratio	Lower	Upper	
152	100		
151	19.1	15.2	22.8
153	13.0	10.5	15.7





#17
Acenaphthene
Concen: 0.384 ng
RT: 14.548 min Scan# 1205
Delta R.T. 0.000 min
Lab File: BN016273.D
Acq: 10 Sep 2021 02:06




Instrument :
BNA_N
ClientSampleId :
PB138841BS




Tgt Ion:154 Resp: 40471
Ion Ratio Lower Upper
154 100
153 111.6 89.3 133.9
152 53.8 42.2 63.4

Manual Integrations
APPROVED



mohammad
9/10/2021 3:23:50 PM




#18
Fluorene
Concen: 0.383 ng
RT: 15.538 min Scan# 1283
Delta R.T. 0.000 min
Lab File: BN016273.D
Acq: 10 Sep 2021 02:06



Tgt Ion:166 Resp: 49861
Ion Ratio Lower Upper
166 100
165 96.6 76.7 115.1
167 13.7 10.9 16.3









#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.237 min Scan# 1421
Delta R.T. 0.000 min
Lab File: BN016273.D
Acq: 10 Sep 2021 02:06

Tgt Ion	Ratio	Lower	Upper
188	100		
94	0.0	0.0	0.0
80	7.7	7.0	10.6

Instrument :
BNA_N
ClientSampleId :
PB138841BS




Manual Integrations
APPROVED


mohammad
9/10/2021 3:23:50 PM




#20
4,6-Dinitro-2-methylphenol
Concen: 0.314 ng
RT: 15.639 min Scan# 1291
Delta R.T. 0.000 min
Lab File: BN016273.D
Acq: 10 Sep 2021 02:06

Tgt Ion	Ratio	Lower	Upper
198	100		
182	40.9	26.6	39.8
77	0.0	0.0	0.0









#21
4-Bromophenyl-phenylether
Concen: 0.397 ng
RT: 16.421 min Scan# 1354
Delta R.T. -0.012 min
Lab File: BN016273.D
Acq: 10 Sep 2021 02:06





Tgt Ion:248 Resp: 15188
Ion Ratio Lower Upper
248 100
250 90.2 80.5 120.7
141 83.2 34.8 52.2#



#22
Hexachlorobenzene
Concen: 0.399 ng
RT: 16.543 min Scan# 1364
Delta R.T. -0.012 min
Lab File: BN016273.D
Acq: 10 Sep 2021 02:06




Tgt Ion:284 Resp: 18300
Ion Ratio Lower Upper
284 100
142 28.6 22.6 34.0
249 30.2 24.4 36.6



Instrument :
BNA_N
ClientSampleId :
PB138841BS


Manual Integrations
APPROVED

mohammad
9/10/2021 3:23:50 PM



#23
Atrazine
Concen: 0.352 ng
RT: 16.689 min Scan# 1376
Delta R.T. -0.012 min
Lab File: BN016273.D
Acq: 10 Sep 2021 02:06




Instrument :
BNA_N
ClientSampleId :
PB138841BS




Tgt Ion:200 Resp: 12384
Ion Ratio Lower Upper
200 100
173 31.9 18.7 28.1#
215 48.6 41.6 62.4

Manual Integrations
APPROVED



mohammad
9/10/2021 3:23:50 PM




#24
Pentachlorophenol
Concen: 0.356 ng
RT: 16.896 min Scan# 1393
Delta R.T. -0.000 min
Lab File: BN016273.D
Acq: 10 Sep 2021 02:06



Tgt Ion:266 Resp: 1660
Ion Ratio Lower Upper
266 100
264 60.4 50.6 75.8
268 62.3 52.6 79.0









#25
Phenanthrene
Concen: 0.394 ng
RT: 17.273 min Scan# 1424
Delta R.T. 0.000 min
Lab File: BN016273.D
Acq: 10 Sep 2021 02:06

Tgt Ion	Ratio	Lower	Upper
178	100		
176	17.9	14.4	21.6
179	15.7	12.2	18.4

Instrument :
BNA_N
ClientSampleId :
PB138841BS




Manual Integrations
APPROVED


mohammad
9/10/2021 3:23:50 PM



#26
Anthracene
Concen: 0.382 ng
RT: 17.371 min Scan# 1432
Delta R.T. 0.000 min
Lab File: BN016273.D
Acq: 10 Sep 2021 02:06

Tgt Ion	Ratio	Lower	Upper
178	100		
176	17.4	13.9	20.9
179	15.3	12.2	18.4









#27
Fluoranthene-d10
Concen: 0.378 ng
RT: 19.271 min Scan# 1738
Delta R.T. 0.000 min
Lab File: BN016273.D
Acq: 10 Sep 2021 02:06

Tgt Ion: 212 Resp: 79348
Ion Ratio Lower Upper
212 100
106 12.3 9.8 14.6
104 6.9 5.4 8.2

Instrument :
BNA_N
ClientSampleId :
PB138841BS




Manual Integrations
APPROVED


mohammad
9/10/2021 3:23:50 PM




#28
Fluoranthene
Concen: 0.397 ng
RT: 19.301 min Scan# 1744
Delta R.T. 0.000 min
Lab File: BN016273.D
Acq: 10 Sep 2021 02:06

Tgt Ion: 202 Resp: 96792
Ion Ratio Lower Upper
202 100
101 10.6 8.5 12.7
203 17.2 13.8 20.8







#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.429 min Scan# 2020
Delta R.T. 0.000 min
Lab File: BN016273.D
Acq: 10 Sep 2021 02:06




Tgt Ion:240 Resp: 67261
Ion Ratio Lower Upper
240 100
120 5.4 5.3 7.9
236 24.0 19.8 29.8




Instrument :
BNA_N
ClientSampleId :
PB138841BS

Manual Integrations
APPROVED



mohammad
9/10/2021 3:23:50 PM




#30
Pyrene
Concen: 0.420 ng
RT: 19.664 min Scan# 1817
Delta R.T. 0.000 min
Lab File: BN016273.D
Acq: 10 Sep 2021 02:06




Tgt Ion:202 Resp: 95755
Ion Ratio Lower Upper
202 100
200 19.6 15.8 23.6
203 17.5 13.9 20.9





#31
 Terphenyl-d14
 Concen: 0.409 ng
 RT: 19.867 min Scan# 1858
 Delta R.T. 0.000 min
 Lab File: BN016273.D
 Acq: 10 Sep 2021 02:06




Instrument :
 BNA_N
 ClientSampleId :
 PB138841BS




Tgt Ion:244 Resp: 69015
 Ion Ratio Lower Upper
 244 100
 212 6.7 5.5 8.3
 122 9.8 9.0 13.4

Manual Integrations
 APPROVED



mohammad
 9/10/2021 3:23:50 PM




#32
 Benzo(a)anthracene
 Concen: 0.391 ng
 RT: 21.408 min Scan# 2018
 Delta R.T. 0.000 min
 Lab File: BN016273.D
 Acq: 10 Sep 2021 02:06




Tgt Ion:228 Resp: 81951
 Ion Ratio Lower Upper
 228 100
 226 25.7 20.8 31.2
 229 19.7 15.8 23.6





#33
Chrysene
Concen: 0.415 ng
RT: 21.461 min Scan# 2023
Delta R.T. 0.000 min
Lab File: BN016273.D
Acq: 10 Sep 2021 02:06




Instrument :
BNA_N
ClientSampleId :
PB138841BS




Tgt Ion:228 Resp: 86247
Ion Ratio Lower Upper
228 100
226 28.2 23.0 34.4
229 19.7 15.6 23.4

Manual Integrations
APPROVED



mohammad
9/10/2021 3:23:50 PM




#34
Bis(2-ethylhexyl)phthalate
Concen: 0.364 ng
RT: 21.334 min Scan# 2011
Delta R.T. 0.000 min
Lab File: BN016273.D
Acq: 10 Sep 2021 02:06




Tgt Ion:149 Resp: 46932
Ion Ratio Lower Upper
149 100
167 29.2 23.4 35.0
279 4.6 3.9 5.9





#35
Perylene-d12
Concen: 0.400 ng
RT: 23.810 min Scan# 2522
Delta R.T. -0.003 min
Lab File: BN016273.D
Acq: 10 Sep 2021 02:06




Instrument :
BNA_N
ClientSampleId :
PB138841BS



Tgt Ion:	264	Resp:	39661
Ion Ratio	Lower	Upper	
264	100		
260	23.7	18.9	28.3
265	26.3	23.7	35.5




Manual Integrations
APPROVED


mohammad
9/10/2021 3:23:50 PM



#36
Indeno(1,2,3-cd)pyrene
Concen: 0.375 ng
RT: 26.281 min Scan# 3244
Delta R.T. -0.007 min
Lab File: BN016273.D
Acq: 10 Sep 2021 02:06

Tgt Ion:	276	Resp:	24765
Ion Ratio	Lower	Upper	
276	100		
138	25.7	19.3	28.9
277	25.0	20.2	30.2









#37
Benzo(b)fluoranthene
Concen: 0.433 ng m
RT: 23.081 min Scan# 2309
Delta R.T. -0.007 min
Lab File: BN016273.D
Acq: 10 Sep 2021 02:06

Tgt Ion:252 Resp: 66305
Ion Ratio Lower Upper
252 100
253 23.2 18.2 27.2
125 14.0 8.4 12.6#

Instrument :
BNA_N
ClientSampleId :
PB138841BS




Manual Integrations
APPROVED


mohammad
9/10/2021 3:23:50 PM




#38
Benzo(k)fluoranthene
Concen: 0.424 ng
RT: 23.132 min Scan# 2324
Delta R.T. -0.003 min
Lab File: BN016273.D
Acq: 10 Sep 2021 02:06

Tgt Ion:252 Resp: 57866
Ion Ratio Lower Upper
252 100
253 22.4 18.2 27.2
125 10.1 8.2 12.4









#39
Benzo(a)pyrene
Concen: 0.423 ng
RT: 23.704 min Scan# 2491
Delta R.T. -0.003 min
Lab File: BN016273.D
Acq: 10 Sep 2021 02:06





Tgt Ion:252 Resp: 48123
Ion Ratio Lower Upper
252 100
253 24.5 18.7 28.1
125 21.9 9.9 14.9#



#40
Dibenzo(a,h)anthracene
Concen: 0.391 ng
RT: 26.298 min Scan# 3249
Delta R.T. -0.010 min
Lab File: BN016273.D
Acq: 10 Sep 2021 02:06




Tgt Ion:278 Resp: 19723
Ion Ratio Lower Upper
278 100
139 17.3 14.2 21.2
279 24.9 21.3 31.9



Instrument :
BNA_N
ClientSampleId :
PB138841BS

Manual Integrations
APPROVED

mohammad
9/10/2021 3:23:50 PM



#41
Benzo(g,h,i)perylene
Concen: 0.356 ng
RT: 27.037 min Scan# 3465
Delta R.T. -0.007 min
Lab File: BN016273.D
Acq: 10 Sep 2021 02:06

Tgt Ion:	276	Resp:	19516
Ion Ratio	Lower	Upper	
276	100		
277	24.7	20.5	30.7
138	22.1	18.2	27.4

Instrument :
BNA_N
ClientSampleId :
PB138841BS

Manual Integrations
APPROVED

mohammad
9/10/2021 3:23:50 PM

