

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN090923\
 Data File : BN027542.D
 Acq On : 10 Sep 2023 16:02
 Operator : MA/JU
 Sample : PB155348BS
 Misc :
 ALS Vial : 50 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 SLCS348

Quant Time: Sep 11 01:19:54 2023
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SFAM-EPA-SIM-BN090123.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Sep 08 03:55:54 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.038	152	6062	0.400	ng/ul	0.00
4) Naphthalene-d8	10.861	136	19584	0.400	ng/ul	-0.01
9) Acenaphthene-d10	14.670	164	11507	0.400	ng/ul	0.00
13) Phenanthrene-d10	17.417	188	25483	0.400	ng/ul	0.00
17) Chrysene-d12	21.597	240	16590	0.400	ng/ul	0.00
23) Perylene-d12	24.103	264	13992	0.400	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.410	96	4707	0.584	ng/ul	0.00
6) 2-Methylnaphthalene-d10	12.434	152	10717	0.361	ng/ul	-0.01
18) Fluoranthene-d10	19.441	212	22385	0.394	ng/ul	0.00
Target Compounds						
					Qvalue	
2) 1,4-Dioxane	3.443	88	10985	1.346	ng/ul#	84
5) Naphthalene	10.911	128	16523	0.291	ng/ul	100
7) 2-Methylnaphthalene	12.506	142	10640	0.299	ng/ul	100
8) 1-Methylnaphthalene	12.726	142	11623	0.307	ng/ul	99
10) Acenaphthylene	14.397	152	15060	0.286	ng/ul	100
11) Acenaphthene	14.731	153	12700	0.280	ng/ul	98
12) Fluorene	15.716	166	14554	0.287	ng/ul	99
14) Pentachlorophenol	17.050	266	1999	0.402	ng/ul	99
15) Phenanthrene	17.460	178	23310	0.281	ng/ul	100
16) Anthracene	17.553	178	19244	0.292	ng/ul	100
19) Fluoranthene	19.469	202	24600	0.322	ng/ul	99
20) Pyrene	19.836	202	24712	0.318	ng/ul	97
21) Benzo(a)anthracene	21.577	228	19037	0.319	ng/ul	99
22) Chrysene	21.635	228	19606	0.281	ng/ul	99
24) Benzo(b)fluoranthene	23.322	252	17902	0.271	ng/ul	96
25) Benzo(k)fluoranthene	23.372	252	17433	0.270	ng/ul	96
26) Benzo(a)pyrene	23.989	252	14469	0.280	ng/ul	96
27) Indeno(1,2,3-cd)pyrene	26.743	276	17817	0.311	ng/ul#	96
28) Dibenzo(a,h)anthracene	26.763	278	14243	0.325	ng/ul	98
29) Benzo(g,h,i)perylene	27.572	276	15371	0.297	ng/ul	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN090923\
Data File : BN027542.D
Acq On : 10 Sep 2023 16:02
Operator : MA/JU
Sample : PB155348BS
Misc :
ALS Vial : 50 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
SLCS348

Quant Time: Sep 11 01:19:54 2023
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SFAM-EPA-SIM-BN090123.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Sep 08 03:55:54 2023
Response via : Initial Calibration

