

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN091319\
 Data File : BN007646.D
 Acq On : 14 Sep 2019 03:47
 Operator : HP/JU
 Sample : K4858-14
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 RE125D2-20190910

Quant Time: Sep 16 01:36:50 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-SIM-BN091219.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Sep 12 14:27:51 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.72	152	8813	0.40	ng	0.00
7) Naphthalene-d8	10.48	136	33601	0.40	ng	-0.01
13) Acenaphthene-d10	14.34	164	18256	0.40	ng	0.00
19) Phenanthrene-d10	17.08	188	37405	0.40	ng	0.00
27) Chrysene-d12	21.27	240	37712	0.40	ng	-0.01
34) Perylene-d12	23.49	264	37261	0.40	ng	-0.01
System Monitoring Compounds						
4) 2-Fluorophenol	5.33	112	4813	0.17	ng	0.00
5) Phenol-d6	6.89	99	4372	0.13	ng	0.00
8) Nitrobenzene-d5	8.85	82	9989	0.37	ng	-0.01
11) 2-Methylnaphthalene-d10	12.08	152	23455	0.41	ng	0.00
14) 2,4,6-Tribromophenol	15.83	330	2283	0.33	ng	0.00
15) 2-Fluorobiphenyl	12.95	172	36137	0.45	ng	-0.01
25) Fluoranthene-d10	19.11	212	54536	0.46	ng	-0.01
29) Terphenyl-d14	19.72	244	55724	0.56	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.31	88	80223	7.597	ng	Qvalue 88
3) n-Nitrosodimethylamine	3.03	42	160215	33.435	ng	# 1
32) Bis(2-ethylhexyl)phthalate	21.21	149	6913	0.153	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN091319\
Data File : BN007646.D
Acq On : 14 Sep 2019 03:47
Operator : HP/JU
Sample : K4858-14
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
RE125D2-20190910

Quant Time: Sep 16 01:36:50 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-SIM-BN091219.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Sep 12 14:27:51 2019
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
 Concen: 0.400 ng
 RT: 7.72 min Scan# 607
 Delta R.T. -0.01 min
 Lab File: BN007646.D
 Acq: 14 Sep 2019 03:47

Instrument :
 BNA_N
 ClientSampleId :
 RE125D2-20190910

Tot Ion:152 Resp: 8813
 Ion Ratio Lower Upper
 152 100
 150 154.3 122.4 183.6
 115 63.6 50.4 75.6




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#2

1,4-Dioxane
 Concen: 7.597 ng
 RT: 3.31 min Scan# 60
 Delta R.T. -0.02 min
 Lab File: BN007646.D
 Acq: 14 Sep 2019 03:47

Tgt Ion: 88 Resp: 80223
 Ion Ratio Lower Upper
 88 100
 58 59.2 57.0 85.4
 43 22.5 20.0 30.0



Abundance Ion 88.00 (87.70 to 88.70): BNC
 Ion 58.00 (57.70 to 58.70): BNC
 Ion 43.00 (42.70 to 43.70): BNC





#3

n-Nitrosodimethylamine

Concen: 33.435 ng

RT: 3.03 min Scan# 25

Delta R.T. -0.01 min

Lab File: BN007646.D

Acq: 14 Sep 2019 03:47

Instrument :

BNA_N

ClientSampleId :

RE125D2-20190910


Tot Ion: 42 Resp: 160215

Ion Ratio Lower Upper

42 100

74 145.0 9.8 14.8#



44 26.5 0.0 0.0#



Abundance Ion 42.00 (41.70 to 42.70): BNC

Ion 74.00 (73.70 to 74.70): BNC

Ion 44.00 (43.70 to 44.70): BNC



#4

2-Fluorophenol

Concen: 0.171 ng

RT: 5.33 min Scan# 311

Delta R.T. -0.01 min

Lab File: BN007646.D

Acq: 14 Sep 2019 03:47


Tgt Ion: 112 Resp: 4813

Ion Ratio Lower Upper

112 100

64 60.3 48.5 72.7



63 30.9 24.4 36.6




Abundance Ion 112.00 (111.70 to 112.70): BNC

Ion 64.00 (63.70 to 64.70): BNC

Ion 63.00 (62.70 to 63.70): BNC





#5

Phenol-d6

Concen: 0.132 ng

RT: 6.89 min Scan# 504

Delta R.T. -0.01 min

Lab File: BN007646.D

Acq: 14 Sep 2019 03:47

Instrument :

BNA_N

ClientSampleId :

RE125D2-20190910


Tot Ion: 99 Resp: 4372

Ion Ratio Lower Upper

99 100

42 24.9 11.8 17.6#




71 40.0 28.0 42.0



Abundance Ion 99.00 (98.70 to 99.70): BN007603.D (-499) (-)

Ion 42.00 (41.70 to 42.70): BN007603.D (-499) (-)

Ion 71.00 (70.70 to 71.70): BN007603.D (-499) (-)



#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.48 min Scan# 852

Delta R.T. -0.01 min

Lab File: BN007646.D

Acq: 14 Sep 2019 03:47

Tgt Ion: 136 Resp: 33601


Ion Ratio Lower Upper

136 100

137 11.0 8.8 13.2

54 7.3 4.2 6.4#

68 7.9 4.6 7.0#






Abundance Ion 136.00 (135.70 to 136.70): BN007603.D (-847) (-)

Ion 137.00 (136.70 to 137.70): BN007603.D (-847) (-)

Ion 54.00 (53.70 to 54.70): BN007603.D (-847) (-)

Ion 68.00 (67.70 to 68.70): BN007603.D (-847) (-)





#8

Nitrobenzene-d5

Concen: 0.373 ng

RT: 8.85 min Scan# 723

Delta R.T. -0.01 min

Lab File: BN007646.D

Acq: 14 Sep 2019 03:47

Instrument :

BNA_N

ClientSampleId :

RE125D2-20190910


Tot Ion: 82 Resp: 9989

Ion Ratio Lower Upper

82 100

128 28.4 27.9 41.9




54 44.6 30.9 46.3



Abundance Ion 82.00 (81.70 to 82.70): BN007603.D (-721) (-)

Ion 128.00 (127.70 to 128.70): BN007603.D (-721) (-)

Ion 54.00 (53.70 to 54.70): BN007603.D (-721) (-)



#11

2-Methylnaphthalene-d10

Concen: 0.412 ng

RT: 12.08 min Scan# 1061

Delta R.T. -0.00 min

Lab File: BN007646.D


Acq: 14 Sep 2019 03:47

Tgt Ion: 152 Resp: 23455

Ion Ratio Lower Upper



152 100


151 19.1 15.3 22.9



Abundance Ion 152.00 (151.70 to 152.70): BN007603.D (-1051) (-)

Ion 151.00 (150.70 to 151.70): BN007603.D (-1051) (-)





#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.34 min Scan# 1322

Delta R.T. -0.00 min

Lab File: BN007646.D

Acq: 14 Sep 2019 03:47

Instrument :

BNA_N

ClientSampleId :

RE125D2-20190910


Tot Ion:164 Resp: 18256

Ion Ratio Lower Upper




164 100

162 100.5 82.8 124.2

160 45.4 38.0 57.0



Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E



#14

2,4,6-Tribromophenol

Concen: 0.331 ng

RT: 15.83 min Scan# 1456

Delta R.T. -0.00 min

Lab File: BN007646.D

Acq: 14 Sep 2019 03:47


Tgt Ion:330 Resp: 2283

Ion Ratio Lower Upper



330 100


332 0.0 0.0 0.0

141 38.8 30.1 45.1



Abundance Ion 330.00 (329.70 to 330.70): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E









#15
2-Fluorobiphenyl
Concen: 0.454 ng
RT: 12.95 min Scan# 1198
Delta R.T. -0.01 min
Lab File: BN007646.D
Acq: 14 Sep 2019 03:47




Instrument :
BNA_N
ClientSampleId :
RE125D2-20190910


Tot Ion:172 Resp: 36137
Ion Ratio Lower Upper
172 100
171 35.3 27.9 41.9
170 23.7 18.5 27.7



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.08 min Scan# 1573
Delta R.T. -0.00 min
Lab File: BN007646.D
Acq: 14 Sep 2019 03:47

Tgt Ion:188 Resp: 37405
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 8.4 8.8 13.2#









#25
 Fluoranthene-d10
 Concen: 0.462 ng
 RT: 19.11 min Scan# 1882
 Delta R.T. -0.01 min
 Lab File: BN007646.D
 Acq: 14 Sep 2019 03:47

Instrument :
 BNA_N
 ClientSampleId :
 RE125D2-20190910

Tot Ion:212 Resp: 54536
 Ion Ratio Lower Upper
 212 100
 106 12.4 9.6 14.4
 104 6.9 5.4 8.0




Abundance Ion 212.00 (211.70 to 212.70): E
 Ion 106.00 (105.70 to 106.70): E
 Ion 104.00 (103.70 to 104.70): E






#27
 Chrysene-d12
 Concen: 0.400 ng
 RT: 21.27 min Scan# 2182
 Delta R.T. -0.01 min
 Lab File: BN007646.D
 Acq: 14 Sep 2019 03:47

Tgt Ion:240 Resp: 37712
 Ion Ratio Lower Upper
 240 100
 120 6.3 4.3 6.5
 236 26.0 20.8 31.2



Abundance Ion 240.00 (239.70 to 240.70): E
 Ion 120.00 (119.70 to 120.70): E
 Ion 236.00 (235.70 to 236.70): E





#29

Terphenyl-d14

Concen: 0.560 ng

RT: 19.72 min Scan# 2005

Delta R.T. -0.01 min

Lab File: BN007646.D

Acq: 14 Sep 2019 03:47

Instrument :

BNA_N

ClientSampleId :

RE125D2-20190910


Tot Ion:244 Resp: 55724

Ion Ratio Lower Upper

244 100

212 7.2 5.9 8.9




122 9.1 8.6 12.8



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#32

Bis(2-ethylhexyl)phthalate

Concen: 0.153 ng

RT: 21.21 min Scan# 2176

Delta R.T. -0.01 min

Lab File: BN007646.D

Acq: 14 Sep 2019 03:47


Tgt Ion:149 Resp: 6913

Ion Ratio Lower Upper

149 100

167 27.9 22.6 34.0



279 4.7 3.8 5.6






Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E





#34

Pervlene-d12

Concen: 0.400 ng

RT: 23.49 min Scan# 2605

Delta R.T. -0.01 min

Lab File: BN007646.D

Acq: 14 Sep 2019 03:47

Instrument :

BNA_N

ClientSampleId :

RE125D2-20190910

Tot Ion:264 Resp: 37261

Ion Ratio Lower Upper

264 100

260 24.0 19.1 28.7

265 35.8 24.6 37.0

