

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN091423\
 Data File : BN027642.D
 Acq On : 13 Sep 2023 13:11
 Operator : MA/JU
 Sample : 04251-04DL 10X
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 OW-07B-65-083023-3VDL

Quant Time: Sep 13 14:00:36 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN082923.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Sep 12 02:45:58 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.030	152	6276	0.400	ng	0.00
7) Naphthalene-d8	10.853	136	15898	0.400	ng	0.00
13) Acenaphthene-d10	14.662	164	6946	0.400	ng	0.00
19) Phenanthrene-d10	17.405	188	13954	0.400	ng	0.00
29) Chrysene-d12	21.587	240	9752	0.400	ng	0.00
35) Perylene-d12	24.095	264	9172	0.400	ng	# 0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.567	112	443	0.027	ng	0.00
5) Phenol-d6	7.185	99	293	0.015	ng	0.00
8) Nitrobenzene-d5	9.230	82	652	0.056	ng	0.00
11) 2-Methylnaphthalene-d10	12.426	152	923	0.040	ng	0.00
14) 2,4,6-Tribromophenol	16.164	330	129	0.050	ng	0.01
15) 2-Fluorobiphenyl	13.293	172	1443	0.055	ng	0.00
27) Fluoranthene-d10	19.435	212	1649	0.048	ng	0.00
31) Terphenyl-d14	20.020	244	1352	0.069	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.473	88	21458	2.801	ng	96
20) 4,6-Dinitro-2-methylph...	16.859	198	4	0.020	ng	# 39

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN091423\
Data File : BN027642.D
Acq On : 13 Sep 2023 13:11
Operator : MA/JU
Sample : 04251-04DL 10X
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
OW-07B-65-083023-3VDL


Quant Time: Sep 13 14:00:36 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN082923.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Sep 12 02:45:58 2023
Response via : Initial Calibration







#1
1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 8.030 min Scan# 719
Delta R.T. -0.007 min
Lab File: BN027642.D
Acq: 13 Sep 2023 13:11

Instrument :
BNA_N
ClientSampleId :
OW-07B-65-083023-3VDL






Tgt Ion:152 Resp: 6276
Ion Ratio Lower Upper
152 100
150 157.3 122.7 184.1
115 64.3 48.6 73.0



#2
1,4-Dioxane
Concen: 2.801 ng
RT: 3.473 min Scan# 82
Delta R.T. -0.000 min
Lab File: BN027642.D
Acq: 13 Sep 2023 13:11

Tgt Ion: 88 Resp: 21458
Ion Ratio Lower Upper
88 100
43 26.7 19.1 28.7
58 68.3 52.2 78.2





#4

2-Fluorophenol

Concen: 0.027 ng

RT: 5.567 min Scan# 31

Delta R.T. -0.007 min

Lab File: BN027642.D


Acq: 13 Sep 2023 13:11

Instrument :

BNA_N

ClientSampleId :

OW-07B-65-083023-3VDL






Tgt Ion:112 Resp: 443

Ion Ratio Lower Upper

112 100

64 56.2 44.4 66.6

63 32.5 23.1 34.7



#5

Phenol-d6

Concen: 0.015 ng

RT: 7.185 min Scan# 596

Delta R.T. -0.000 min

Lab File: BN027642.D

Acq: 13 Sep 2023 13:11




Tgt Ion: 99 Resp: 293

Ion Ratio Lower Upper

99 100

42 31.7 14.5 21.7#

71 40.3 25.8 38.6#








#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.853 min Scan# 91
Delta R.T. -0.000 min
Lab File: BN027642.D
Acq: 13 Sep 2023 13:11




Instrument :
BNA_N
ClientSampleId :
OW-07B-65-083023-3VDL


Tgt Ion:	136	Resp:	15898
Ion	Ratio	Lower	Upper
136	100		
137	11.7	9.3	13.9
54	7.0	6.7	10.1
68	6.5	6.1	9.1



#8
Nitrobenzene-d5
Concen: 0.056 ng
RT: 9.230 min Scan# 838
Delta R.T. -0.000 min
Lab File: BN027642.D
Acq: 13 Sep 2023 13:11

Tgt Ion:	82	Resp:	652
Ion	Ratio	Lower	Upper
82	100		
128	56.9	33.4	50.0#
54	56.9	37.7	56.5#









#11
2-Methylnaphthalene-d10
Concen: 0.040 ng
RT: 12.426 min Scan# 11
Delta R.T. -0.004 min
Lab File: BN027642.D
Acq: 13 Sep 2023 13:11




Instrument :
BNA_N
ClientSampleId :
OW-07B-65-083023-3VDL

Tgt Ion:152 Resp: 923
Ion Ratio Lower Upper
152 100
151 22.0 16.6 25.0



#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.662 min Scan# 1603
Delta R.T. -0.000 min
Lab File: BN027642.D
Acq: 13 Sep 2023 13:11

Tgt Ion:164 Resp: 6946
Ion Ratio Lower Upper
164 100
162 103.4 85.8 128.8
160 50.9 44.2 66.2








#14
2,4,6-Tribromophenol
Concen: 0.050 ng
RT: 16.164 min Scan# 11
Delta R.T. 0.012 min
Lab File: BN027642.D
Acq: 13 Sep 2023 13:11




Instrument :
BNA_N
ClientSampleId :
OW-07B-65-083023-3VDL


Tgt Ion:330 Resp: 129
Ion Ratio Lower Upper
330 100
332 87.6 75.2 112.8
141 46.5 36.2 54.4



#15
2-Fluorobiphenyl
Concen: 0.055 ng
RT: 13.293 min Scan# 1475
Delta R.T. -0.000 min
Lab File: BN027642.D
Acq: 13 Sep 2023 13:11

Tgt Ion:172 Resp: 1443
Ion Ratio Lower Upper
172 100
171 38.5 27.8 41.8
170 28.6 19.3 28.9









#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.405 min Scan# 11
Delta R.T. -0.000 min
Lab File: BN027642.D
Acq: 13 Sep 2023 13:11




Instrument :
BNA_N
ClientSampleId :
OW-07B-65-083023-3VDL


Tgt Ion:188 Resp: 13954
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 15.1 11.0 16.6



#20
4,6-Dinitro-2-methylphenol
Concen: 0.020 ng
RT: 16.859 min Scan# 1791
Delta R.T. -0.000 min
Lab File: BN027642.D
Acq: 13 Sep 2023 13:11

Tgt Ion:198 Resp: 4
Ion Ratio Lower Upper
198 100
51 541.2 282.2 423.2#
105 241.2 168.7 253.1









#27
Fluoranthene-d10
Concen: 0.048 ng
RT: 19.435 min Scan# 2130
Delta R.T. -0.000 min
Lab File: BN027642.D
Acq: 13 Sep 2023 13:11




Instrument :
BNA_N
ClientSampleId :
OW-07B-65-083023-3VDL


Tgt Ion:212 Resp: 1649
Ion Ratio Lower Upper
212 100
106 15.5 12.1 18.1
104 10.7 6.9 10.3#



#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.587 min Scan# 2526
Delta R.T. -0.000 min
Lab File: BN027642.D
Acq: 13 Sep 2023 13:11


Tgt Ion:240 Resp: 9752
Ion Ratio Lower Upper
240 100
120 19.1 14.2 21.4
236 29.5 22.9 34.3








#31
 Terphenyl-d14
 Concen: 0.069 ng
 RT: 20.020 min Scan# 21
 Delta R.T. -0.000 min
 Lab File: BN027642.D
 Acq: 13 Sep 2023 13:11

Instrument :
 BNA_N
 ClientSampleId :
 OW-07B-65-083023-3VDL



Tgt Ion:244 Resp: 1352
 Ion Ratio Lower Upper
 244 100
 212 14.2 7.5 11.3#
 122 20.7 14.0 21.0



#35
 Perylene-d12
 Concen: 0.400 ng
 RT: 24.095 min Scan# 3194
 Delta R.T. -0.000 min
 Lab File: BN027642.D
 Acq: 13 Sep 2023 13:11

Tgt Ion:264 Resp: 9172
 Ion Ratio Lower Upper
 264 100
 260 27.0 20.7 31.1
 265 97.7 53.3 79.9#

