

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN091423\
 Data File : BN027647.D
 Acq On : 13 Sep 2023 16:18
 Operator : MA/JU
 Sample : 04308-01DL 5X
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 OW-06B-76.5-090523DL

Quant Time: Sep 13 17:51:29 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN082923.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Sep 12 02:45:58 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.030	152	6057	0.400	ng	0.00
7) Naphthalene-d8	10.853	136	15488	0.400	ng	0.00
13) Acenaphthene-d10	14.662	164	6945	0.400	ng	0.00
19) Phenanthrene-d10	17.405	188	13761	0.400	ng	0.00
29) Chrysene-d12	21.587	240	9848	0.400	ng	0.00
35) Perylene-d12	24.089	264	9107	0.400	ng	# 0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.567	112	571	0.036	ng	0.00
5) Phenol-d6	7.185	99	394	0.021	ng	0.00
8) Nitrobenzene-d5	9.230	82	1016	0.090	ng	0.00
11) 2-Methylnaphthalene-d10	12.426	152	1424	0.063	ng	0.00
14) 2,4,6-Tribromophenol	16.152	330	174	0.068	ng	0.00
15) 2-Fluorobiphenyl	13.283	172	2400	0.091	ng	-0.01
27) Fluoranthene-d10	19.430	212	2660	0.078	ng	0.00
31) Terphenyl-d14	20.015	244	2371	0.120	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.473	88	13809	1.868	ng	95
34) Bis(2-ethylhexyl)phtha...	21.444	149	606	0.037	ng	# 95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN091423\
Data File : BN027647.D
Acq On : 13 Sep 2023 16:18
Operator : MA/JU
Sample : 04308-01DL 5X
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
OW-06B-76.5-090523DL


Quant Time: Sep 13 17:51:29 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN082923.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Sep 12 02:45:58 2023
Response via : Initial Calibration








#1
 1,4-Dichlorobenzene-d4
 Concen: 0.400 ng
 RT: 8.030 min Scan# 719
 Delta R.T. -0.007 min
 Lab File: BN027647.D
 Acq: 13 Sep 2023 16:18


Instrument :
 BNA_N
 ClientSampleId :
 OW-06B-76.5-090523DL





Tgt Ion:152 Resp: 6057
 Ion Ratio Lower Upper
 152 100
 150 155.4 122.7 184.1
 115 64.3 48.6 73.0




#2
 1,4-Dioxane
 Concen: 1.868 ng
 RT: 3.473 min Scan# 82
 Delta R.T. -0.000 min
 Lab File: BN027647.D
 Acq: 13 Sep 2023 16:18



Tgt Ion: 88 Resp: 13809
 Ion Ratio Lower Upper
 88 100
 43 26.8 19.1 28.7
 58 68.9 52.2 78.2





#4

2-Fluorophenol

Concen: 0.036 ng

RT: 5.567 min Scan# 31

Delta R.T. -0.007 min

Lab File: BN027647.D


Acq: 13 Sep 2023 16:18

Instrument :

BNA_N

ClientSampleId :

OW-06B-76.5-090523DL






Tgt Ion:112 Resp: 571

Ion Ratio Lower Upper

112 100

64 56.4 44.4 66.6

63 33.5 23.1 34.7



#5

Phenol-d6

Concen: 0.021 ng

RT: 7.185 min Scan# 596

Delta R.T. -0.000 min

Lab File: BN027647.D

Acq: 13 Sep 2023 16:18




Tgt Ion: 99 Resp: 394


Ion Ratio Lower Upper

99 100

42 35.8 14.5 21.7#

71 34.5 25.8 38.6









#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.853 min Scan# 91
Delta R.T. -0.000 min
Lab File: BN027647.D
Acq: 13 Sep 2023 16:18




Instrument :
BNA_N
ClientSampleId :
OW-06B-76.5-090523DL


Tgt Ion:	136	Resp:	15488
Ion Ratio	Lower	Upper	
136	100		
137	11.5	9.3	13.9
54	6.8	6.7	10.1
68	6.1	6.1	9.1



#8
Nitrobenzene-d5
Concen: 0.090 ng
RT: 9.230 min Scan# 838
Delta R.T. -0.000 min
Lab File: BN027647.D
Acq: 13 Sep 2023 16:18

Tgt Ion:	82	Resp:	1016
Ion Ratio	Lower	Upper	
82	100		
128	55.0	33.4	50.0#
54	52.8	37.7	56.5





#11

2-Methylnaphthalene-d10

Concen: 0.063 ng

RT: 12.426 min Scan# 11

Delta R.T. -0.004 min

Lab File: BN027647.D

Acq: 13 Sep 2023 16:18

Instrument :

BNA_N

ClientSampleId :





OW-06B-76.5-090523DL

Tgt Ion:152 Resp: 1424

Ion Ratio Lower Upper

152 100

151 20.6 16.6 25.0



#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.662 min Scan# 1603

Delta R.T. -0.000 min

Lab File: BN027647.D

Acq: 13 Sep 2023 16:18




Tgt Ion:164 Resp: 6945


Ion Ratio Lower Upper

164 100

162 101.0 85.8 128.8

160 49.4 44.2 66.2









#14
2,4,6-Tribromophenol
Concen: 0.068 ng
RT: 16.152 min Scan# 1734
Delta R.T. -0.000 min
Lab File: BN027647.D
Acq: 13 Sep 2023 16:18




Instrument :
BNA_N
ClientSampleId :
OW-06B-76.5-090523DL


Tgt Ion:330 Resp: 174
Ion Ratio Lower Upper
330 100
332 94.3 75.2 112.8
141 48.3 36.2 54.4



#15
2-Fluorobiphenyl
Concen: 0.091 ng
RT: 13.283 min Scan# 1474
Delta R.T. -0.011 min
Lab File: BN027647.D
Acq: 13 Sep 2023 16:18

Tgt Ion:172 Resp: 2400
Ion Ratio Lower Upper
172 100
171 37.9 27.8 41.8
170 27.3 19.3 28.9









#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.405 min Scan# 11
Delta R.T. -0.000 min
Lab File: BN027647.D
Acq: 13 Sep 2023 16:18




Instrument :
BNA_N
ClientSampleId :
OW-06B-76.5-090523DL


Tgt Ion:188 Resp: 13761
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 13.0 11.0 16.6



#27
Fluoranthene-d10
Concen: 0.078 ng
RT: 19.430 min Scan# 2122
Delta R.T. -0.005 min
Lab File: BN027647.D
Acq: 13 Sep 2023 16:18

Tgt Ion:212 Resp: 2660
Ion Ratio Lower Upper
212 100
106 16.0 12.1 18.1
104 10.4 6.9 10.3#









#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.587 min Scan# 2156
Delta R.T. -0.000 min
Lab File: BN027647.D
Acq: 13 Sep 2023 16:18




Instrument :
BNA_N
ClientSampleId :
OW-06B-76.5-090523DL


Tgt Ion:240 Resp: 9848
Ion Ratio Lower Upper
240 100
120 15.6 14.2 21.4
236 29.1 22.9 34.3



#31
Terphenyl-d14
Concen: 0.120 ng
RT: 20.015 min Scan# 2248
Delta R.T. -0.005 min
Lab File: BN027647.D
Acq: 13 Sep 2023 16:18

Tgt Ion:244 Resp: 2371
Ion Ratio Lower Upper
244 100
212 11.8 7.5 11.3#
122 19.0 14.0 21.0









#34
Bis(2-ethylhexyl)phthalate
Concen: 0.037 ng
RT: 21.444 min Scan# 2144
Delta R.T. -0.000 min
Lab File: BN027647.D
Acq: 13 Sep 2023 16:18

Instrument :
BNA_N
ClientSampleId :
OW-06B-76.5-090523DL

Tgt Ion:149 Resp: 606
Ion Ratio Lower Upper
149 100
167 30.2 22.1 33.1
279 5.0 2.7 4.1#



#35
Perylene-d12
Concen: 0.400 ng
RT: 24.089 min Scan# 3192
Delta R.T. -0.006 min
Lab File: BN027647.D
Acq: 13 Sep 2023 16:18

Tgt Ion:264 Resp: 9107
Ion Ratio Lower Upper
264 100
260 26.6 20.7 31.1
265 92.9 53.3 79.9#

