

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN091423\
 Data File : BN027650.D
 Acq On : 13 Sep 2023 18:11
 Operator : MA/JU
 Sample : 04361-01
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 SP-100-20230907

Quant Time: Sep 14 05:29:52 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN082923.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Sep 12 02:45:58 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.030	152	6424	0.400	ng	0.00
7) Naphthalene-d8	10.853	136	16048	0.400	ng	0.00
13) Acenaphthene-d10	14.662	164	7164	0.400	ng	0.00
19) Phenanthrene-d10	17.406	188	14298	0.400	ng	0.00
29) Chrysene-d12	21.587	240	9770	0.400	ng	0.00
35) Perylene-d12	24.095	264	8912	0.400	ng	# 0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.567	112	2643	0.158	ng	0.00
5) Phenol-d6	7.185	99	1685	0.083	ng	0.00
8) Nitrobenzene-d5	9.219	82	5478	0.468	ng	-0.01
11) 2-Methylnaphthalene-d10	12.427	152	7853	0.333	ng	0.00
14) 2,4,6-Tribromophenol	16.164	330	738	0.278	ng	0.01
15) 2-Fluorobiphenyl	13.283	172	12756	0.468	ng	-0.01
27) Fluoranthene-d10	19.430	212	12882	0.362	ng	0.00
31) Terphenyl-d14	20.015	244	11131	0.567	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.466	88	40490	5.163	ng	96
6) bis(2-Chloroethyl)ether	7.467	93	572	0.029	ng	96
34) Bis(2-ethylhexyl)phtha...	21.444	149	1071	0.066	ng	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN091423\
Data File : BN027650.D
Acq On : 13 Sep 2023 18:11
Operator : MA/JU
Sample : 04361-01
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
SP-100-20230907

Quant Time: Sep 14 05:29:52 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN082923.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Sep 12 02:45:58 2023
Response via : Initial Calibration








#1
 1,4-Dichlorobenzene-d4
 Concen: 0.400 ng
 RT: 8.030 min Scan# 719
 Delta R.T. -0.007 min
 Lab File: BN027650.D
 Acq: 13 Sep 2023 18:11




Instrument :
 BNA_N
 ClientSampleId :
 SP-100-20230907

Tgt Ion:152 Resp: 6424
 Ion Ratio Lower Upper
 152 100
 150 155.9 122.7 184.1
 115 63.9 48.6 73.0



#2
 1,4-Dioxane
 Concen: 5.163 ng
 RT: 3.466 min Scan# 81
 Delta R.T. -0.007 min
 Lab File: BN027650.D
 Acq: 13 Sep 2023 18:11

Tgt Ion: 88 Resp: 40490
 Ion Ratio Lower Upper
 88 100
 43 27.0 19.1 28.7
 58 67.1 52.2 78.2









#4
2-Fluorophenol
Concen: 0.158 ng
RT: 5.567 min Scan# 31
Delta R.T. -0.007 min
Lab File: BN027650.D
Acq: 13 Sep 2023 18:11




Instrument :
BNA_N
ClientSampleId :
SP-100-20230907


Tgt Ion:112 Resp: 2643
Ion Ratio Lower Upper
112 100
64 55.9 44.4 66.6
63 31.1 23.1 34.7



#5
Phenol-d6
Concen: 0.083 ng
RT: 7.185 min Scan# 596
Delta R.T. 0.000 min
Lab File: BN027650.D
Acq: 13 Sep 2023 18:11

Tgt Ion: 99 Resp: 1685
Ion Ratio Lower Upper
99 100
42 22.9 14.5 21.7#
71 32.2 25.8 38.6









#6
bis(2-Chloroethyl)ether
Concen: 0.029 ng
RT: 7.467 min Scan# 61
Delta R.T. 0.000 min
Lab File: BN027650.D
Acq: 13 Sep 2023 18:11




Instrument :
BNA_N
ClientSampleId :
SP-100-20230907


Tgt Ion:	93	Resp:	572
Ion	Ratio	Lower	Upper
93	100		
63	78.5	58.5	87.7
95	32.7	26.1	39.1



#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.853 min Scan# 990
Delta R.T. 0.000 min
Lab File: BN027650.D
Acq: 13 Sep 2023 18:11

Tgt Ion:	136	Resp:	16048
Ion	Ratio	Lower	Upper
136	100		
137	11.3	9.3	13.9
54	6.9	6.7	10.1
68	6.5	6.1	9.1









#8
Nitrobenzene-d5
Concen: 0.468 ng
RT: 9.219 min Scan# 81
Delta R.T. -0.011 min
Lab File: BN027650.D
Acq: 13 Sep 2023 18:11




Instrument :
BNA_N
ClientSampleId :
SP-100-20230907


Tgt Ion: 82 Resp: 5478
Ion Ratio Lower Upper
82 100
128 37.4 33.4 50.0
54 51.1 37.7 56.5



#11
2-Methylnaphthalene-d10
Concen: 0.333 ng
RT: 12.427 min Scan# 1295
Delta R.T. -0.004 min
Lab File: BN027650.D
Acq: 13 Sep 2023 18:11

Tgt Ion: 152 Resp: 7853
Ion Ratio Lower Upper
152 100
151 20.2 16.6 25.0





#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.662 min Scan# 1

Delta R.T. 0.000 min

Lab File: BN027650.D

Acq: 13 Sep 2023 18:11

Instrument :

BNA_N

ClientSampleId :

SP-100-20230907





Tgt Ion:164 Resp: 7164

Ion Ratio Lower Upper

164 100

162 102.6 85.8 128.8

160 49.9 44.2 66.2



#14

2,4,6-Tribromophenol

Concen: 0.278 ng

RT: 16.164 min Scan# 1735

Delta R.T. 0.013 min

Lab File: BN027650.D

Acq: 13 Sep 2023 18:11




Tgt Ion:330 Resp: 738


Ion Ratio Lower Upper

330 100

332 96.3 75.2 112.8

141 50.9 36.2 54.4









#15
2-Fluorobiphenyl
Concen: 0.468 ng
RT: 13.283 min Scan# 1478
Delta R.T. -0.011 min
Lab File: BN027650.D
Acq: 13 Sep 2023 18:11




Instrument :
BNA_N
ClientSampleId :
SP-100-20230907


Tgt Ion:172 Resp: 12756
Ion Ratio Lower Upper
172 100
171 35.6 27.8 41.8
170 24.2 19.3 28.9



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.406 min Scan# 1835
Delta R.T. 0.000 min
Lab File: BN027650.D
Acq: 13 Sep 2023 18:11

Tgt Ion:188 Resp: 14298
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 14.4 11.0 16.6









#27
Fluoranthene-d10
Concen: 0.362 ng
RT: 19.430 min Scan# 2122
Delta R.T. -0.005 min
Lab File: BN027650.D
Acq: 13 Sep 2023 18:11




Instrument :
BNA_N
ClientSampleId :
SP-100-20230907


Tgt Ion:212 Resp: 12882
Ion Ratio Lower Upper
212 100
106 14.9 12.1 18.1
104 8.5 6.9 10.3



#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.587 min Scan# 2526
Delta R.T. 0.000 min
Lab File: BN027650.D
Acq: 13 Sep 2023 18:11

Tgt Ion:240 Resp: 9770
Ion Ratio Lower Upper
240 100
120 20.6 14.2 21.4
236 29.9 22.9 34.3









#31
 Terphenyl-d14
 Concen: 0.567 ng
 RT: 20.015 min Scan# 21131
 Delta R.T. -0.005 min
 Lab File: BN027650.D
 Acq: 13 Sep 2023 18:11




Instrument :
 BNA_N
 ClientSampleId :
 SP-100-20230907


Tgt Ion:244 Resp: 11131
 Ion Ratio Lower Upper
 244 100
 212 9.4 7.5 11.3
 122 16.6 14.0 21.0



#34
 Bis(2-ethylhexyl)phthalate
 Concen: 0.066 ng
 RT: 21.444 min Scan# 2510
 Delta R.T. 0.000 min
 Lab File: BN027650.D
 Acq: 13 Sep 2023 18:11


Tgt Ion:149 Resp: 1071
 Ion Ratio Lower Upper
 149 100
 167 27.7 22.1 33.1
 279 3.0 2.7 4.1





#35
 Perylene-d12
 Concen: 0.400 ng
 RT: 24.095 min Scan# 31
 Delta R.T. 0.000 min
 Lab File: BN027650.D
 Acq: 13 Sep 2023 18:11

Instrument :
 BNA_N
 ClientSampleId :
 SP-100-20230907



Tgt Ion: 264 Resp: 8912

Ion	Ratio	Lower	Upper
264	100		
260	26.8	20.7	31.1
265	96.9	53.3	79.9

