

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN091619\
 Data File : BN007689.D
 Acq On : 17 Sep 2019 06:02
 Operator : HP/JU
 Sample : K4633-09DL 20X
 Misc :
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 F2D07DL

Manual Integrations
 APPROVED

mohammad
 9/17/2019 4:10:42 PM

Quant Time: Sep 17 08:44:13 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN091619MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon Sep 16 18:09:41 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.70	152	612851	20.00	ng/ul	0.00
18) Naphthalene-d8	10.47	136	2581126	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.33	164	1623722	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.07	188	3319621	20.00	ng/ul	0.00
77) Chrysene-d12	21.27	240	3112349	20.00	ng/ul	0.00
85) Perylene-d12	23.50	264	3490511	20.00	ng/ul	0.01

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.28	96	3418m	0.21	ng/uL	0.01
5) Phenol-d5	6.88	99	77909	1.33	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.05	67	41062	1.24	ng/ul	0.00
9) 2-Chlorophenol-d4	7.25	132	63000	1.54	ng/ul	0.00
13) 4-Methylphenol-d8	8.40	113	55460	1.25	ng/ul	0.00
19) Nitrobenzene-d5	8.85	128	29246	1.55	ng/ul	0.00
22) 2-Nitrophenol-d4	9.56	143	26905	1.50	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.10	165	66891	1.59	ng/ul	0.00
29) 4-Chloroaniline-d4	10.61	131	60886	1.12	ng/ul	0.00
43) Dimethylphthalate-d6	13.75	166	217332	1.68	ng/ul	0.00
46) Acenaphthylene-d8	14.02	160	244378	1.65	ng/ul	0.00
51) 4-Nitrophenol-d4	14.52	143	19166	0.83	ng/ul	0.00
57) Fluorene-d10	15.33	176	192157	1.71	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.45	200	5832	0.33	ng/ul	0.01
70) Anthracene-d10	17.17	188	306808	1.86	ng/ul	0.00
78) Pyrene-d10	19.47	212	320263	1.91	ng/ul	0.00
89) Benzo(a)pyrene-d12	23.36	264	328160	1.81	ng/ul	0.00

Target Compounds

					Ovalue	
49) Acenaphthene	14.40	153	155246	1.416	ng/ul	98
69) Phenanthrene	17.12	178	1584464	8.049	ng/ul	99
71) Anthracene	17.20	178	409134	2.076	ng/ul	98
74) Carbazole	17.47	167	314294	1.886	ng/ul	99
76) Fluoranthene	19.14	202	4678845	21.667	ng/ul	98
79) Pyrene	19.50	202	4804563	23.183	ng/ul	97
82) Benzo(a)anthracene	21.26	228	4270903	19.258	ng/ul	97
84) Chrysene	21.31	228	6121112	29.665	ng/ul	97
87) Benzo(b)fluoranthene	22.84	252	13159043	58.295	ng/ul	97
88) Benzo(k)fluoranthene	22.87	252	2649415m	12.078	ng/ul	
90) Benzo(a)pyrene	23.40	252	5540314	25.387	ng/ul	97
91) Indeno(1,2,3-cd)pyrene	25.73	276	5918005	23.081	ng/ul	96
92) Dibenzo(a,h)anthracene	25.72	278	1956425	9.148	ng/ul#	84
93) Benzo(g,h,i)perylene	26.40	276	6012573	28.604	ng/ul	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN091619\
Data File : BN007689.D
Acq On : 17 Sep 2019 06:02
Operator : HP/JU
Sample : K4633-09DL 20X
Misc :
ALS Vial : 29 Sample Multiplier: 1


Instrument :
BNA_N
ClientSampleId :
F2D07DL

Manual Integrations
APPROVED

mohammad
9/17/2019 4:10:42 PM

Quant Time: Sep 17 08:44:13 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN091619MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Sep 16 18:09:41 2019
Response via : Initial Calibration





#49

Acenaphthene

Concen: 1.416 ng/ul

RT: 14.40 min Scan# 1940

Delta R.T. 0.01 min

Lab File: BN007689.D

Acq: 17 Sep 2019 06:02

Instrument :

BNA_N


ClientSampled :

F2D07DL




Tot Ion:	153	Resp:	155246
Ion Ratio	Lower	Upper	
153	100		
152	46.0	37.8	56.8
154	85.9	70.3	105.5

Manual Integrations
APPROVED

mohammad
9/17/2019 4:10:42 PM



Abundance Ion 153.00 (152.70 to 153.70): E
Ion 152.00 (151.70 to 152.70): E
Ion 154.00 (153.70 to 154.70): E



#69

Phenanthrene

Concen: 8.049 ng/ul


RT: 17.12 min Scan# 2402

Delta R.T. -0.00 min



Lab File: BN007689.D


Acq: 17 Sep 2019 06:02

Tgt Ion:	178	Resp:	1584464
Ion Ratio	Lower	Upper	
178	100		
179	15.9	11.9	17.9
176	19.1	15.2	22.8



Abundance Ion 178.00 (177.70 to 178.70): E
Ion 179.00 (178.70 to 179.70): E
Ion 176.00 (175.70 to 176.70): E









#71
 Anthracene
 Concen: 2.076 ng/ul
 RT: 17.20 min Scan# 2417
 Delta R.T. -0.00 min
 Lab File: BN007689.D
 Acq: 17 Sep 2019 06:02

Instrument :
 BNA_N
 ClientSampleId :
 F2D07DL

Tot Ion	Ratio	Lower	Upper
178	100		
179	15.7	12.7	19.1
176	17.5	15.1	22.7




Manual Integrations
 APPROVED


mohammad
 9/17/2019 4:10:42 PM



#74
 Carbazole
 Concen: 1.886 ng/ul
 RT: 17.47 min Scan# 2463
 Delta R.T. 0.01 min
 Lab File: BN007689.D
 Acq: 17 Sep 2019 06:02

Tgt Ion	Ratio	Lower	Upper
167	100		
166	21.8	17.0	25.4
139	12.9	10.1	15.1






#76
Fluoranthene
Concen: 21.667 ng/ul
RT: 19.14 min Scan# 2746
Delta R.T. 0.01 min
Lab File: BN007689.D
Acq: 17 Sep 2019 06:02

Instrument :
BNA_N
ClientSampleId :
F2D07DL

Tot Ion	Ion	Ratio	Lower	Upper
202	100			
101	10.8	9.4	14.2	
100	8.8	7.1	10.7	

Manual Integrations
APPROVED

mohammad
9/17/2019 4:10:42 PM






Abundance

Ion 202.00 (201.70 to 202.70): E

Ion 101.00 (100.70 to 101.70): E

Ion 100.00 (99.70 to 100.70): B



#79
Pyrene
Concen: 23.183 ng/ul
RT: 19.50 min Scan# 2808
Delta R.T. 0.01 min
Lab File: BN007689.D
Acq: 17 Sep 2019 06:02




Tgt Ion	Ion	Ratio	Lower	Upper
202	100			
101	12.8	11.2	16.8	
100	10.3	9.4	14.0	


Abundance

Ion 202.00 (201.70 to 202.70): E

Ion 101.00 (100.70 to 101.70): E

Ion 100.00 (99.70 to 100.70): B





#82

Benzo(a)anthracene

Concen: 19.258 ng/ul

RT: 21.26 min Scan# 3106

Delta R.T. -0.00 min

Lab File: BN007689.D

Acq: 17 Sep 2019 06:02

Instrument :

BNA_N

ClientSampleId :

F2D07DL

Tot Ion:228 Resp: 4270903

Ion Ratio Lower Upper

228 100





229 20.3 15.7 23.5

226 28.2 20.9 31.3

Manual Integrations
APPROVED

mohammad

9/17/2019 4:10:42 PM



#84

Chrysene

Concen: 29.665 ng/ul

RT: 21.31 min Scan# 3115

Delta R.T. 0.01 min

Lab File: BN007689.D

Acq: 17 Sep 2019 06:02




Tgt Ion:228 Resp: 6121112


Ion Ratio Lower Upper

228 100

226 30.9 24.2 36.4

229 22.0 15.5 23.3





#87

Benzo(b)fluoranthene

Concen: 58.295 ng/ul

RT: 22.84 min Scan# 3375

Delta R.T. 0.01 min

Lab File: BN007689.D

Acq: 17 Sep 2019 06:02

Instrument :

BNA_N

ClientSampleId :

F2D07DL

Tot Ion:252 Resp:13159043

Ion Ratio Lower Upper

252 100


253 23.5 17.6 26.4

125 9.6 8.0 12.0




Manual Integrations
APPROVED

mohammad

9/17/2019 4:10:42 PM



Abundance Ion 252.00 (251.70 to 252.70): E
Ion 253.00 (252.70 to 253.70): E
Ion 125.00 (124.70 to 125.70): E



#88

Benzo(k)fluoranthene

Concen: 12.078 ng/ul m

RT: 22.87 min Scan# 3381

Delta R.T. 0.01 min

Lab File: BN007689.D

Acq: 17 Sep 2019 06:02

Tgt Ion:252 Resp: 2649415




Ion Ratio Lower Upper


252 100

253 23.8 17.7 26.5

125 9.8 8.2 12.4

Abundance Ion 252.00 (251.70 to 252.70): E
Ion 253.00 (252.70 to 253.70): E
Ion 125.00 (124.70 to 125.70): E









#90
Benzo(a)pyrene
Concen: 25.387 ng/uL
RT: 23.40 min Scan# 3471
Delta R.T. 0.01 min
Lab File: BN007689.D
Acq: 17 Sep 2019 06:02

Instrument :
BNA_N
ClientSampleID :
F2D07DL

Tot Ion:252 Resp: 5540314
Ion Ratio Lower Upper
252 100
253 23.3 17.8 26.8
125 10.0 9.2 13.8




Manual Integrations
APPROVED


mohammad
9/17/2019 4:10:42 PM



#91
Indeno(1,2,3-cd)pyrene
Concen: 23.081 ng/uL
RT: 25.73 min Scan# 3866
Delta R.T. 0.02 min
Lab File: BN007689.D
Acq: 17 Sep 2019 06:02

Tgt Ion:276 Resp: 5918005
Ion Ratio Lower Upper
276 100
138 19.7 19.1 28.7
277 24.8 19.7 29.5






#92
Dibenzo(a,h)anthracene
Concen: 9.148 ng/ul
RT: 25.72 min Scan# 3865
Delta R.T. -0.00 min
Lab File: BN007689.D
Acq: 17 Sep 2019 06:02

Instrument :
BNA_N
ClientSampleId :
F2D07DL


Tot Ion:278 Resp: 1956425
Ion Ratio Lower Upper
278 100
139 0.0 12.6 19.0#
279 23.0 19.4 29.2

Manual Integrations
APPROVED



mohammad
9/17/2019 4:10:42 PM



Abundance Ion 278.00 (277.70 to 278.70): E
Ion 139.00 (138.70 to 139.70): E
Ion 279.00 (278.70 to 279.70): E




Time-->




#93
Benzo(g,h,i)perylene
Concen: 28.604 ng/ul
RT: 26.40 min Scan# 3981
Delta R.T. 0.02 min
Lab File: BN007689.D
Acq: 17 Sep 2019 06:02

Tgt Ion:276 Resp: 6012573
Ion Ratio Lower Upper
276 100
138 19.8 16.5 24.7
277 23.4 18.7 28.1



Abundance Ion 276.00 (275.70 to 276.70): E
Ion 138.00 (137.70 to 138.70): E
Ion 277.00 (276.70 to 277.70): E



Time-->

