

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN091819\
 Data File : BN007727.D
 Acq On : 19 Sep 2019 04:02
 Operator : HP/JU
 Sample : K4896-14
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :

Quant Time: Sep 19 07:27:25 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-SIM-BN091819.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Sep 18 18:24:40 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.70	152	6179	0.40	ng	0.00
7) Naphthalene-d8	10.47	136	23979	0.40	ng	0.00
13) Acenaphthene-d10	14.32	164	14907	0.40	ng	0.00
19) Phenanthrene-d10	17.07	188	34734	0.40	ng	0.00
27) Chrysene-d12	21.26	240	38531	0.40	ng	-0.01
34) Perylene-d12	23.48	264	41899	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.32	112	2737	0.13	ng	0.00
5) Phenol-d6	6.88	99	2235	0.08	ng	0.00
8) Nitrobenzene-d5	8.83	82	7275	0.35	ng	0.00
11) 2-Methylnaphthalene-d10	12.06	152	14857	0.37	ng	0.00
14) 2,4,6-Tribromophenol	15.82	330	2365	0.29	ng	0.00
15) 2-Fluorobiphenyl	12.94	172	25901	0.42	ng	0.00
25) Fluoranthene-d10	19.10	212	46321	0.40	ng	0.00
29) Terphenyl-d14	19.71	244	43551	0.46	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.31	88	281	0.041	ng	# 32
3) n-Nitrosodimethylamine	3.01	42	105553	33.462	ng	# 69
32) Bis(2-ethylhexyl)phthalate	21.20	149	2775	0.038	ng	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN091819\
Data File : BN007727.D
Acq On : 19 Sep 2019 04:02
Operator : HP/JU
Sample : K4896-14
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :

Quant Time: Sep 19 07:27:25 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-SIM-BN091819.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Sep 18 18:24:40 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.70 min Scan# 605
Delta R.T. -0.00 min
Lab File: BN007727.D
Acq: 19 Sep 2019 04:02

Instrument :
BNA_N
ClientSampleId :

Tot Ion:152 Resp: 6179
Ion Ratio Lower Upper
152 100
150 156.9 125.6 188.4
115 65.5 53.3 79.9




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#2

1,4-Dioxane
Concen: 0.041 ng
RT: 3.31 min Scan# 60
Delta R.T. 0.01 min
Lab File: BN007727.D
Acq: 19 Sep 2019 04:02

Tgt Ion: 88 Resp: 281
Ion Ratio Lower Upper
88 100
58 0.0 44.6 66.8#
43 0.0 14.4 21.6#



Abundance Ion 88.00 (87.70 to 88.70): BNC
Ion 58.00 (57.70 to 58.70): BNC
Ion 43.00 (42.70 to 43.70): BNC









#3

n-Nitrosodimethylamine
Concen: 33.462 ng
RT: 3.01 min Scan# 22
Delta R.T. -0.00 min
Lab File: BN007727.D
Acq: 19 Sep 2019 04:02

Instrument :
BNA_N
ClientSampleId :




Tot Ion: 42 Resp: 105553
Ion Ratio Lower Upper
42 100
74 147.2 87.9 131.9#
44 26.8 29.4 44.0#




#4

2-Fluorophenol
Concen: 0.129 ng
RT: 5.32 min Scan# 309
Delta R.T. -0.00 min
Lab File: BN007727.D
Acq: 19 Sep 2019 04:02

Tgt Ion: 112 Resp: 2737
Ion Ratio Lower Upper
112 100
64 61.3 46.6 70.0
63 29.6 23.1 34.7





#5

Phenol-d6

Concen: 0.079 ng

RT: 6.88 min Scan# 503

Delta R.T. 0.01 min

Lab File: BN007727.D

Acq: 19 Sep 2019 04:02

Instrument :

BNA_N

ClientSampleId :


Tot Ion: 99 Resp: 2235

Ion Ratio Lower Upper

99 100

42 21.3 12.8 19.2#




71 35.4 27.6 41.4



Abundance Ion 99.00 (98.70 to 99.70): BN007706.D (-493) (-)

Ion 42.00 (41.70 to 42.70): BN007706.D (-493) (-)

Ion 71.00 (70.70 to 71.70): BN007706.D (-493) (-)



#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.47 min Scan# 851

Delta R.T. -0.00 min

Lab File: BN007727.D

Acq: 19 Sep 2019 04:02

Tgt Ion: 136 Resp: 23979


Ion Ratio Lower Upper

136 100

137 11.4 9.2 13.8

54 6.8 5.8 8.8

68 7.3 6.5 9.7





Abundance Ion 136.00 (135.70 to 136.70): BN007706.D (-846) (-)

Ion 137.00 (136.70 to 137.70): BN007706.D (-846) (-)

Ion 54.00 (53.70 to 54.70): BN007706.D (-846) (-)

Ion 68.00 (67.70 to 68.70): BN007706.D (-846) (-)





#8

Nitrobenzene-d5

Concen: 0.347 ng

RT: 8.83 min Scan# 722

Delta R.T. -0.00 min

Lab File: BN007727.D

Acq: 19 Sep 2019 04:02

Instrument :

BNA_N

ClientSampleId :


Tot Ion: 82 Resp: 7275

Ion Ratio Lower Upper

82 100

128 29.9 24.5 36.7




54 44.8 35.2 52.8



Abundance Ion 82.00 (81.70 to 82.70): BN0

Ion 128.00 (127.70 to 128.70): BN0

Ion 54.00 (53.70 to 54.70): BN0



#11

2-Methylnaphthalene-d10

Concen: 0.368 ng

RT: 12.06 min Scan# 1058

Delta R.T. -0.00 min

Lab File: BN007727.D


Acq: 19 Sep 2019 04:02

Tgt Ion: 152 Resp: 14857

Ion Ratio Lower Upper



152 100


151 19.3 15.4 23.2



Abundance Ion 152.00 (151.70 to 152.70): BN0

Ion 151.00 (150.70 to 151.70): BN0





#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.32 min Scan# 1321

Delta R.T. -0.00 min

Lab File: BN007727.D

Acq: 19 Sep 2019 04:02

Instrument :

BNA_N

ClientSampleId :


Tot Ion:164 Resp: 14907

Ion Ratio Lower Upper

164 100

162 101.0 81.7 122.5




160 45.8 37.0 55.4



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#14

2,4,6-Tribromophenol

Concen: 0.291 ng

RT: 15.82 min Scan# 1455

Delta R.T. -0.00 min

Lab File: BN007727.D

Acq: 19 Sep 2019 04:02


Tgt Ion:330 Resp: 2365

Ion Ratio Lower Upper

330 100

332 0.0 0.0 0.0



141 34.1 28.7 43.1



Abundance Ion 330.00 (329.70 to 330.70): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#15
2-Fluorobiphenyl
Concen: 0.422 ng
RT: 12.94 min Scan# 1197
Delta R.T. -0.00 min
Lab File: BN007727.D
Acq: 19 Sep 2019 04:02




Instrument :
BNA_N
ClientSampleId :


Tot Ion:172 Resp: 25901
Ion Ratio Lower Upper
172 100
171 35.9 28.8 43.2
170 24.0 19.5 29.3



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.07 min Scan# 1572
Delta R.T. -0.00 min
Lab File: BN007727.D
Acq: 19 Sep 2019 04:02

Tgt Ion:188 Resp: 34734
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 9.0 7.4 11.2





#25

Fluoranthene-d10

Concen: 0.396 ng

RT: 19.10 min Scan# 1881

Delta R.T. -0.01 min

Lab File: BN007727.D

Acq: 19 Sep 2019 04:02

Instrument :

BNA_N

ClientSampleId :


Tot Ion:212 Resp: 46321

Ion Ratio Lower Upper

212 100

106 11.8 9.4 14.0




104 6.7 5.3 7.9



Abundance Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E



#27

Chrysene-d12

Concen: 0.400 ng

RT: 21.26 min Scan# 2181

Delta R.T. -0.01 min

Lab File: BN007727.D

Acq: 19 Sep 2019 04:02


Tgt Ion:240 Resp: 38531

Ion Ratio Lower Upper

240 100

120 12.4 5.4 8.2#



236 27.3 21.0 31.4




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#29

Terphenyl-d14

Concen: 0.460 ng

RT: 19.71 min Scan# 2003

Delta R.T. -0.01 min

Lab File: BN007727.D

Acq: 19 Sep 2019 04:02

Instrument :

BNA_N

ClientSampleId :


Tot Ion:244 Resp: 43551

Ion Ratio Lower Upper




244 100

212 7.4 5.9 8.9

122 10.1 7.4 11.2



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E



#32

Bis(2-ethylhexyl)phthalate

Concen: 0.038 ng

RT: 21.20 min Scan# 2175

Delta R.T. -0.01 min

Lab File: BN007727.D

Acq: 19 Sep 2019 04:02


Tgt Ion:149 Resp: 2775

Ion Ratio Lower Upper



149 100


167 29.6 23.7 35.5

279 6.0 4.2 6.2



Abundance Ion 149.00 (148.70 to 149.70): E
Ion 167.00 (166.70 to 167.70): E
Ion 279.00 (278.70 to 279.70): E





#34
 Pervlene-d12
 Concen: 0.400 ng
 RT: 23.48 min Scan# 2604
 Delta R.T. -0.01 min
 Lab File: BN007727.D
 Acq: 19 Sep 2019 04:02

Instrument :
 BNA_N
 ClientSampleId :

Tot Ion:264 Resp: 41899
 Ion Ratio Lower Upper
 264 100
 260 24.1 19.3 28.9
 265 32.0 26.9 40.3

