

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN091819\
 Data File : BN007738.D
 Acq On : 19 Sep 2019 13:25
 Operator : HP/JU
 Sample : K4858-02 2X
 Misc :
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 RE103D1-20190909DL

Quant Time: Sep 19 15:22:19 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN091819.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Sep 18 18:24:40 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.70	152	6671	0.40	ng	0.00
7) Naphthalene-d8	10.47	136	25922	0.40	ng	0.00
13) Acenaphthene-d10	14.32	164	15339	0.40	ng	0.00
19) Phenanthrene-d10	17.07	188	35870	0.40	ng	0.00
27) Chrysene-d12	21.27	240	40721	0.40	ng	0.00
34) Perylene-d12	23.49	264	45422	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.32	112	1273	0.06	ng	0.00
5) Phenol-d6	6.87	99	994	0.03	ng	0.00
8) Nitrobenzene-d5	8.83	82	3129	0.14	ng	0.00
11) 2-Methylnaphthalene-d10	12.06	152	6873	0.16	ng	0.00
14) 2,4,6-Tribromophenol	15.82	330	933	0.11	ng	0.00
15) 2-Fluorobiphenyl	12.94	172	11437	0.18	ng	0.00
25) Fluoranthene-d10	19.10	212	19119	0.16	ng	0.00
29) Terphenyl-d14	19.71	244	17167	0.17	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.30	88	22798	3.066	ng	Qvalue # 91
3) n-Nitrosodimethylamine	3.01	42	65513	19.237	ng	# 71
32) Bis(2-ethylhexyl)phthalate	21.20	149	3452	0.045	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN091819\
Data File : BN007738.D
Acq On : 19 Sep 2019 13:25
Operator : HP/JU
Sample : K4858-02 2X
Misc :
ALS Vial : 25 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
RE103D1-20190909DL

Quant Time: Sep 19 15:22:19 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN091819.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Sep 18 18:24:40 2019
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 0.400 ng

RT: 7.70 min Scan# 605

Delta R.T. -0.00 min

Lab File: BN007738.D

Acq: 19 Sep 2019 13:25

Instrument :

BNA_N

ClientSampleId :

RE103D1-20190909DL


Tgt Ion:152 Resp: 6671

Ion Ratio Lower Upper

152 100

150 154.0 125.6 188.4




115 63.2 53.3 79.9



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#2

1,4-Dioxane

Concen: 3.066 ng

RT: 3.30 min Scan# 58

Delta R.T. -0.01 min

Lab File: BN007738.D

Acq: 19 Sep 2019 13:25


Tgt Ion: 88 Resp: 22798

Ion Ratio Lower Upper

88 100

58 61.7 44.6 66.8



43 23.4 14.4 21.6#




Abundance Ion 88.00 (87.70 to 88.70): BNC

Ion 58.00 (57.70 to 58.70): BNC

Ion 43.00 (42.70 to 43.70): BNC









#3
n-Nitrosodimethylamine
Concen: 19.237 ng
RT: 3.01 min Scan# 22
Delta R.T. -0.00 min
Lab File: BN007738.D
Acq: 19 Sep 2019 13:25




Instrument :
BNA_N
ClientSampleId :
RE103D1-20190909DL


Tgt Ion: 42 Resp: 65513
Ion Ratio Lower Upper
42 100
74 144.4 87.9 131.9#
44 26.7 29.4 44.0#



#4
2-Fluorophenol
Concen: 0.055 ng
RT: 5.32 min Scan# 309
Delta R.T. -0.00 min
Lab File: BN007738.D
Acq: 19 Sep 2019 13:25

Tgt Ion: 112 Resp: 1273
Ion Ratio Lower Upper
112 100
64 58.5 46.6 70.0
63 30.9 23.1 34.7





#5

Phenol-d6

Concen: 0.029 ng

RT: 6.87 min Scan# 502

Delta R.T. 0.00 min

Lab File: BN007738.D

Acq: 19 Sep 2019 13:25

Instrument :

BNA_N

ClientSampleId :

RE103D1-20190909DL


Tgt Ion: 99 Resp: 994

Ion Ratio Lower Upper




99 100

42 9.6 12.8 19.2#

71 41.9 27.6 41.4#



Abundance Ion 99.00 (98.70 to 99.70): BN007738.D (-490) (-)



#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.47 min Scan# 851

Delta R.T. -0.00 min

Lab File: BN007738.D

Acq: 19 Sep 2019 13:25

Tgt Ion: 136 Resp: 25922


Ion Ratio Lower Upper

136 100



137 11.1 9.2 13.8


54 6.2 5.8 8.8

68 6.7 6.5 9.7



Abundance Ion 136.00 (135.70 to 136.70): BN007738.D (-835) (-)





#8

Nitrobenzene-d5

Concen: 0.138 ng

RT: 8.83 min Scan# 722

Delta R.T. -0.00 min

Lab File: BN007738.D

Acq: 19 Sep 2019 13:25

Instrument :

BNA_N

ClientSampleId :

RE103D1-20190909DL


Tgt Ion: 82 Resp: 3129

Ion Ratio Lower Upper

82 100

128 32.1 24.5 36.7

54 45.8 35.2 52.8






Abundance Ion 82.00 (81.70 to 82.70): BN007706.D (-719) (-)

Ion 128.00 (127.70 to 128.70): BN007706.D (-719) (-)

Ion 54.00 (53.70 to 54.70): BN007706.D (-719) (-)

Time-->



#11

2-Methylnaphthalene-d10

Concen: 0.157 ng

RT: 12.06 min Scan# 1058

Delta R.T. -0.00 min

Lab File: BN007738.D


Acq: 19 Sep 2019 13:25

Tgt Ion: 152 Resp: 6873

Ion Ratio Lower Upper

152 100



151 18.9 15.4 23.2




Abundance Ion 152.00 (151.70 to 152.70): BN007706.D (-1046) (-)

Ion 151.00 (150.70 to 151.70): BN007706.D (-1046) (-)

Time-->





#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.32 min Scan# 1321

Delta R.T. -0.00 min

Lab File: BN007738.D

Acq: 19 Sep 2019 13:25

Instrument :

BNA_N

ClientSampleId :

RE103D1-20190909DL


Tgt Ion:164 Resp: 15339

Ion Ratio Lower Upper

164 100

162 101.2 81.7 122.5




160 46.0 37.0 55.4



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#14

2,4,6-Tribromophenol

Concen: 0.112 ng

RT: 15.82 min Scan# 1455

Delta R.T. -0.00 min

Lab File: BN007738.D

Acq: 19 Sep 2019 13:25


Tgt Ion:330 Resp: 933

Ion Ratio Lower Upper

330 100

332 0.0 0.0 0.0



141 40.2 28.7 43.1




Abundance Ion 330.00 (329.70 to 330.70): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#15
2-Fluorobiphenyl
Concen: 0.181 ng
RT: 12.94 min Scan# 1197
Delta R.T. -0.00 min
Lab File: BN007738.D
Acq: 19 Sep 2019 13:25




Instrument :
BNA_N
ClientSampleId :
RE103D1-20190909DL


Tgt Ion:172 Resp: 11437
Ion Ratio Lower Upper
172 100
171 36.3 28.8 43.2
170 24.4 19.5 29.3



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.07 min Scan# 1572
Delta R.T. -0.00 min
Lab File: BN007738.D
Acq: 19 Sep 2019 13:25

Tgt Ion:188 Resp: 35870
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 8.5 7.4 11.2









#25
 Fluoranthene-d10
 Concen: 0.158 ng
 RT: 19.10 min Scan# 1881
 Delta R.T. -0.00 min
 Lab File: BN007738.D
 Acq: 19 Sep 2019 13:25

Instrument :
 BNA_N
 ClientSampleId :
 RE103D1-20190909DL

Tgt Ion: 212 Resp: 19119
 Ion Ratio Lower Upper
 212 100
 106 11.9 9.4 14.0
 104 6.7 5.3 7.9




Abundance Ion 212.00 (211.70 to 212.70): E
 Ion 106.00 (105.70 to 106.70): E
 Ion 104.00 (103.70 to 104.70): E






#27
 Chrysene-d12
 Concen: 0.400 ng
 RT: 21.27 min Scan# 2182
 Delta R.T. -0.00 min
 Lab File: BN007738.D
 Acq: 19 Sep 2019 13:25

Tgt Ion: 240 Resp: 40721
 Ion Ratio Lower Upper
 240 100
 120 6.6 5.4 8.2
 236 25.9 21.0 31.4



Abundance Ion 240.00 (239.70 to 240.70): E
 Ion 120.00 (119.70 to 120.70): E
 Ion 236.00 (235.70 to 236.70): E





#29

Terphenyl-d14

Concen: 0.172 ng

RT: 19.71 min Scan# 2003

Delta R.T. -0.00 min

Lab File: BN007738.D

Acq: 19 Sep 2019 13:25

Instrument :

BNA_N

ClientSampleId :

RE103D1-20190909DL


Tgt Ion:244 Resp: 17167

Ion Ratio Lower Upper

244 100

212 7.8 5.9 8.9




122 10.8 7.4 11.2



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#32

Bis(2-ethylhexyl)phthalate

Concen: 0.045 ng

RT: 21.20 min Scan# 2175

Delta R.T. -0.01 min

Lab File: BN007738.D

Acq: 19 Sep 2019 13:25


Tgt Ion:149 Resp: 3452

Ion Ratio Lower Upper

149 100

167 29.1 23.7 35.5



279 4.4 4.2 6.2






Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E





#34
Perylene-d12
Concen: 0.400 ng
RT: 23.49 min Scan# 2605
Delta R.T. -0.00 min
Lab File: BN007738.D
Acq: 19 Sep 2019 13:25

Instrument :
BNA_N
ClientSampleId :
RE103D1-20190909DL

Tgt Ion:264 Resp: 45422
Ion Ratio Lower Upper
264 100
260 24.3 19.3 28.9
265 30.8 26.9 40.3

