

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN091919\
 Data File : BN007748.D
 Acq On : 19 Sep 2019 19:23
 Operator : HP/JU
 Sample : K4975-02
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 TT101D1-20190917

Quant Time: Sep 20 01:49:42 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-SIM-BN091819.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Sep 18 18:24:40 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.70	152	6117	0.40	ng	0.00
7) Naphthalene-d8	10.47	136	23396	0.40	ng	0.00
13) Acenaphthene-d10	14.32	164	14156	0.40	ng	0.00
19) Phenanthrene-d10	17.07	188	32513	0.40	ng	0.00
27) Chrysene-d12	21.27	240	36491	0.40	ng	0.00
34) Perylene-d12	23.49	264	40260	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.32	112	2025	0.10	ng	0.00
5) Phenol-d6	6.87	99	1520	0.05	ng	0.00
8) Nitrobenzene-d5	8.83	82	6360	0.31	ng	0.00
11) 2-Methylnaphthalene-d10	12.06	152	13746	0.35	ng	0.00
14) 2,4,6-Tribromophenol	15.82	330	1482	0.19	ng	0.00
15) 2-Fluorobiphenyl	12.94	172	24304	0.42	ng	0.00
25) Fluoranthene-d10	19.10	212	40219	0.37	ng	0.00
29) Terphenyl-d14	19.71	244	38639	0.43	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.30	88	31508	4.621	ng	Qvalue # 91
3) n-Nitrosodimethylamine	3.01	42	183917	58.895	ng	# 67
6) bis(2-Chloroethyl)ether	7.15	93	1324	0.076	ng	# 80
32) Bis(2-ethylhexyl)phthalate	21.21	149	2771	0.040	ng	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN091919\
Data File : BN007748.D
Acq On : 19 Sep 2019 19:23
Operator : HP/JU
Sample : K4975-02
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
TT101D1-20190917

Quant Time: Sep 20 01:49:42 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-SIM-BN091819.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Sep 18 18:24:40 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.70 min Scan# 605
Delta R.T. -0.00 min
Lab File: BN007748.D
Acq: 19 Sep 2019 19:23

Instrument :
BNA_N
ClientSampleId :
TT101D1-20190917

Tot Ion:152 Resp: 6117
Ion Ratio Lower Upper
152 100
150 156.2 125.6 188.4
115 64.4 53.3 79.9




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#2

1,4-Dioxane
Concen: 4.621 ng
RT: 3.30 min Scan# 58
Delta R.T. -0.01 min
Lab File: BN007748.D
Acq: 19 Sep 2019 19:23

Tgt Ion: 88 Resp: 31508
Ion Ratio Lower Upper
88 100
58 61.2 44.6 66.8
43 24.2 14.4 21.6#



Abundance Ion 88.00 (87.70 to 88.70): BNC
Ion 58.00 (57.70 to 58.70): BNC
Ion 43.00 (42.70 to 43.70): BNC









#3
n-Nitrosodimethylamine
Concen: 58.895 ng
RT: 3.01 min Scan# 22
Delta R.T. -0.00 min
Lab File: BN007748.D
Acq: 19 Sep 2019 19:23




Instrument :
BNA_N
ClientSampleId :
TT101D1-20190917

Tot Ion: 42 Resp: 183917
Ion Ratio Lower Upper
42 100
74 151.0 87.9 131.9#
44 26.9 29.4 44.0#



#4
2-Fluorophenol
Concen: 0.096 ng
RT: 5.32 min Scan# 309
Delta R.T. -0.00 min
Lab File: BN007748.D
Acq: 19 Sep 2019 19:23

Tgt Ion: 112 Resp: 2025
Ion Ratio Lower Upper
112 100
64 59.4 46.6 70.0
63 29.1 23.1 34.7





#5

Phenol-d6

Concen: 0.052 ng

RT: 6.87 min Scan# 502

Delta R.T. 0.00 min

Lab File: BN007748.D

Acq: 19 Sep 2019 19:23

Instrument :

BNA_N

ClientSampleId :

TT101D1-20190917


Tot Ion: 99 Resp: 1520

Ion Ratio Lower Upper

99 100

42 27.6 12.8 19.2#




71 43.1 27.6 41.4#



Abundance Ion 99.00 (98.70 to 99.70): BNC

Ion 42.00 (41.70 to 42.70): BNC

Ion 71.00 (70.70 to 71.70): BNC



#6

bis(2-Chloroethyl)ether

Concen: 0.076 ng

RT: 7.15 min Scan# 536

Delta R.T. -0.00 min

Lab File: BN007748.D

Acq: 19 Sep 2019 19:23


Tgt Ion: 93 Resp: 1324

Ion Ratio Lower Upper

93 100

63 56.5 59.3 88.9#



95 27.6 31.4 47.0#




Abundance Ion 93.00 (92.70 to 93.70): BNC

Ion 63.00 (62.70 to 63.70): BNC

Ion 95.00 (94.70 to 95.70): BNC





#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.47 min Scan# 851

Delta R.T. -0.00 min

Lab File: BN007748.D

Acq: 19 Sep 2019 19:23

Instrument :

BNA_N

ClientSampleId :

TT101D1-20190917

Tot Ion:136 Resp: 23396



Ion Ratio Lower Upper

136 100

137 11.2 9.2 13.8

54 6.6 5.8 8.8

68 7.7 6.5 9.7





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BNC

Ion 68.00 (67.70 to 68.70): BNC



#8

Nitrobenzene-d5

Concen: 0.311 ng

RT: 8.83 min Scan# 722

Delta R.T. -0.00 min

Lab File: BN007748.D

Acq: 19 Sep 2019 19:23



Tgt Ion: 82 Resp: 6360

Ion Ratio Lower Upper

82 100

128 30.6 24.5 36.7


54 45.4 35.2 52.8




Abundance Ion 82.00 (81.70 to 82.70): BNC

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BNC









#11
2-Methylnaphthalene-d10
Concen: 0.349 ng
RT: 12.06 min Scan# 1058
Delta R.T. -0.00 min
Lab File: BN007748.D
Acq: 19 Sep 2019 19:23




Instrument :
BNA_N
ClientSampleId :
TT101D1-20190917

Tot Ion:152 Resp: 13746
Ion Ratio Lower Upper
152 100
151 18.8 15.4 23.2



#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.32 min Scan# 1321
Delta R.T. -0.00 min
Lab File: BN007748.D
Acq: 19 Sep 2019 19:23

Tgt Ion:164 Resp: 14156
Ion Ratio Lower Upper
164 100
162 100.3 81.7 122.5
160 45.2 37.0 55.4









#14
 2,4,6-Tribromophenol
 Concen: 0.192 ng
 RT: 15.82 min Scan# 1455
 Delta R.T. -0.00 min
 Lab File: BN007748.D
 Acq: 19 Sep 2019 19:23

Instrument :
 BNA_N
 ClientSampleId :
 TT101D1-20190917

Tot Ion:330 Resp: 1482
 Ion Ratio Lower Upper
 330 100
 332 0.0 0.0 0.0
 141 36.7 28.7 43.1




Abundance Ion 330.00 (329.70 to 330.70): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#15
 2-Fluorobiphenyl
 Concen: 0.417 ng
 RT: 12.94 min Scan# 1197
 Delta R.T. -0.00 min
 Lab File: BN007748.D
 Acq: 19 Sep 2019 19:23

Tgt Ion:172 Resp: 24304
 Ion Ratio Lower Upper
 172 100
 171 35.7 28.8 43.2
 170 24.1 19.5 29.3



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 17.07 min Scan# 1572

Delta R.T. -0.00 min

Lab File: BN007748.D

Acq: 19 Sep 2019 19:23

Instrument :

BNA_N

ClientSampleId :

TT101D1-20190917


Tot Ion:188 Resp: 32513

Ion Ratio Lower Upper

188 100

94 0.0 0.0 0.0




80 9.2 7.4 11.2



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BNC

Ion 80.00 (79.70 to 80.70): BNC



#25

Fluoranthene-d10

Concen: 0.367 ng

RT: 19.10 min Scan# 1881

Delta R.T. -0.01 min

Lab File: BN007748.D

Acq: 19 Sep 2019 19:23


Tgt Ion:212 Resp: 40219

Ion Ratio Lower Upper

212 100

106 11.9 9.4 14.0



104 6.7 5.3 7.9




Abundance Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E





#27

Chrysene-d12

Concen: 0.400 ng

RT: 21.27 min Scan# 2182

Delta R.T. -0.00 min

Lab File: BN007748.D

Acq: 19 Sep 2019 19:23

Instrument :

BNA_N

ClientSampleId :

TT101D1-20190917


Tot Ion:240 Resp: 36491

Ion Ratio Lower Upper

240 100

120 7.1 5.4 8.2




236 26.1 21.0 31.4



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#29

Terphenyl-d14

Concen: 0.431 ng

RT: 19.71 min Scan# 2004

Delta R.T. -0.00 min

Lab File: BN007748.D

Acq: 19 Sep 2019 19:23


Tgt Ion:244 Resp: 38639

Ion Ratio Lower Upper

244 100

212 7.2 5.9 8.9



122 9.0 7.4 11.2




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#32

Bis(2-ethylhexyl)phthalate

Concen: 0.040 ng

RT: 21.21 min Scan# 2176

Delta R.T. -0.00 min

Lab File: BN007748.D

Acq: 19 Sep 2019 19:23

Instrument :

BNA_N

ClientSampleId :

TT101D1-20190917


Tot Ion:149 Resp: 2771

Ion Ratio Lower Upper

149 100

167 28.5 23.7 35.5




279 4.8 4.2 6.2



Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E



#34

Perylene-d12

Concen: 0.400 ng

RT: 23.49 min Scan# 2605

Delta R.T. -0.00 min

Lab File: BN007748.D

Acq: 19 Sep 2019 19:23


Tgt Ion:264 Resp: 40260

Ion Ratio Lower Upper

264 100

260 23.9 19.3 28.9

265 31.2 26.9 40.3



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

