

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN091919\
 Data File : BN007753.D
 Acq On : 19 Sep 2019 22:22
 Operator : HP/JU
 Sample : K4858-25DL 2X
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 RE132D5-20190911DL

Quant Time: Sep 20 11:15:09 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-SIM-BN091819.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Sep 18 18:24:40 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.70	152	6706	0.40	ng	0.00
7) Naphthalene-d8	10.47	136	25743	0.40	ng	0.00
13) Acenaphthene-d10	14.32	164	16145	0.40	ng	0.00
19) Phenanthrene-d10	17.07	188	35389	0.40	ng	0.00
27) Chrysene-d12	21.26	240	44196	0.40	ng	0.00
34) Perylene-d12	23.48	264	46233	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.32	112	995	0.04	ng	0.00
5) Phenol-d6	6.87	99	872	0.02	ng	0.00
8) Nitrobenzene-d5	8.83	82	2508	0.11	ng	0.00
11) 2-Methylnaphthalene-d10	12.06	152	6230	0.14	ng	0.00
14) 2,4,6-Tribromophenol	15.81	330	960	0.11	ng	0.00
15) 2-Fluorobiphenyl	12.95	172	9249	0.14	ng	0.00
25) Fluoranthene-d10	19.10	212	18809	0.16	ng	0.00
29) Terphenyl-d14	19.71	244	18392	0.17	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.30	88	20469	2.739	ng	# 91
32) Bis(2-ethylhexyl)phthalate	21.20	149	14354	0.171	ng	# 96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN091919\
Data File : BN007753.D
Acq On : 19 Sep 2019 22:22
Operator : HP/JU
Sample : K4858-25DL 2X
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
RE132D5-20190911DL

Quant Time: Sep 20 11:15:09 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-SIM-BN091819.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Sep 18 18:24:40 2019
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 0.400 ng

RT: 7.70 min Scan# 605

Delta R.T. 0.00 min

Lab File: BN007753.D

Acq: 19 Sep 2019 22:22

Instrument :

BNA_N

ClientSampleId :

RE132D5-20190911DL


Tot Ion:152 Resp: 6706

Ion Ratio Lower Upper

152 100

150 153.7 125.6 188.4




115 62.9 53.3 79.9



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#2

1,4-Dioxane

Concen: 2.739 ng

RT: 3.30 min Scan# 58

Delta R.T. -0.01 min

Lab File: BN007753.D

Acq: 19 Sep 2019 22:22


Tgt Ion: 88 Resp: 20469

Ion Ratio Lower Upper

88 100

58 61.0 44.6 66.8



43 24.0 14.4 21.6#



Abundance Ion 88.00 (87.70 to 88.70): BNC

Ion 58.00 (57.70 to 58.70): BNC

Ion 43.00 (42.70 to 43.70): BNC





#4

2-Fluorophenol

Concen: 0.043 ng

RT: 5.32 min Scan# 309

Delta R.T. 0.00 min

Lab File: BN007753.D

Acq: 19 Sep 2019 22:22

Instrument :

BNA_N

ClientSampleId :

RE132D5-20190911DL


Tot Ion:112 Resp: 995

Ion Ratio Lower Upper

112 100

64 60.5 46.6 70.0




63 29.6 23.1 34.7



Abundance Ion 112.00 (111.70 to 112.70): B

Ion 64.00 (63.70 to 64.70): BNC

Ion 63.00 (62.70 to 63.70): BNC



#5

Phenol-d6

Concen: 0.024 ng

RT: 6.87 min Scan# 502

Delta R.T. 0.00 min

Lab File: BN007753.D

Acq: 19 Sep 2019 22:22


Tgt Ion: 99 Resp: 872

Ion Ratio Lower Upper

99 100

42 0.0 12.8 19.2#



71 46.4 27.6 41.4#




Abundance Ion 99.00 (98.70 to 99.70): BNC

Ion 42.00 (41.70 to 42.70): BNC

Ion 71.00 (70.70 to 71.70): BNC





#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.47 min Scan# 851

Delta R.T. 0.00 min

Lab File: BN007753.D

Acq: 19 Sep 2019 22:22

Instrument :

BNA_N

ClientSampleId :

RE132D5-20190911DL

Tot Ion:136 Resp: 25743


Ion Ratio Lower Upper

136 100

137 11.5 9.2 13.8

54 7.2 5.8 8.8

68 8.0 6.5 9.7






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BNC

Ion 68.00 (67.70 to 68.70): BNC



#8

Nitrobenzene-d5

Concen: 0.111 ng

RT: 8.83 min Scan# 722

Delta R.T. 0.00 min

Lab File: BN007753.D

Acq: 19 Sep 2019 22:22


Tgt Ion: 82 Resp: 2508

Ion Ratio Lower Upper

82 100

128 31.2 24.5 36.7



54 47.3 35.2 52.8




Abundance Ion 82.00 (81.70 to 82.70): BNC

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BNC









#11
2-Methylnaphthalene-d10
Concen: 0.144 ng
RT: 12.06 min Scan# 1058
Delta R.T. 0.00 min
Lab File: BN007753.D
Acq: 19 Sep 2019 22:22




Instrument :
BNA_N
ClientSampleId :
RE132D5-20190911DL


Tot Ion:152 Resp: 6230
Ion Ratio Lower Upper
152 100
151 38.7 15.4 23.2#



#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.32 min Scan# 1320
Delta R.T. -0.00 min
Lab File: BN007753.D
Acq: 19 Sep 2019 22:22

Tgt Ion:164 Resp: 16145
Ion Ratio Lower Upper
164 100
162 101.6 81.7 122.5
160 47.1 37.0 55.4









#14
 2,4,6-Tribromophenol
 Concen: 0.109 ng
 RT: 15.81 min Scan# 1454
 Delta R.T. -0.00 min
 Lab File: BN007753.D
 Acq: 19 Sep 2019 22:22




Instrument :
 BNA_N
 ClientSampleId :
 RE132D5-20190911DL


Tot Ion:330 Resp: 960
 Ion Ratio Lower Upper
 330 100
 332 0.0 0.0 0.0
 141 43.4 28.7 43.1#



#15
 2-Fluorobiphenyl
 Concen: 0.139 ng
 RT: 12.95 min Scan# 1197
 Delta R.T. 0.01 min
 Lab File: BN007753.D
 Acq: 19 Sep 2019 22:22

Tgt Ion:172 Resp: 9249
 Ion Ratio Lower Upper
 172 100
 171 34.9 28.8 43.2
 170 22.6 19.5 29.3





#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 17.07 min Scan# 1571

Delta R.T. -0.00 min

Lab File: BN007753.D

Acq: 19 Sep 2019 22:22

Instrument :

BNA_N

ClientSampleId :

RE132D5-20190911DL


Tot Ion:188 Resp: 35389

Ion Ratio Lower Upper

188 100

94 0.0 0.0 0.0




80 10.4 7.4 11.2



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BNC

Ion 80.00 (79.70 to 80.70): BNC



#25

Fluoranthene-d10

Concen: 0.158 ng

RT: 19.10 min Scan# 1880

Delta R.T. -0.00 min

Lab File: BN007753.D

Acq: 19 Sep 2019 22:22


Tgt Ion:212 Resp: 18809

Ion Ratio Lower Upper

212 100

106 12.1 9.4 14.0



104 7.0 5.3 7.9




Abundance Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E





#27

Chrysene-d12

Concen: 0.400 ng

RT: 21.26 min Scan# 2180

Delta R.T. -0.01 min

Lab File: BN007753.D

Acq: 19 Sep 2019 22:22

Instrument :

BNA_N

ClientSampleId :

RE132D5-20190911DL


Tot Ion:240 Resp: 44196

Ion Ratio Lower Upper

240 100

120 11.9 5.4 8.2#




236 27.6 21.0 31.4



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#29

Terphenyl-d14

Concen: 0.169 ng

RT: 19.71 min Scan# 2002

Delta R.T. -0.00 min

Lab File: BN007753.D

Acq: 19 Sep 2019 22:22


Tgt Ion:244 Resp: 18392

Ion Ratio Lower Upper

244 100

212 7.7 5.9 8.9



122 11.4 7.4 11.2#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#32

Bis(2-ethylhexyl)phthalate

Concen: 0.171 ng

RT: 21.20 min Scan# 2174

Delta R.T. -0.01 min

Lab File: BN007753.D

Acq: 19 Sep 2019 22:22

Instrument :

BNA_N

ClientSampleId :

RE132D5-20190911DL


Tot Ion:149 Resp: 14354

Ion Ratio Lower Upper

149 100

167 32.1 23.7 35.5




279 4.1 4.2 6.2#



Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E



#34

Perylene-d12

Concen: 0.400 ng

RT: 23.48 min Scan# 2602

Delta R.T. -0.01 min

Lab File: BN007753.D

Acq: 19 Sep 2019 22:22


Tgt Ion:264 Resp: 46233

Ion Ratio Lower Upper

264 100

260 24.1 19.3 28.9

265 29.8 26.9 40.3



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

