

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN092124\
 Data File : BN034131.D
 Acq On : 21 Sep 2024 19:03
 Operator : JU/RC
 Sample : P4116-21
 Misc :
 ALS Vial : 95 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 RE132D3-20240918

Quant Time: Sep 23 00:00:28 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN091924.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Sep 18 16:09:28 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.430	152	5419	0.400	ng	0.00
7) Naphthalene-d8	10.180	136	15357	0.400	ng	#-0.02
13) Acenaphthene-d10	14.072	164	8820	0.400	ng	0.00
19) Phenanthrene-d10	16.833	188	18801	0.400	ng	0.00
29) Chrysene-d12	21.053	240	12931	0.400	ng	0.00
35) Perylene-d12	23.171	264	9999	0.400	ng	-0.01
System Monitoring Compounds						
4) 2-Fluorophenol	5.069	112	2230	0.145	ng	0.00
5) Phenol-d6	6.629	99	1443	0.081	ng	0.00
8) Nitrobenzene-d5	8.568	82	3825	0.326	ng	0.00
11) 2-Methylnaphthalene-d10	11.784	152	7667	0.338	ng	0.00
14) 2,4,6-Tribromophenol	15.579	330	1128	0.282	ng	0.00
15) 2-Fluorobiphenyl	12.683	172	12626	0.352	ng	-0.02
27) Fluoranthene-d10	18.876	212	19403	0.409	ng	-0.01
31) Terphenyl-d14	19.494	244	12565	0.487	ng	-0.01
Target Compounds						
2) 1,4-Dioxane	3.068	88	29524	4.358	ng	Qvalue # 86


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN092124\
Data File : BN034131.D
Acq On : 21 Sep 2024 19:03
Operator : JU/RC
Sample : P4116-21
Misc :
ALS Vial : 95 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
RE132D3-20240918


Quant Time: Sep 23 00:00:28 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN091924.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Sep 18 16:09:28 2024
Response via : Initial Calibration








#1
 1,4-Dichlorobenzene-d4
 Concen: 0.400 ng
 RT: 7.430 min Scan# 61
 Delta R.T. -0.007 min
 Lab File: BN034131.D
 Acq: 21 Sep 2024 19:03


Instrument :
 BNA_N
 ClientSampleId :
 RE132D3-20240918





Tgt Ion:152 Resp: 5419
 Ion Ratio Lower Upper
 152 100
 150 150.4 124.6 187.0
 115 61.1 50.0 75.0




#2
 1,4-Dioxane
 Concen: 4.358 ng
 RT: 3.068 min Scan# 26
 Delta R.T. -0.013 min
 Lab File: BN034131.D
 Acq: 21 Sep 2024 19:03



Tgt Ion: 88 Resp: 29524
 Ion Ratio Lower Upper
 88 100
 43 42.5 25.8 38.8#
 58 84.0 58.8 88.2









#4
2-Fluorophenol
Concen: 0.145 ng
RT: 5.069 min Scan# 30
Delta R.T. -0.006 min
Lab File: BN034131.D
Acq: 21 Sep 2024 19:03




Instrument :
BNA_N
ClientSampleId :
RE132D3-20240918


Tgt Ion:112 Resp: 2230
Ion Ratio Lower Upper
112 100
64 63.0 48.6 72.8
63 33.1 25.6 38.4



#5
Phenol-d6
Concen: 0.081 ng
RT: 6.629 min Scan# 519
Delta R.T. -0.006 min
Lab File: BN034131.D
Acq: 21 Sep 2024 19:03

Tgt Ion: 99 Resp: 1443
Ion Ratio Lower Upper
99 100
42 31.1 17.8 26.8#
71 40.5 26.2 39.2#









#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.180 min Scan# 915
Delta R.T. -0.017 min
Lab File: BN034131.D
Acq: 21 Sep 2024 19:03




Instrument :
BNA_N
ClientSampleId :
RE132D3-20240918


Tgt Ion:136	Resp:	15357
Ion	Ratio	Lower Upper
136	100	
137	11.5	9.0 13.6
54	11.0	6.8 10.2
68	7.3	5.0 7.6



#8
Nitrobenzene-d5
Concen: 0.326 ng
RT: 8.568 min Scan# 776
Delta R.T. -0.006 min
Lab File: BN034131.D
Acq: 21 Sep 2024 19:03

Tgt Ion: 82	Resp:	3825
Ion	Ratio	Lower Upper
82	100	
128	40.9	31.4 47.2
54	62.0	47.4 71.0









#11
2-Methylnaphthalene-d10
Concen: 0.338 ng
RT: 11.784 min Scan# 1113
Delta R.T. -0.010 min
Lab File: BN034131.D
Acq: 21 Sep 2024 19:03




Instrument :
BNA_N
ClientSampleId :
RE132D3-20240918


Tgt Ion:152 Resp: 7667
Ion Ratio Lower Upper
152 100
151 21.1 16.8 25.2



#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.072 min Scan# 1480
Delta R.T. -0.009 min
Lab File: BN034131.D
Acq: 21 Sep 2024 19:03


Tgt Ion:164 Resp: 8820
Ion Ratio Lower Upper
164 100
162 105.8 84.2 126.2
160 53.1 41.7 62.5








#14
2,4,6-Tribromophenol
Concen: 0.282 ng
RT: 15.579 min Scan# 1
Delta R.T. -0.009 min
Lab File: BN034131.D
Acq: 21 Sep 2024 19:03

Instrument :
BNA_N
ClientSampleId :
RE132D3-20240918







Tgt Ion:330 Resp: 1128
Ion Ratio Lower Upper
330 100
332 97.1 77.4 116.0
141 43.5 35.9 53.9



#15
2-Fluorobiphenyl
Concen: 0.352 ng
RT: 12.683 min Scan# 1350
Delta R.T. -0.020 min
Lab File: BN034131.D
Acq: 21 Sep 2024 19:03

Tgt Ion:172 Resp: 12626
Ion Ratio Lower Upper
172 100
171 35.9 27.3 40.9
170 24.9 18.1 27.1









#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 16.833 min Scan# 11
Delta R.T. -0.009 min
Lab File: BN034131.D
Acq: 21 Sep 2024 19:03




Instrument :
BNA_N
ClientSampleId :
RE132D3-20240918


Tgt Ion:188 Resp: 18801
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 8.9 7.4 11.0



#27
Fluoranthene-d10
Concen: 0.409 ng
RT: 18.876 min Scan# 1935
Delta R.T. -0.011 min
Lab File: BN034131.D
Acq: 21 Sep 2024 19:03

Tgt Ion:212 Resp: 19403
Ion Ratio Lower Upper
212 100
106 15.9 13.4 20.2
104 9.2 7.8 11.6









#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.053 min Scan# 21
Delta R.T. -0.006 min
Lab File: BN034131.D
Acq: 21 Sep 2024 19:03




Instrument :
BNA_N
ClientSampleId :
RE132D3-20240918


Tgt Ion:240 Resp: 12931
Ion Ratio Lower Upper
240 100
120 13.6 13.5 20.3
236 29.0 23.4 35.0



#31
Terphenyl-d14
Concen: 0.487 ng
RT: 19.494 min Scan# 2068
Delta R.T. -0.011 min
Lab File: BN034131.D
Acq: 21 Sep 2024 19:03


Tgt Ion:244 Resp: 12565
Ion Ratio Lower Upper
244 100
212 10.4 7.8 11.6
122 18.9 14.8 22.2





#35
Perylene-d12
Concen: 0.400 ng
RT: 23.171 min Scan# 21
Delta R.T. -0.015 min
Lab File: BN034131.D
Acq: 21 Sep 2024 19:03

Instrument :
BNA_N
ClientSampleId :
RE132D3-20240918



Tgt Ion:264 Resp: 9999
Ion Ratio Lower Upper
264 100
260 26.5 21.7 32.5
265 75.9 52.1 78.1

