

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN092223\
 Data File : BN027787.D
 Acq On : 21 Sep 2023 15:11
 Operator : MA/JU
 Sample : 04330-05
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 EZYX6

Quant Time: Sep 22 03:59:37 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-SIM-BN091523.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Sep 22 03:58:00 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.004	152	5254	0.400	ng/ul	0.00
4) Naphthalene-d8	10.823	136	17330	0.400	ng/ul	0.00
9) Acenaphthene-d10	14.643	164	10734	0.400	ng/ul	0.00
13) Phenanthrene-d10	17.392	188	24532	0.400	ng/ul	# 0.00
17) Chrysene-d12	21.574	240	23431	0.400	ng/ul	# 0.00
23) Perylene-d12	24.073	264	22139	0.400	ng/ul	# 0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.385	96	10852	1.640	ng/ul	0.00
6) 2-Methylnaphthalene-d10	12.401	152	4566	0.174	ng/ul	0.00
18) Fluoranthene-d10	19.413	212	13141	0.184	ng/ul	0.00
Target Compounds						
					Qvalue	
2) 1,4-Dioxane	3.397	88	144	0.021	ng/ul#	36
5) Naphthalene	10.878	128	4049	0.082	ng/ul#	92
7) 2-Methylnaphthalene	12.478	142	4987	0.159	ng/ul	99
8) 1-Methylnaphthalene	12.693	142	2409	0.074	ng/ul	98
10) Acenaphthylene	14.370	152	1891	0.040	ng/ul#	33
11) Acenaphthene	14.703	153	1613	0.040	ng/ul#	77
12) Fluorene	15.688	166	2282	0.048	ng/ul#	40
14) Pentachlorophenol	17.025	266	130	0.023	ng/ul#	49
15) Phenanthrene	17.434	178	27599	0.358	ng/ul#	90
16) Anthracene	17.527	178	3995	0.062	ng/ul#	39
19) Fluoranthene	19.446	202	82646	0.872	ng/ul	98
20) Pyrene	19.813	202	74194	0.760	ng/ul	98
21) Benzo(a)anthracene	21.554	228	16661	0.184	ng/ul#	71
22) Chrysene	21.612	228	46009	0.491	ng/ul#	90
24) Benzo(b)fluoranthene	23.296	252	73745	0.747	ng/ul#	1
26) Benzo(a)pyrene	23.959	252	14665	0.185	ng/ul#	1
27) Indeno(1,2,3-cd)pyrene	26.697	276	18111	0.178	ng/ul#	99
28) Dibenzo(a,h)anthracene	26.714	278	4442	0.054	ng/ul#	1
29) Benzo(g,h,i)perylene	27.522	276	19192	0.222	ng/ul#	34


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN092223\
Data File : BN027787.D
Acq On : 21 Sep 2023 15:11
Operator : MA/JU
Sample : 04330-05
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
EZYX6

Quant Time: Sep 22 03:59:37 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-SIM-BN091523.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Sep 22 03:58:00 2023
Response via : Initial Calibration









#2
1,4-Dioxane
Concen: 0.021 ng/ul
RT: 3.397 min Scan# 11
Delta R.T. -0.025 min
Lab File: BN027787.D
Acq: 21 Sep 2023 15:11




Instrument :
BNA_N
ClientSampleId :
EZYX6


Tgt Ion: 88 Resp: 144
Ion Ratio Lower Upper
88 100
43 103.2 39.6 59.4#
58 21.2 48.3 72.5#



#5
Naphthalene
Concen: 0.082 ng/ul
RT: 10.878 min Scan# 1850
Delta R.T. 0.000 min
Lab File: BN027787.D
Acq: 21 Sep 2023 15:11

Tgt Ion:128 Resp: 4049
Ion Ratio Lower Upper
128 100
129 14.6 9.3 13.9#
127 16.6 10.7 16.1#









#7
2-Methylnaphthalene
Concen: 0.159 ng/ul
RT: 12.478 min Scan# 2141
Delta R.T. 0.000 min
Lab File: BN027787.D
Acq: 21 Sep 2023 15:11




Instrument :
BNA_N
ClientSampleId :
EZYX6


Tgt Ion:142 Resp: 4987
Ion Ratio Lower Upper
142 100
141 89.8 71.1 106.7



#8
1-Methylnaphthalene
Concen: 0.074 ng/ul
RT: 12.693 min Scan# 2180
Delta R.T. -0.005 min
Lab File: BN027787.D
Acq: 21 Sep 2023 15:11

Tgt Ion:142 Resp: 2409
Ion Ratio Lower Upper
142 100
141 92.6 72.8 109.2









#10
Acenaphthylene
Concen: 0.040 ng/u1
RT: 14.370 min Scan# 2518
Delta R.T. 0.000 min
Lab File: BN027787.D
Acq: 21 Sep 2023 15:11




Instrument :
BNA_N
ClientSampleId :
EZYX6


Tgt Ion:152 Resp: 1891
Ion Ratio Lower Upper
152 100
151 60.9 16.6 25.0#
153 29.0 11.0 16.6#



#11
Acenaphthene
Concen: 0.040 ng/u1
RT: 14.703 min Scan# 2590
Delta R.T. 0.000 min
Lab File: BN027787.D
Acq: 21 Sep 2023 15:11

Tgt Ion:153 Resp: 1613
Ion Ratio Lower Upper
153 100
152 74.4 41.7 62.5#
154 70.8 70.3 105.5









#12
Fluorene
Concen: 0.048 ng/ul
RT: 15.688 min Scan# 21
Delta R.T. 0.000 min
Lab File: BN027787.D
Acq: 21 Sep 2023 15:11




Instrument :
BNA_N
ClientSampleId :
EZYX6


Tgt Ion:166 Resp: 2282
Ion Ratio Lower Upper
166 100
165 151.6 78.0 117.0#
167 52.5 11.4 17.2#



#14
Pentachlorophenol
Concen: 0.023 ng/ul
RT: 17.025 min Scan# 3113
Delta R.T. 0.004 min
Lab File: BN027787.D
Acq: 21 Sep 2023 15:11

Tgt Ion:266 Resp: 130
Ion Ratio Lower Upper
266 100
264 24.6 49.6 74.4#
268 21.5 50.7 76.1#









#15
Phenanthrene
Concen: 0.358 ng/ul
RT: 17.434 min Scan# 3210
Delta R.T. 0.000 min
Lab File: BN027787.D
Acq: 21 Sep 2023 15:11




Instrument :
BNA_N
ClientSampleId :
EZYX6


Tgt Ion:178 Resp: 27599
Ion Ratio Lower Upper
178 100
179 23.7 12.4 18.6#
176 21.0 16.0 24.0



#16
Anthracene
Concen: 0.062 ng/ul
RT: 17.527 min Scan# 3232
Delta R.T. 0.000 min
Lab File: BN027787.D
Acq: 21 Sep 2023 15:11

Tgt Ion:178 Resp: 3995
Ion Ratio Lower Upper
178 100
179 62.1 12.6 19.0#
176 29.2 15.5 23.3#









#19
Fluoranthene
Concen: 0.872 ng/ul
RT: 19.446 min Scan# 3666
Delta R.T. 0.000 min
Lab File: BN027787.D
Acq: 21 Sep 2023 15:11




Instrument :
BNA_N
ClientSampleId :
EZYX6


Tgt Ion:202 Resp: 82646
Ion Ratio Lower Upper
202 100
101 11.8 9.3 13.9
100 10.3 7.0 10.4



#20
Pyrene
Concen: 0.760 ng/ul
RT: 19.813 min Scan# 3745
Delta R.T. 0.000 min
Lab File: BN027787.D
Acq: 21 Sep 2023 15:11


Tgt Ion:202 Resp: 74194
Ion Ratio Lower Upper
202 100
101 14.0 11.4 17.0
100 13.1 9.1 13.7








#21
Benzo(a)anthracene
Concen: 0.184 ng/ul
RT: 21.554 min Scan# 41
Delta R.T. 0.000 min
Lab File: BN027787.D
Acq: 21 Sep 2023 15:11

Instrument :
BNA_N
ClientSampleId :
EZYX6







Tgt Ion:228 Resp: 16661
Ion Ratio Lower Upper
228 100
229 42.6 15.8 23.8#
226 34.9 22.0 33.0#



#22
Chrysene
Concen: 0.491 ng/ul
RT: 21.612 min Scan# 4273
Delta R.T. 0.003 min
Lab File: BN027787.D
Acq: 21 Sep 2023 15:11


Tgt Ion:228 Resp: 46009
Ion Ratio Lower Upper
228 100
226 32.6 24.5 36.7
229 28.9 16.0 24.0#








#24
Benzo(b)fluoranthene
Concen: 0.747 ng/ul
RT: 23.296 min Scan# 4847
Delta R.T. 0.006 min
Lab File: BN027787.D
Acq: 21 Sep 2023 15:11

Instrument :
BNA_N
ClientSampleId :
EZYX6







Tgt Ion:252 Resp: 73745
Ion Ratio Lower Upper
252 100
253 31.7 0.0 50.2
125 211.7 0.0 31.4#



#26
Benzo(a)pyrene
Concen: 0.185 ng/ul
RT: 23.959 min Scan# 5076
Delta R.T. 0.009 min
Lab File: BN027787.D
Acq: 21 Sep 2023 15:11

Tgt Ion:252 Resp: 14665
Ion Ratio Lower Upper
252 100
253 48.1 21.9 32.9#
125 522.0 15.5 23.3#









#27
 Indeno(1,2,3-cd)pyrene
 Concen: 0.178 ng/ul
 RT: 26.697 min Scan# 5938
 Delta R.T. 0.014 min
 Lab File: BN027787.D
 Acq: 21 Sep 2023 15:11




Instrument :
 BNA_N
 ClientSampleId :
 EZYX6


Tgt Ion:276 Resp: 18111
 Ion Ratio Lower Upper
 276 100
 138 30.9 24.3 36.5
 227 0.2 0.0 0.0#



#28
 Dibenzo(a,h)anthracene
 Concen: 0.054 ng/ul
 RT: 26.714 min Scan# 5943
 Delta R.T. 0.007 min
 Lab File: BN027787.D
 Acq: 21 Sep 2023 15:11


Tgt Ion:278 Resp: 4442
 Ion Ratio Lower Upper
 278 100
 139 555.8 17.2 25.8#
 279 64.3 21.4 32.0#





#29
 Benzo(g,h,i)perylene
 Concen: 0.222 ng/ul
 RT: 27.522 min Scan# 61
 Delta R.T. 0.017 min
 Lab File: BN027787.D
 Acq: 21 Sep 2023 15:11

Instrument :
 BNA_N
 ClientSampleId :
 EZYX6



Tgt Ion:276 Resp: 19192
 Ion Ratio Lower Upper
 276 100
 138 85.5 21.7 32.5#
 277 33.3 20.2 30.2#

