

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN093019\
 Data File : BN007893.D
 Acq On : 30 Sep 2019 12:54
 Operator : JU
 Sample : PB123468TB
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 PB123468TB

Quant Time: Oct 01 07:11:18 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-SIM-BN091819.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Sep 18 18:24:40 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.69	152	7785	0.40	ng	0.00
7) Naphthalene-d8	10.46	136	29702	0.40	ng	-0.01
13) Acenaphthene-d10	14.31	164	16666	0.40	ng	-0.01
19) Phenanthrene-d10	17.06	188	32057	0.40	ng	-0.01
27) Chrysene-d12	21.26	240	31850	0.40	ng	-0.01
34) Perylene-d12	23.48	264	38464	0.40	ng	-0.01
System Monitoring Compounds						
4) 2-Fluorophenol	5.31	112	3925	0.15	ng	0.00
5) Phenol-d6	6.87	99	3069	0.09	ng	0.00
8) Nitrobenzene-d5	8.83	82	8370	0.32	ng	0.00
11) 2-Methylnaphthalene-d10	12.05	152	16563	0.33	ng	-0.01
14) 2,4,6-Tribromophenol	15.81	330	2236	0.25	ng	-0.01
15) 2-Fluorobiphenyl	12.93	172	23097	0.34	ng	-0.01
25) Fluoranthene-d10	19.09	212	34501	0.32	ng	-0.01
29) Terphenyl-d14	19.70	244	30690	0.39	ng	-0.01
Target Compounds						Qvalue
22) Pentachlorophenol	16.72	266	256	0.033	ng	92
32) Bis(2-ethylhexyl)phthalate	21.19	149	2269	0.038	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN093019\
Data File : BN007893.D
Acq On : 30 Sep 2019 12:54
Operator : JU
Sample : PB123468TB
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
PB123468TB

Quant Time: Oct 01 07:11:18 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-SIM-BN091819.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Sep 18 18:24:40 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.69 min Scan# 604
Delta R.T. -0.01 min
Lab File: BN007893.D
Acq: 30 Sep 2019 12:54

Instrument :
BNA_N
ClientSampleId :
PB123468TB

Tot Ion:152 Resp: 7785
Ion Ratio Lower Upper
152 100
150 153.9 125.6 188.4
115 62.8 53.3 79.9




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#4


2-Fluorophenol
Concen: 0.146 ng
RT: 5.31 min Scan# 308
Delta R.T. -0.01 min
Lab File: BN007893.D
Acq: 30 Sep 2019 12:54

Tgt Ion:112 Resp: 3925
Ion Ratio Lower Upper
112 100
64 58.2 46.6 70.0
63 28.9 23.1 34.7



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BNC
Ion 63.00 (62.70 to 63.70): BNC





#5

Phenol-d6

Concen: 0.087 ng

RT: 6.87 min Scan# 502

Delta R.T. 0.00 min

Lab File: BN007893.D

Acq: 30 Sep 2019 12:54

Instrument :

BNA_N

ClientSampleId :

PB123468TB


Tot Ion: 99 Resp: 3069

Ion Ratio Lower Upper

99 100

42 16.4 12.8 19.2




71 38.8 27.6 41.4



Abundance Ion 99.00 (98.70 to 99.70): BN007706.D (-493) (-)

Ion 42.00 (41.70 to 42.70): BN007706.D (-493) (-)

Ion 71.00 (70.70 to 71.70): BN007706.D (-493) (-)



#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.46 min Scan# 850

Delta R.T. -0.01 min

Lab File: BN007893.D

Acq: 30 Sep 2019 12:54

Tgt Ion: 136 Resp: 29702


Ion Ratio Lower Upper

136 100

137 11.3 9.2 13.8

54 7.3 5.8 8.8

68 8.2 6.5 9.7






Abundance Ion 136.00 (135.70 to 136.70): BN007706.D (-846) (-)

Ion 137.00 (136.70 to 137.70): BN007706.D (-846) (-)

Ion 54.00 (53.70 to 54.70): BN007706.D (-846) (-)

Ion 68.00 (67.70 to 68.70): BN007706.D (-846) (-)





#8

Nitrobenzene-d5

Concen: 0.322 ng

RT: 8.83 min Scan# 722

Delta R.T. 0.00 min

Lab File: BN007893.D

Acq: 30 Sep 2019 12:54

Instrument :

BNA_N

ClientSampleId :

PB123468TB


Tot Ion: 82 Resp: 8370

Ion Ratio Lower Upper

82 100

128 40.8 24.5 36.7#




54 35.9 35.2 52.8



Abundance Ion 82.00 (81.70 to 82.70): BN007706.D (-719) (-)

Ion 128.00 (127.70 to 128.70): BN007706.D (-719) (-)

Ion 54.00 (53.70 to 54.70): BN007706.D (-719) (-)



#11

2-Methylnaphthalene-d10

Concen: 0.331 ng

RT: 12.05 min Scan# 1055

Delta R.T. -0.01 min

Lab File: BN007893.D


Acq: 30 Sep 2019 12:54

Tgt Ion: 152 Resp: 16563

Ion Ratio Lower Upper



152 100


151 19.0 15.4 23.2



Abundance Ion 152.00 (151.70 to 152.70): BN007706.D (-1046) (-)

Ion 151.00 (150.70 to 151.70): BN007706.D (-1046) (-)





#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.31 min Scan# 1320

Delta R.T. -0.01 min

Lab File: BN007893.D

Acq: 30 Sep 2019 12:54

Instrument :

BNA_N

ClientSampleId :

PB123468TB


Tot Ion:164 Resp: 16666

Ion Ratio Lower Upper

164 100

162 101.9 81.7 122.5




160 46.3 37.0 55.4



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#14

2,4,6-Tribromophenol

Concen: 0.246 ng

RT: 15.81 min Scan# 1454

Delta R.T. -0.01 min

Lab File: BN007893.D

Acq: 30 Sep 2019 12:54


Tgt Ion:330 Resp: 2236

Ion Ratio Lower Upper

330 100

332 0.0 0.0 0.0



141 33.6 28.7 43.1




Abundance Ion 330.00 (329.70 to 330.70): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#15
2-Fluorobiphenyl
Concen: 0.336 ng
RT: 12.93 min Scan# 1196
Delta R.T. -0.01 min
Lab File: BN007893.D
Acq: 30 Sep 2019 12:54




Instrument :
BNA_N
ClientSampleId :
PB123468TB


Tot Ion:172 Resp: 23097
Ion Ratio Lower Upper
172 100
171 35.6 28.8 43.2
170 23.9 19.5 29.3



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.06 min Scan# 1571
Delta R.T. -0.01 min
Lab File: BN007893.D
Acq: 30 Sep 2019 12:54

Tgt Ion:188 Resp: 32057
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 10.2 7.4 11.2









#22
 Pentachlorophenol
 Concen: 0.033 ng
 RT: 16.72 min Scan# 1539
 Delta R.T. -0.01 min
 Lab File: BN007893.D
 Acq: 30 Sep 2019 12:54

Instrument :
 BNA_N
 ClientSampleId :
 PB123468TB

Tot Ion:266 Resp: 256
 Ion Ratio Lower Upper
 266 100
 264 66.3 50.0 75.0
 268 76.9 54.2 81.4




Abundance Ion 266.00 (265.70 to 266.70): E
 Ion 264.00 (263.70 to 264.70): E
 Ion 268.00 (267.70 to 268.70): E






#25
 Fluoranthene-d10
 Concen: 0.319 ng
 RT: 19.09 min Scan# 1879
 Delta R.T. -0.01 min
 Lab File: BN007893.D
 Acq: 30 Sep 2019 12:54

Tgt Ion:212 Resp: 34501
 Ion Ratio Lower Upper
 212 100
 106 11.6 9.4 14.0
 104 6.6 5.3 7.9



Abundance Ion 212.00 (211.70 to 212.70): E
 Ion 106.00 (105.70 to 106.70): E
 Ion 104.00 (103.70 to 104.70): E





#27

Chrysene-d12

Concen: 0.400 ng

RT: 21.26 min Scan# 2181

Delta R.T. -0.01 min

Lab File: BN007893.D

Acq: 30 Sep 2019 12:54

Instrument :

BNA_N

ClientSampleId :

PB123468TB


Tot Ion:240 Resp: 31850

Ion Ratio Lower Upper

240 100

120 7.9 5.4 8.2




236 26.5 21.0 31.4



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#29

Terphenyl-d14

Concen: 0.392 ng

RT: 19.70 min Scan# 2001

Delta R.T. -0.01 min

Lab File: BN007893.D

Acq: 30 Sep 2019 12:54


Tgt Ion:244 Resp: 30690

Ion Ratio Lower Upper

244 100

212 7.5 5.9 8.9



122 10.4 7.4 11.2




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#32

Bis(2-ethylhexyl)phthalate

Concen: 0.038 ng

RT: 21.19 min Scan# 2174

Delta R.T. -0.02 min

Lab File: BN007893.D

Acq: 30 Sep 2019 12:54

Instrument :

BNA_N

ClientSampleId :

PB123468TB


Tot Ion:149 Resp: 2269

Ion Ratio Lower Upper

149 100

167 30.1 23.7 35.5




279 5.7 4.2 6.2



Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E



#34

Perylene-d12

Concen: 0.400 ng

RT: 23.48 min Scan# 2602

Delta R.T. -0.01 min

Lab File: BN007893.D

Acq: 30 Sep 2019 12:54


Tgt Ion:264 Resp: 38464

Ion Ratio Lower Upper

264 100

260 24.2 19.3 28.9

265 31.0 26.9 40.3



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

