

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN093021\
 Data File : BN016594.D
 Acq On : 30 Sep 2021 04:08
 Operator : CG/JU
 Sample : M3953-03
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 SW-RR-03-(SA)

Quant Time: Sep 30 06:13:09 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN093021.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Sep 30 02:08:37 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.642	152	31605	0.400	ng	0.00
7) Naphthalene-d8	10.419	136	145978	0.400	ng	0.00
13) Acenaphthene-d10	14.281	164	77857	0.400	ng	0.00
19) Phenanthrene-d10	17.030	188	146615	0.400	ng	0.00
29) Chrysene-d12	21.238	240	137077	0.400	ng	# 0.00
35) Perylene-d12	23.495	264	144708	0.400	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.273	112	11257	0.139	ng	0.00
5) Phenol-d6	6.831	99	6696	0.077	ng	0.00
8) Nitrobenzene-d5	8.784	82	24669	0.269	ng	0.00
11) 2-Methylnaphthalene-d10	12.012	152	65961	0.309	ng	0.00
14) 2,4,6-Tribromophenol	15.778	330	11482	0.323	ng	0.00
15) 2-Fluorobiphenyl	12.898	172	83785	0.262	ng	0.00
27) Fluoranthene-d10	19.073	212	142027	0.354	ng	0.00
31) Terphenyl-d14	19.683	244	108447	0.364	ng	0.00
Target Compounds						
9) Naphthalene	10.457	128	147053	0.365	ng	Qvalue 99
24) Pentachlorophenol	16.689	266	335	0.150	ng	# 68
34) Bis(2-ethylhexyl)phtha...	21.174	149	33253	0.216	ng	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN093021\
Data File : BN016594.D
Acq On : 30 Sep 2021 04:08
Operator : CG/JU
Sample : M3953-03
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
SW-RR-03-(SA)

Quant Time: Sep 30 06:13:09 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN093021.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Sep 30 02:08:37 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.642 min Scan# 495
Delta R.T. -0.010 min
Lab File: BN016594.D
Acq: 30 Sep 2021 04:08




Instrument :
BNA_N
ClientSampleId :
SW-RR-03-(SA)


Tgt Ion:152 Resp: 31605
Ion Ratio Lower Upper
152 100
150 158.1 123.3 184.9
115 60.8 46.2 69.2



#4
2-Fluorophenol
Concen: 0.139 ng
RT: 5.273 min Scan# 238
Delta R.T. 0.009 min
Lab File: BN016594.D
Acq: 30 Sep 2021 04:08

Tgt Ion:112 Resp: 11257
Ion Ratio Lower Upper
112 100
64 53.8 43.4 65.2
63 27.6 21.8 32.8









#5
Phenol-d6
Concen: 0.077 ng
RT: 6.831 min Scan# 407
Delta R.T. -0.000 min
Lab File: BN016594.D
Acq: 30 Sep 2021 04:08




Instrument :
BNA_N
ClientSampleId :
SW-RR-03-(SA)


Tgt Ion: 99 Resp: 6696
Ion Ratio Lower Upper
99 100
42 20.1 13.3 19.9#
71 33.1 23.7 35.5



#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.419 min Scan# 734
Delta R.T. -0.000 min
Lab File: BN016594.D
Acq: 30 Sep 2021 04:08

Tgt Ion:136 Resp: 145978
Ion Ratio Lower Upper
136 100
137 11.0 8.8 13.2
54 4.6 4.0 6.0
68 4.2 3.6 5.4









#8
Nitrobenzene-d5
Concen: 0.269 ng
RT: 8.784 min Scan# 605
Delta R.T. -0.000 min
Lab File: BN016594.D
Acq: 30 Sep 2021 04:08




Instrument :
BNA_N
ClientSampleId :
SW-RR-03-(SA)


Tgt Ion: 82 Resp: 24669
Ion Ratio Lower Upper
82 100
128 37.6 28.6 42.8
54 51.6 42.0 63.0



#9
Naphthalene
Concen: 0.365 ng
RT: 10.457 min Scan# 737
Delta R.T. -0.013 min
Lab File: BN016594.D
Acq: 30 Sep 2021 04:08

Tgt Ion: 128 Resp: 147053
Ion Ratio Lower Upper
128 100
129 11.2 8.8 13.2
127 13.3 10.1 15.1









#11
2-Methylnaphthalene-d10
Concen: 0.309 ng
RT: 12.012 min Scan# 933
Delta R.T. -0.000 min
Lab File: BN016594.D
Acq: 30 Sep 2021 04:08




Instrument :
BNA_N
ClientSampleId :
SW-RR-03-(SA)


Tgt Ion:152 Resp: 65961
Ion Ratio Lower Upper
152 100
151 21.3 16.3 24.5



#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.281 min Scan# 1184
Delta R.T. -0.000 min
Lab File: BN016594.D
Acq: 30 Sep 2021 04:08

Tgt Ion:164 Resp: 77857
Ion Ratio Lower Upper
164 100
162 98.5 79.8 119.6
160 43.2 35.7 53.5









#14
2,4,6-Tribromophenol
Concen: 0.323 ng
RT: 15.778 min Scan# 1302
Delta R.T. -0.000 min
Lab File: BN016594.D
Acq: 30 Sep 2021 04:08




Instrument :
BNA_N
ClientSampleId :
SW-RR-03-(SA)


Tgt Ion:330 Resp: 11482
Ion Ratio Lower Upper
330 100
332 0.0 0.0 0.0
141 31.4 25.4 38.2



#15
2-Fluorobiphenyl
Concen: 0.262 ng
RT: 12.898 min Scan# 1075
Delta R.T. -0.000 min
Lab File: BN016594.D
Acq: 30 Sep 2021 04:08

Tgt Ion:172 Resp: 83785
Ion Ratio Lower Upper
172 100
171 34.3 27.6 41.4
170 22.9 18.7 28.1









#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.030 min Scan# 1404
Delta R.T. -0.000 min
Lab File: BN016594.D
Acq: 30 Sep 2021 04:08




Instrument :
BNA_N
ClientSampleId :
SW-RR-03-(SA)


Tgt Ion:188 Resp: 146615
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 9.0 8.1 12.1



#24
Pentachlorophenol
Concen: 0.150 ng
RT: 16.689 min Scan# 1376
Delta R.T. -0.000 min
Lab File: BN016594.D
Acq: 30 Sep 2021 04:08

Tgt Ion:266 Resp: 335
Ion Ratio Lower Upper
266 100
264 33.7 50.5 75.7#
268 43.9 51.4 77.2#









#27
Fluoranthene-d10
Concen: 0.354 ng
RT: 19.073 min Scan# 1698
Delta R.T. -0.000 min
Lab File: BN016594.D
Acq: 30 Sep 2021 04:08




Instrument :
BNA_N
ClientSampleId :
SW-RR-03-(SA)


Tgt Ion:212 Resp: 142027
Ion Ratio Lower Upper
212 100
106 13.6 11.0 16.6
104 7.4 6.0 9.0



#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.238 min Scan# 2002
Delta R.T. -0.000 min
Lab File: BN016594.D
Acq: 30 Sep 2021 04:08

Tgt Ion:240 Resp: 137077
Ion Ratio Lower Upper
240 100
120 9.6 11.6 17.4#
236 26.2 21.6 32.4









#31
Terphenyl-d14
Concen: 0.364 ng
RT: 19.683 min Scan# 1821
Delta R.T. -0.005 min
Lab File: BN016594.D
Acq: 30 Sep 2021 04:08




Instrument :
BNA_N
ClientSampleId :
SW-RR-03-(SA)


Tgt Ion:244 Resp: 108447
Ion Ratio Lower Upper
244 100
212 7.4 5.8 8.8
122 13.3 9.2 13.8



#34
Bis(2-ethylhexyl)phthalate
Concen: 0.216 ng
RT: 21.174 min Scan# 1996
Delta R.T. 0.000 min
Lab File: BN016594.D
Acq: 30 Sep 2021 04:08

Tgt Ion:149 Resp: 33253
Ion Ratio Lower Upper
149 100
167 28.5 22.0 33.0
279 4.2 3.1 4.7





#35
Perylene-d12
Concen: 0.400 ng
RT: 23.495 min Scan# 2430
Delta R.T. -0.003 min
Lab File: BN016594.D
Acq: 30 Sep 2021 04:08

Instrument :
BNA_N
ClientSampleId :
SW-RR-03-(SA)

Tgt Ion:264 Resp: 144708
Ion Ratio Lower Upper
264 100
260 24.6 19.7 29.5
265 23.2 18.9 28.3

