

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN100322\
 Data File : BN021993.D
 Acq On : 04 Oct 2022 01:59
 Operator : CG/JU
 Sample : N4913-05
 Misc :
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 GWOW-BR-02-202-222-092922

Quant Time: Oct 04 04:09:40 2022
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN100322.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Oct 04 01:32:21 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.985	152	3664	0.400	ng	0.00
7) Naphthalene-d8	10.816	136	11254	0.400	ng	0.00
13) Acenaphthene-d10	14.653	164	5812	0.400	ng	0.00
19) Phenanthrene-d10	17.400	188	12103	0.400	ng	#-0.01
29) Chrysene-d12	21.600	240	10277	0.400	ng	# 0.00
35) Perylene-d12	24.081	264	7995	0.400	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.515	112	1300	0.153	ng	0.00
5) Phenol-d6	7.148	99	947	0.086	ng	0.00
8) Nitrobenzene-d5	9.161	82	3102	0.343	ng	0.00
11) 2-Methylnaphthalene-d10	12.406	152	7524	0.364	ng	0.00
14) 2,4,6-Tribromophenol	16.146	330	777	0.351	ng	0.00
15) 2-Fluorobiphenyl	13.274	172	9652	0.380	ng	-0.01
27) Fluoranthene-d10	19.441	212	14291	0.444	ng	0.00
31) Terphenyl-d14	20.033	244	9935	0.481	ng	0.00
Target Compounds						
34) Bis(2-ethylhexyl)phtha...	21.501	149	11655	0.629	ng	Qvalue 100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN100322\
Data File : BN021993.D
Acq On : 04 Oct 2022 01:59
Operator : CG/JU
Sample : N4913-05
Misc :
ALS Vial : 23 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
GWOW-BR-02-202-222-092922


Quant Time: Oct 04 04:09:40 2022
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN100322.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Oct 04 01:32:21 2022
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.985 min Scan# 693
Delta R.T. 0.000 min
Lab File: BN021993.D
Acq: 04 Oct 2022 01:59

Instrument :
BNA_N
ClientSampleId :
GWOW-BR-02-202-222-092922







Tgt Ion:152 Resp: 3664
Ion Ratio Lower Upper
152 100
150 153.3 127.2 190.8
115 62.0 51.4 77.0



#4
2-Fluorophenol
Concen: 0.153 ng
RT: 5.515 min Scan# 351
Delta R.T. 0.000 min
Lab File: BN021993.D
Acq: 04 Oct 2022 01:59

Tgt Ion:112 Resp: 1300
Ion Ratio Lower Upper
112 100
64 60.5 46.9 70.3
63 30.5 24.6 37.0









#5
Phenol-d6
Concen: 0.086 ng
RT: 7.148 min Scan# 51
Delta R.T. 0.000 min
Lab File: BN021993.D
Acq: 04 Oct 2022 01:59




Instrument :
BNA_N
ClientSampleId :
GWOW-BR-02-202-222-092922


Tgt Ion:	99	Resp:	947
Ion	Ratio	Lower	Upper
99	100		
42	19.1	15.9	23.9
71	37.1	25.6	38.4



#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.816 min Scan# 973
Delta R.T. 0.000 min
Lab File: BN021993.D
Acq: 04 Oct 2022 01:59

Tgt Ion:	136	Resp:	11254
Ion	Ratio	Lower	Upper
136	100		
137	11.7	9.2	13.8
54	8.7	7.1	10.7
68	7.2	6.2	9.2









#8
Nitrobenzene-d5
Concen: 0.343 ng
RT: 9.161 min Scan# 818
Delta R.T. 0.000 min
Lab File: BN021993.D
Acq: 04 Oct 2022 01:59




Instrument :
BNA_N
ClientSampleId :
GWOW-BR-02-202-222-092922


Tgt Ion: 82 Resp: 3102
Ion Ratio Lower Upper
82 100
128 38.4 29.9 44.9
54 56.3 43.5 65.3



#11
2-Methylnaphthalene-d10
Concen: 0.364 ng
RT: 12.406 min Scan# 1275
Delta R.T. -0.004 min
Lab File: BN021993.D
Acq: 04 Oct 2022 01:59

Tgt Ion: 152 Resp: 7524
Ion Ratio Lower Upper
152 100
151 20.7 13.8 20.6#









#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.653 min Scan# 1502
Delta R.T. 0.000 min
Lab File: BN021993.D
Acq: 04 Oct 2022 01:59




Instrument :
BNA_N
ClientSampleId :
GWOW-BR-02-202-222-092922


Tgt Ion:164 Resp: 5812
Ion Ratio Lower Upper
164 100
162 105.0 84.3 126.5
160 51.6 41.7 62.5



#14
2,4,6-Tribromophenol
Concen: 0.351 ng
RT: 16.146 min Scan# 1636
Delta R.T. 0.000 min
Lab File: BN021993.D
Acq: 04 Oct 2022 01:59

Tgt Ion:330 Resp: 777
Ion Ratio Lower Upper
330 100
332 97.0 77.0 115.4
141 48.3 35.3 52.9









#15
2-Fluorobiphenyl
Concen: 0.380 ng
RT: 13.274 min Scan# 11
Delta R.T. -0.011 min
Lab File: BN021993.D
Acq: 04 Oct 2022 01:59




Instrument :
BNA_N
ClientSampleId :
GWOW-BR-02-202-222-092922


Tgt Ion:	172	Resp:	9652
Ion	Ratio	Lower	Upper
172	100		
171	35.6	27.2	40.8
170	24.5	18.3	27.5



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.400 min Scan# 1737
Delta R.T. -0.012 min
Lab File: BN021993.D
Acq: 04 Oct 2022 01:59

Tgt Ion:	188	Resp:	12103
Ion	Ratio	Lower	Upper
188	100		
94	0.0	0.0	0.0
80	16.8	7.5	11.3









#27
Fluoranthene-d10
Concen: 0.444 ng
RT: 19.441 min Scan# 2124
Delta R.T. 0.000 min
Lab File: BN021993.D
Acq: 04 Oct 2022 01:59




Instrument :
BNA_N
ClientSampleId :
GWOW-BR-02-202-222-092922


Tgt Ion:212 Resp: 14291
Ion Ratio Lower Upper
212 100
106 18.7 15.2 22.8
104 11.1 8.6 13.0



#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.600 min Scan# 2436
Delta R.T. -0.009 min
Lab File: BN021993.D
Acq: 04 Oct 2022 01:59

Tgt Ion:240 Resp: 10277
Ion Ratio Lower Upper
240 100
120 20.2 11.8 17.6#
236 29.2 22.4 33.6









#31
 Terphenyl-d14
 Concen: 0.481 ng
 RT: 20.033 min Scan# 21
 Delta R.T. -0.009 min
 Lab File: BN021993.D
 Acq: 04 Oct 2022 01:59




Instrument :
 BNA_N
 ClientSampleId :
 GWOW-BR-02-202-222-092922




Tgt Ion:244 Resp: 9935
 Ion Ratio Lower Upper
 244 100
 212 9.2 6.5 9.7
 122 16.2 9.1 13.7#



#34
 Bis(2-ethylhexyl)phthalate
 Concen: 0.629 ng
 RT: 21.501 min Scan# 2425
 Delta R.T. 0.000 min
 Lab File: BN021993.D
 Acq: 04 Oct 2022 01:59

Tgt Ion:149 Resp: 11655
 Ion Ratio Lower Upper
 149 100
 167 25.4 20.2 30.4
 279 2.7 2.3 3.5





#35
Perylene-d12
Concen: 0.400 ng
RT: 24.081 min Scan# 30
Delta R.T. -0.006 min
Lab File: BN021993.D
Acq: 04 Oct 2022 01:59

Instrument :
BNA_N
ClientSampleId :
GWOW-BR-02-202-222-092922

Tgt Ion:264	Resp:	7995
Ion	Ratio	Lower Upper
264	100	
260	27.2	21.3 31.9
265	74.1	63.0 94.4

