

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN100719\
 Data File : BN008053.D
 Acq On : 07 Oct 2019 17:03
 Operator : JU
 Sample : K5078-13RE
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Quant Time: Oct 07 23:20:30 2019

Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-SIM-BN091819.M

Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION

QLast Update : Thu Oct 03 18:39:49 2019

Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.67	152	2769	0.40	ng	-0.03
7) Naphthalene-d8	10.44	136	11490	0.40	ng	-0.03
13) Acenaphthene-d10	14.30	164	7299	0.40	ng	-0.03
19) Phenanthrene-d10	17.05	188	16707	0.40	ng	-0.03
27) Chrysene-d12	21.24	240	23135	0.40	ng	-0.03
34) Perylene-d12	23.45	264	23313	0.40	ng	-0.04

System Monitoring Compounds

4) 2-Fluorophenol	5.29	112	1797	0.19	ng	-0.02
5) Phenol-d6	6.86	99	2407	0.20	ng	0.00
8) Nitrobenzene-d5	8.81	82	2099	0.21	ng	-0.03
11) 2-Methylnaphthalene-d10	12.03	152	4393	0.23	ng	-0.03
14) 2,4,6-Tribromophenol	15.79	330	819	0.21	ng	-0.03
15) 2-Fluorobiphenyl	12.92	172	5957	0.20	ng	-0.03
25) Fluoranthene-d10	19.08	212	12514	0.22	ng	-0.03
29) Terphenyl-d14	19.69	244	12269	0.22	ng	-0.03


Target Compounds

						Qvalue
3) n-Nitrosodimethylamine	2.96	42	4198	2.970	ng	# 93
9) Naphthalene	10.48	128	1186	0.037	ng	# 72
12) 2-Methylnaphthalene	12.11	142	604	0.028	ng	# 80
16) Acenaphthylene	14.02	152	10373	0.268	ng	99
17) Acenaphthene	14.36	154	637	0.026	ng	# 90
18) Fluorene	15.36	166	1714	0.054	ng	# 75
22) Pentachlorophenol	16.72	266	85	0.021	ng	# 70
23) Phenanthrene	17.09	178	26404	0.507	ng	99
24) Anthracene	17.17	178	6096	0.130	ng	98
26) Fluoranthene	19.11	202	57141	0.883	ng	99
28) Pvrene	19.47	202	65883	0.835	ng	97
30) Benzo(a)anthracene	21.23	228	32755	0.384	ng	# 85
31) Chrysene	21.28	228	40286	0.485	ng	# 96
32) Bis(2-ethylhexyl)phthalate	21.17	149	42957	0.980	ng	100
33) Indeno(1,2,3-cd)pyrene	25.66	276	26703	0.257	ng	96
35) Benzo(b)fluoranthene	22.80	252	49253	0.609	ng	# 81
36) Benzo(k)fluoranthene	22.80	252	49253	0.615	ng	# 81
37) Benzo(a)pyrene	23.36	252	34120	0.449	ng	# 80
38) Dibenzo(a,h)anthracene	25.66	278	6874	0.088	ng	# 37
39) Benzo(g,h,i)perylene	26.33	276	28980	0.376	ng	# 91

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN100719\
Data File : BN008053.D
Acq On : 07 Oct 2019 17:03
Operator : JU
Sample : K5078-13RE
Misc :
ALS Vial : 5 Sample Multiplier: 1

Quant Time: Oct 07 23:20:30 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-SIM-BN091819.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Oct 03 18:39:49 2019
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.67 min Scan# 601
Delta R.T. -0.03 min
Lab File: BN008053.D
Acq: 07 Oct 2019 17:03

Tot Ion	Ratio	Lower	Upper
152	100		
150	146.1	125.6	188.4
115	66.9	53.3	79.9




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#3

n-Nitrosodimethylamine
Concen: 2.970 ng
RT: 2.96 min Scan# 16
Delta R.T. -0.05 min
Lab File: BN008053.D
Acq: 07 Oct 2019 17:03

Tgt Ion	Ratio	Lower	Upper
42	100		
74	110.2	87.9	131.9
44	20.9	29.4	44.0#



Abundance Ion 42.00 (41.70 to 42.70): BNC
Ion 74.00 (73.70 to 74.70): BNC
Ion 44.00 (43.70 to 44.70): BNC





#4

2-Fluorophenol

Concen: 0.189 ng

RT: 5.29 min Scan# 306

Delta R.T. -0.02 min

Lab File: BN008053.D

Acq: 07 Oct 2019 17:03


Tot Ion: 112 Resp: 1797

Ion Ratio Lower Upper

112 100

64 58.5 46.6 70.0




63 28.3 23.1 34.7



Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BN0

Ion 63.00 (62.70 to 63.70): BN0



#5

Phenol-d6

Concen: 0.199 ng

RT: 6.86 min Scan# 501

Delta R.T. -0.01 min

Lab File: BN008053.D

Acq: 07 Oct 2019 17:03


Tgt Ion: 99 Resp: 2407

Ion Ratio Lower Upper

99 100

42 20.0 12.8 19.2#



71 36.7 27.6 41.4



Abundance Ion 99.00 (98.70 to 99.70): BN0

Ion 42.00 (41.70 to 42.70): BN0

Ion 71.00 (70.70 to 71.70): BN0





#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.44 min Scan# 849

Delta R.T. -0.03 min

Lab File: BN008053.D

Acq: 07 Oct 2019 17:03

Tot Ion:136 Resp: 11490


Ion Ratio Lower Upper

136 100

137 11.8 9.2 13.8

54 6.1 5.8 8.8

68 7.1 6.5 9.7






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BNC

Ion 68.00 (67.70 to 68.70): BNC



#8

Nitrobenzene-d5

Concen: 0.209 ng

RT: 8.81 min Scan# 720

Delta R.T. -0.03 min

Lab File: BN008053.D

Acq: 07 Oct 2019 17:03


Tgt Ion: 82 Resp: 2099

Ion Ratio Lower Upper

82 100

128 39.5 24.5 36.7#



54 44.9 35.2 52.8




Abundance Ion 82.00 (81.70 to 82.70): BNC

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BNC





#9

Naphthalene

Concen: 0.037 ng

RT: 10.48 min Scan# 852

Delta R.T. -0.04 min

Lab File: BN008053.D

Acq: 07 Oct 2019 17:03


Tot Ion:128 Resp: 1186

Ion Ratio Lower Upper

128 100

129 26.2 9.1 13.7#




127 21.0 10.6 15.8#



Abundance Ion 128.00 (127.70 to 128.70): E

Ion 129.00 (128.70 to 129.70): E

Ion 127.00 (126.70 to 127.70): E



#11

2-Methylnaphthalene-d10

Concen: 0.227 ng

RT: 12.03 min Scan# 1051

Delta R.T. -0.03 min

Lab File: BN008053.D


Acq: 07 Oct 2019 17:03

Tgt Ion:152 Resp: 4393

Ion Ratio Lower Upper



152 100


151 18.8 15.4 23.2



Abundance Ion 152.00 (151.70 to 152.70): E





Ion 151.00 (150.70 to 151.70): E








#12
2-Methylnaphthalene
Concen: 0.028 ng
RT: 12.11 min Scan# 1068
Delta R.T. -0.03 min
Lab File: BN008053.D
Acq: 07 Oct 2019 17:03


Tot Ion:142 Resp: 604
Ion Ratio Lower Upper
142 100
141 95.8 70.6 106.0
115 64.8 28.3 42.5#



#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.30 min Scan# 1318
Delta R.T. -0.03 min
Lab File: BN008053.D
Acq: 07 Oct 2019 17:03


Tgt Ion:164 Resp: 7299
Ion Ratio Lower Upper
164 100
162 100.6 81.7 122.5
160 44.1 37.0 55.4








#14
 2,4,6-Tribromophenol
 Concen: 0.206 ng
 RT: 15.79 min Scan# 1452
 Delta R.T. -0.03 min
 Lab File: BN008053.D
 Acq: 07 Oct 2019 17:03

Tot Ion:330 Resp: 819
 Ion Ratio Lower Upper
 330 100
 332 0.0 0.0 0.0
 141 37.4 28.7 43.1




Abundance Ion 330.00 (329.70 to 330.70): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#15
 2-Fluorobiphenyl
 Concen: 0.198 ng
 RT: 12.92 min Scan# 1194
 Delta R.T. -0.03 min
 Lab File: BN008053.D
 Acq: 07 Oct 2019 17:03

Tgt Ion:172 Resp: 5957
 Ion Ratio Lower Upper
 172 100
 171 35.7 28.8 43.2
 170 24.0 19.5 29.3




Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E








#16
Acenaphthylene
Concen: 0.268 ng
RT: 14.02 min Scan# 1293
Delta R.T. -0.03 min
Lab File: BN008053.D
Acq: 07 Oct 2019 17:03

Tot Ion	Ratio	Lower	Upper
152	100		
151	20.1	15.5	23.3
153	13.1	10.4	15.6




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 151.00 (150.70 to 151.70): E
Ion 153.00 (152.70 to 153.70): E






#17
Acenaphthene
Concen: 0.026 ng
RT: 14.36 min Scan# 1324
Delta R.T. -0.03 min
Lab File: BN008053.D
Acq: 07 Oct 2019 17:03

Tgt Ion	Ratio	Lower	Upper
154	100		
153	106.8	87.0	130.4
152	71.6	42.7	64.1







Abundance Ion 154.00 (153.70 to 154.70): E
Ion 153.00 (152.70 to 153.70): E
Ion 152.00 (151.70 to 152.70): E








#18
 Fluorene
 Concen: 0.054 ng
 RT: 15.36 min Scan# 1413
 Delta R.T. -0.02 min
 Lab File: BN008053.D
 Acq: 07 Oct 2019 17:03


Tot Ion:166 Resp: 1714
 Ion Ratio Lower Upper
 166 100
 165 120.7 78.0 117.0#
 167 0.0 10.9 16.3#



#19
 Phenanthrene-d10
 Concen: 0.400 ng
 RT: 17.05 min Scan# 1569
 Delta R.T. -0.03 min
 Lab File: BN008053.D
 Acq: 07 Oct 2019 17:03

Tgt Ion:188 Resp: 16707
 Ion Ratio Lower Upper
 188 100
 94 0.0 0.0 0.0
 80 10.1 7.4 11.2





#22

Pentachlorophenol

Concen: 0.021 ng

RT: 16.72 min Scan# 1538

Delta R.T. -0.01 min

Lab File: BN008053.D

Acq: 07 Oct 2019 17:03


Tot Ion:266 Resp: 85

Ion Ratio Lower Upper

266 100

264 76.9 50.0 75.0#




268 101.0 54.2 81.4#



Abundance Ion 266.00 (265.70 to 266.70): E

Ion 264.00 (263.70 to 264.70): E

Ion 268.00 (267.70 to 268.70): E



#23

Phenanthrene

Concen: 0.507 ng

RT: 17.09 min Scan# 1573

Delta R.T. -0.03 min

Lab File: BN008053.D

Acq: 07 Oct 2019 17:03


Tgt Ion:178 Resp: 26404

Ion Ratio Lower Upper

178 100

176 18.8 14.9 22.3



179 16.7 12.5 18.7




Abundance Ion 178.00 (177.70 to 178.70): E

Ion 176.00 (175.70 to 176.70): E

Ion 179.00 (178.70 to 179.70): E





#24

Anthracene

Concen: 0.130 ng

RT: 17.17 min Scan# 1581






Delta R.T. -0.03 min

Lab File: BN008053.D

Acq: 07 Oct 2019 17:03

Tot Ion:178 Resp: 6096

Ion	Ratio	Lower	Upper
178	100		
176	18.1	14.6	21.8
179	16.8	12.2	18.4



#25

Fluoranthene-d10

Concen: 0.222 ng

RT: 19.08 min Scan# 1875





Delta R.T. -0.03 min


Lab File: BN008053.D

Acq: 07 Oct 2019 17:03

Tgt Ion:212 Resp: 12514


Ion	Ratio	Lower	Upper
212	100		
106	11.8	9.4	14.0
104	7.1	5.3	7.9








#26
 Fluoranthene
 Concen: 0.883 ng
 RT: 19.11 min Scan# 1881
 Delta R.T. -0.03 min
 Lab File: BN008053.D
 Acq: 07 Oct 2019 17:03

Tot Ion: 202 Resp: 57141
 Ion Ratio Lower Upper
 202 100
 101 10.5 8.4 12.6
 203 18.0 13.8 20.8




Abundance Ion 202.00 (201.70 to 202.70): E
 Ion 101.00 (100.70 to 101.70): E
 Ion 203.00 (202.70 to 203.70): E






#27
 Chrysene-d12
 Concen: 0.400 ng
 RT: 21.24 min Scan# 2178
 Delta R.T. -0.03 min
 Lab File: BN008053.D
 Acq: 07 Oct 2019 17:03

Tgt Ion: 240 Resp: 23135
 Ion Ratio Lower Upper
 240 100
 120 14.6 5.4 8.2#
 236 28.4 21.0 31.4




Abundance Ion 240.00 (239.70 to 240.70): E
 Ion 120.00 (119.70 to 120.70): E
 Ion 236.00 (235.70 to 236.70): E





#28
Pvrene
Concen: 0.835 ng
RT: 19.47 min Scan# 1954
Delta R.T. -0.03 min
Lab File: BN008053.D
Acq: 07 Oct 2019 17:03

Tot Ion	Ratio	Lower	Upper
202	100		
200	20.5	16.4	24.6
203	20.4	14.1	21.1






Abundance

Ion 202.00 (201.70 to 202.70): E


Ion 200.00 (199.70 to 200.70): E

Ion 203.00 (202.70 to 203.70): E



#29
Terphenyl-d14
Concen: 0.216 ng
RT: 19.69 min Scan# 1997
Delta R.T. -0.03 min
Lab File: BN008053.D
Acq: 07 Oct 2019 17:03

Tgt Ion	Ratio	Lower	Upper
244	100		
212	8.7	5.9	8.9
122	12.3	7.4	11.2






Abundance

Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E


Ion 122.00 (121.70 to 122.70): E








#30
Benzo(a)anthracene
Concen: 0.384 ng
RT: 21.23 min Scan# 2177
Delta R.T. -0.02 min
Lab File: BN008053.D
Acq: 07 Oct 2019 17:03

Tot Ion:228 Resp: 32755
Ion Ratio Lower Upper
228 100
226 36.8 22.1 33.1#
229 24.7 15.8 23.6#




Abundance Ion 228.00 (227.70 to 228.70): E
Ion 226.00 (225.70 to 226.70): E
Ion 229.00 (228.70 to 229.70): E






#31
Chrysene
Concen: 0.485 ng
RT: 21.28 min Scan# 2182
Delta R.T. -0.02 min
Lab File: BN008053.D
Acq: 07 Oct 2019 17:03

Tgt Ion:228 Resp: 40286
Ion Ratio Lower Upper
228 100
226 30.5 23.9 35.9
229 23.9 15.8 23.6#



Abundance Ion 228.00 (227.70 to 228.70): E
Ion 226.00 (225.70 to 226.70): E
Ion 229.00 (228.70 to 229.70): E





#32

Bis(2-ethylhexyl)phthalate

Concen: 0.980 ng

RT: 21.17 min Scan# 2171

Delta R.T. -0.04 min

Lab File: BN008053.D

Acq: 07 Oct 2019 17:03


Tot Ion:149 Resp: 42957

Ion Ratio Lower Upper




149 100

167 29.6 23.7 35.5

279 5.5 4.2 6.2



Abundance Ion 149.00 (148.70 to 149.70): E
Ion 167.00 (166.70 to 167.70): E
Ion 279.00 (278.70 to 279.70): E



#33

Indeno(1,2,3-cd)pyrene

Concen: 0.257 ng

RT: 25.66 min Scan# 3237

Delta R.T. -0.05 min

Lab File: BN008053.D

Acq: 07 Oct 2019 17:03


Tgt Ion:276 Resp: 26703

Ion Ratio Lower Upper



276 100


138 17.6 17.1 25.7

277 24.7 20.0 30.0







Abundance Ion 276.00 (275.70 to 276.70): E
Ion 138.00 (137.70 to 138.70): E
Ion 277.00 (276.70 to 277.70): E








#34
Pervlene-d12
Concen: 0.400 ng
RT: 23.45 min Scan# 2593
Delta R.T. -0.04 min
Lab File: BN008053.D
Acq: 07 Oct 2019 17:03


Tot Ion:264 Resp: 23313
Ion Ratio Lower Upper
264 100
260 26.7 19.3 28.9
265 59.4 26.9 40.3#



#35
Benzo(b)fluoranthene
Concen: 0.609 ng
RT: 22.80 min Scan# 2402
Delta R.T. -0.03 min
Lab File: BN008053.D
Acq: 07 Oct 2019 17:03





Tgt Ion:252 Resp: 49253
Ion Ratio Lower Upper
252 100
253 28.3 18.3 27.5#
125 23.8 8.2 12.4#








#36
Benzo(k)fluoranthene
Concen: 0.615 ng
RT: 22.80 min Scan# 2402
Delta R.T. -0.07 min
Lab File: BN008053.D
Acq: 07 Oct 2019 17:03


Tot Ion:252 Resp: 49253
Ion Ratio Lower Upper
252 100
253 28.3 18.5 27.7#
125 23.8 8.4 12.6#



#37
Benzo(a)pyrene
Concen: 0.449 ng
RT: 23.36 min Scan# 2565
Delta R.T. -0.04 min
Lab File: BN008053.D
Acq: 07 Oct 2019 17:03





Tgt Ion:252 Resp: 34120
Ion Ratio Lower Upper
252 100
253 29.4 18.6 27.8#
125 25.0 9.4 14.0#





#38
Dibenzo(a,h)anthracene
Concen: 0.088 ng
RT: 25.66 min Scan# 3238
Delta R.T. -0.06 min
Lab File: BN008053.D
Acq: 07 Oct 2019 17:03

Tot Ion: 278 Resp: 6874
Ion Ratio Lower Upper
278 100
139 48.1 11.8 17.6#
279 50.2 19.4 29.2#



#39
Benzo(g,h,i)perylene
Concen: 0.376 ng
RT: 26.33 min Scan# 3434
Delta R.T. -0.05 min
Lab File: BN008053.D
Acq: 07 Oct 2019 17:03

Tgt Ion: 276 Resp: 28980
Ion Ratio Lower Upper
276 100
277 28.9 19.8 29.8
138 23.9 15.1 22.7#

