

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN100721\
 Data File : BN016830.D
 Acq On : 08 Oct 2021 06:20
 Operator : CG/JU
 Sample : PB139541BL
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 PB139541BL

Quant Time: Oct 08 07:54:55 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN100721.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Oct 08 01:39:08 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.615	152	21261	0.40	ng	0.00
7) Naphthalene-d8	10.381	136	95926	0.40	ng	# 0.00
13) Acenaphthene-d10	14.243	164	49859	0.40	ng	0.00
19) Phenanthrene-d10	16.993	188	92891	0.40	ng	#-0.01
29) Chrysene-d12	21.206	240	90779	0.40	ng	#-0.01
35) Perylene-d12	23.450	264	101299	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.254	112	17056	0.32	ng	0.03
5) Phenol-d6	6.813	99	15726	0.26	ng	0.02
8) Nitrobenzene-d5	8.759	82	17545	0.26	ng	0.00
11) 2-Methylnaphthalene-d10	11.976	152	47950	0.34	ng	0.00
14) 2,4,6-Tribromophenol	15.753	330	4387	0.17	ng	0.00
15) 2-Fluorobiphenyl	12.873	172	60134	0.30	ng	0.00
27) Fluoranthene-d10	19.043	212	82077	0.32	ng	0.00
31) Terphenyl-d14	19.654	244	69388	0.35	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN100721\
Data File : BN016830.D
Acq On : 08 Oct 2021 06:20
Operator : CG/JU
Sample : PB139541BL
Misc :
ALS Vial : 21 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
PB139541BL

Quant Time: Oct 08 07:54:55 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN100721.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Oct 08 01:39:08 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 0.40 ng
RT: 7.615 min Scan# 492
Delta R.T. 0.001 min
Lab File: BN016830.D
Acq: 08 Oct 2021 06:20




Instrument :
BNA_N
ClientSampleId :
PB139541BL


Tgt Ion:152 Resp: 21261
Ion Ratio Lower Upper
152 100
150 153.3 123.3 184.9
115 57.4 47.0 70.6



#4
2-Fluorophenol
Concen: 0.32 ng
RT: 5.254 min Scan# 236
Delta R.T. 0.028 min
Lab File: BN016830.D
Acq: 08 Oct 2021 06:20

Tgt Ion:112 Resp: 17056
Ion Ratio Lower Upper
112 100
64 55.0 42.9 64.3
63 27.8 21.5 32.3









#5
Phenol-d6
Concen: 0.26 ng
RT: 6.813 min Scan# 405
Delta R.T. 0.019 min
Lab File: BN016830.D
Acq: 08 Oct 2021 06:20

Instrument :
BNA_N
ClientSampleId :
PB139541BL

Tgt Ion: 99 Resp: 15726




Ion	Ratio	Lower	Upper
99	100		
42	16.5	13.4	20.2
71	30.8	24.0	36.0




#7
Naphthalene-d8
Concen: 0.40 ng
RT: 10.381 min Scan# 731
Delta R.T. 0.000 min
Lab File: BN016830.D
Acq: 08 Oct 2021 06:20

Tgt Ion: 136 Resp: 95926

Ion	Ratio	Lower	Upper
136	100		
137	11.0	8.9	13.3
54	5.6	6.5	9.7#
68	4.9	5.3	7.9#









#8
Nitrobenzene-d5
Concen: 0.26 ng
RT: 8.759 min Scan# 603
Delta R.T. 0.000 min
Lab File: BN016830.D
Acq: 08 Oct 2021 06:20




Instrument :
BNA_N
ClientSampleId :
PB139541BL


Tgt Ion: 82 Resp: 17545
Ion Ratio Lower Upper
82 100
128 45.6 33.8 50.6
54 44.8 38.5 57.7



#11
2-Methylnaphthalene-d10
Concen: 0.34 ng
RT: 11.976 min Scan# 925
Delta R.T. -0.004 min
Lab File: BN016830.D
Acq: 08 Oct 2021 06:20

Tgt Ion: 152 Resp: 47950
Ion Ratio Lower Upper
152 100
151 20.4 16.2 24.4









#13
Acenaphthene-d10
Concen: 0.40 ng
RT: 14.243 min Scan# 1181
Delta R.T. 0.000 min
Lab File: BN016830.D
Acq: 08 Oct 2021 06:20




Instrument :
BNA_N
ClientSampleId :
PB139541BL


Tgt Ion:164 Resp: 49859
Ion Ratio Lower Upper
164 100
162 102.6 82.6 124.0
160 46.6 38.2 57.2



#14
2,4,6-Tribromophenol
Concen: 0.17 ng
RT: 15.753 min Scan# 1300
Delta R.T. 0.000 min
Lab File: BN016830.D
Acq: 08 Oct 2021 06:20

Tgt Ion:330 Resp: 4387
Ion Ratio Lower Upper
330 100
332 0.0 0.0 0.0
141 29.7 24.2 36.2









#15
2-Fluorobiphenyl
Concen: 0.30 ng
RT: 12.873 min Scan# 1073
Delta R.T. 0.000 min
Lab File: BN016830.D
Acq: 08 Oct 2021 06:20




Instrument :
BNA_N
ClientSampleId :
PB139541BL


Tgt Ion:	172	Resp:	60134
Ion	Ratio	Lower	Upper
172	100		
171	33.8	26.9	40.3
170	21.6	17.4	26.0



#19
Phenanthrene-d10
Concen: 0.40 ng
RT: 16.993 min Scan# 1401
Delta R.T. -0.012 min
Lab File: BN016830.D
Acq: 08 Oct 2021 06:20

Tgt Ion:	188	Resp:	92891
Ion	Ratio	Lower	Upper
188	100		
94	0.0	0.0	0.0
80	13.4	5.8	8.8#









#27
Fluoranthene-d10
Concen: 0.32 ng
RT: 19.043 min Scan# 1692
Delta R.T. 0.000 min
Lab File: BN016830.D
Acq: 08 Oct 2021 06:20




Instrument :
BNA_N
ClientSampleId :
PB139541BL


Tgt Ion:212 Resp: 82077
Ion Ratio Lower Upper
212 100
106 13.2 10.6 16.0
104 7.2 5.8 8.8



#29
Chrysene-d12
Concen: 0.40 ng
RT: 21.206 min Scan# 1999
Delta R.T. -0.010 min
Lab File: BN016830.D
Acq: 08 Oct 2021 06:20

Tgt Ion:240 Resp: 90779
Ion Ratio Lower Upper
240 100
120 12.4 6.6 10.0#
236 26.6 20.7 31.1









#31
Terphenyl-d14
Concen: 0.35 ng
RT: 19.654 min Scan# 1815
Delta R.T. -0.005 min
Lab File: BN016830.D
Acq: 08 Oct 2021 06:20

Instrument :
BNA_N
ClientSampleId :
PB139541BL

Tgt Ion:244 Resp: 69388
Ion Ratio Lower Upper
244 100
212 7.1 5.8 8.6
122 12.1 8.9 13.3



#35
Perylene-d12
Concen: 0.40 ng
RT: 23.450 min Scan# 2417
Delta R.T. -0.003 min
Lab File: BN016830.D
Acq: 08 Oct 2021 06:20

Tgt Ion:264 Resp: 101299
Ion Ratio Lower Upper
264 100
260 24.6 19.8 29.6
265 23.2 20.3 30.5

