

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN100721\
 Data File : BN016836.D
 Acq On : 08 Oct 2021 09:55
 Operator : CG/JU
 Sample : M4020-08
 Misc :
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 S-819-N-SO-1-1.5-093021-FD

Quant Time: Oct 08 12:19:44 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN100721.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Oct 08 01:39:08 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.615	152	21483	0.40	ng	0.00
7) Naphthalene-d8	10.381	136	98719	0.40	ng	# 0.00
13) Acenaphthene-d10	14.243	164	52393	0.40	ng	0.00
19) Phenanthrene-d10	16.993	188	102024	0.40	ng	#-0.01
29) Chrysene-d12	21.206	240	106002	0.40	ng	#-0.01
35) Perylene-d12	23.450	264	112818	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.245	112	14668	0.27	ng	0.02
5) Phenol-d6	6.803	99	15187	0.25	ng	0.00
8) Nitrobenzene-d5	8.759	82	16339	0.24	ng	0.00
11) 2-Methylnaphthalene-d10	11.976	152	41438	0.28	ng	0.00
14) 2,4,6-Tribromophenol	15.753	330	3097	0.11	ng	0.00
15) 2-Fluorobiphenyl	12.873	172	52817	0.25	ng	0.00
27) Fluoranthene-d10	19.043	212	80712	0.28	ng	0.00
31) Terphenyl-d14	19.654	244	61556	0.27	ng	0.00
Target Compounds						
34) Bis(2-ethylhexyl)phtha...	21.143	149	25373	0.15	ng	Qvalue 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN100721\
Data File : BN016836.D
Acq On : 08 Oct 2021 09:55
Operator : CG/JU
Sample : M4020-08
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
S-819-N-SO-1-1.5-093021-FD

Quant Time: Oct 08 12:19:44 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN100721.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Oct 08 01:39:08 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 0.40 ng
RT: 7.615 min Scan# 492
Delta R.T. 0.001 min
Lab File: BN016836.D
Acq: 08 Oct 2021 09:55




Instrument :
BNA_N
ClientSampleId :
S-819-N-SO-1-1.5-093021-FD


Tgt Ion:152 Resp: 21483
Ion Ratio Lower Upper
152 100
150 153.5 123.3 184.9
115 57.6 47.0 70.6



#4
2-Fluorophenol
Concen: 0.27 ng
RT: 5.245 min Scan# 235
Delta R.T. 0.019 min
Lab File: BN016836.D
Acq: 08 Oct 2021 09:55

Tgt Ion:112 Resp: 14668
Ion Ratio Lower Upper
112 100
64 55.0 42.9 64.3
63 28.0 21.5 32.3









#5
Phenol-d6
Concen: 0.25 ng
RT: 6.803 min Scan# 404
Delta R.T. 0.010 min
Lab File: BN016836.D
Acq: 08 Oct 2021 09:55




Instrument :
BNA_N
ClientSampleId :
S-819-N-SO-1-1.5-093021-FD


Tgt Ion:	99	Resp:	15187
Ion	Ratio	Lower	Upper
99	100		
42	16.6	13.4	20.2
71	31.5	24.0	36.0



#7
Naphthalene-d8
Concen: 0.40 ng
RT: 10.381 min Scan# 731
Delta R.T. 0.000 min
Lab File: BN016836.D
Acq: 08 Oct 2021 09:55

Tgt Ion:	136	Resp:	98719
Ion	Ratio	Lower	Upper
136	100		
137	10.9	8.9	13.3
54	5.6	6.5	9.7#
68	4.9	5.3	7.9#









#8
Nitrobenzene-d5
Concen: 0.24 ng
RT: 8.759 min Scan# 603
Delta R.T. 0.000 min
Lab File: BN016836.D
Acq: 08 Oct 2021 09:55




Instrument :
BNA_N
ClientSampleId :
S-819-N-SO-1-1.5-093021-FD


Tgt Ion: 82 Resp: 16339
Ion Ratio Lower Upper
82 100
128 48.2 33.8 50.6
54 44.4 38.5 57.7



#11
2-Methylnaphthalene-d10
Concen: 0.28 ng
RT: 11.976 min Scan# 925
Delta R.T. -0.004 min
Lab File: BN016836.D
Acq: 08 Oct 2021 09:55

Tgt Ion: 152 Resp: 41438
Ion Ratio Lower Upper
152 100
151 20.6 16.2 24.4









#13
Acenaphthene-d10
Concen: 0.40 ng
RT: 14.243 min Scan# 1181
Delta R.T. 0.000 min
Lab File: BN016836.D
Acq: 08 Oct 2021 09:55




Instrument :
BNA_N
ClientSampleId :
S-819-N-SO-1-1.5-093021-FD


Tgt Ion:164 Resp: 52393
Ion Ratio Lower Upper
164 100
162 101.7 82.6 124.0
160 45.8 38.2 57.2



#14
2,4,6-Tribromophenol
Concen: 0.11 ng
RT: 15.753 min Scan# 1300
Delta R.T. 0.000 min
Lab File: BN016836.D
Acq: 08 Oct 2021 09:55

Tgt Ion:330 Resp: 3097
Ion Ratio Lower Upper
330 100
332 0.0 0.0 0.0
141 28.9 24.2 36.2









#15
2-Fluorobiphenyl
Concen: 0.25 ng
RT: 12.873 min Scan# 1073
Delta R.T. 0.000 min
Lab File: BN016836.D
Acq: 08 Oct 2021 09:55

Instrument :
BNA_N
ClientSampleId :
S-819-N-SO-1-1.5-093021-FD

Tgt Ion:172 Resp: 52817




Ion	Ratio	Lower	Upper
172	100		
171	33.4	26.9	40.3
170	21.2	17.4	26.0




#19
Phenanthrene-d10
Concen: 0.40 ng
RT: 16.993 min Scan# 1401
Delta R.T. -0.012 min
Lab File: BN016836.D
Acq: 08 Oct 2021 09:55

Tgt Ion:188 Resp: 102024

Ion	Ratio	Lower	Upper
188	100		
94	0.0	0.0	0.0
80	12.8	5.8	8.8#









#27
Fluoranthene-d10
Concen: 0.28 ng
RT: 19.043 min Scan# 1692
Delta R.T. 0.000 min
Lab File: BN016836.D
Acq: 08 Oct 2021 09:55




Instrument :
BNA_N
ClientSampleId :
S-819-N-SO-1-1.5-093021-FD


Tgt Ion:212 Resp: 80712
Ion Ratio Lower Upper
212 100
106 13.2 10.6 16.0
104 7.1 5.8 8.8



#29
Chrysene-d12
Concen: 0.40 ng
RT: 21.206 min Scan# 1999
Delta R.T. -0.010 min
Lab File: BN016836.D
Acq: 08 Oct 2021 09:55

Tgt Ion:240 Resp: 106002
Ion Ratio Lower Upper
240 100
120 11.9 6.6 10.0#
236 26.7 20.7 31.1









#31
 Terphenyl-d14
 Concen: 0.27 ng
 RT: 19.654 min Scan# 1815
 Delta R.T. -0.005 min
 Lab File: BN016836.D
 Acq: 08 Oct 2021 09:55

Instrument :
 BNA_N
 ClientSampleId :
 S-819-N-SO-1-1.5-093021-FD

Tgt Ion:244 Resp: 61556




Ion	Ratio	Lower	Upper
244	100		
212	7.2	5.8	8.6
122	12.4	8.9	13.3




#34
 Bis(2-ethylhexyl)phthalate
 Concen: 0.15 ng
 RT: 21.143 min Scan# 1993
 Delta R.T. -0.010 min
 Lab File: BN016836.D
 Acq: 08 Oct 2021 09:55

Tgt Ion:149 Resp: 25373


Ion	Ratio	Lower	Upper
149	100		
167	26.7	22.2	33.4
279	4.3	3.4	5.2





#35
Perylene-d12
Concen: 0.40 ng
RT: 23.450 min Scan# 2417
Delta R.T. -0.003 min
Lab File: BN016836.D
Acq: 08 Oct 2021 09:55

Instrument :
BNA_N
ClientSampleId :
S-819-N-SO-1-1.5-093021-FD



Tgt Ion:264	Resp:	112818
Ion	Ratio	Lower Upper
264	100	
260	24.4	19.8 29.6
265	22.8	20.3 30.5

