

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN100824\
 Data File : BN034483.D
 Acq On : 09 Oct 2024 00:44
 Operator : RC/JU
 Sample : PB163796BL
 Misc :
 ALS Vial : 55 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 PB163796BL

Quant Time: Oct 09 01:13:52 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN091924.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Sep 26 14:44:02 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.380	152	3744	0.400	ng	-0.01
7) Naphthalene-d8	10.148	136	10410	0.400	ng	# 0.00
13) Acenaphthene-d10	14.037	164	6180	0.400	ng	-0.01
19) Phenanthrene-d10	16.803	188	11191	0.400	ng	# 0.00
29) Chrysene-d12	21.015	240	7704	0.400	ng	# 0.00
35) Perylene-d12	23.122	264	8020	0.400	ng	# 0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.026	112	3863	0.364	ng	0.00
5) Phenol-d6	6.600	99	2345	0.190	ng	0.00
8) Nitrobenzene-d5	8.547	82	1892	0.238	ng	0.01
11) 2-Methylnaphthalene-d10	11.761	152	5035	0.328	ng	0.00
14) 2,4,6-Tribromophenol	15.574	330	560	0.200	ng	0.03
15) 2-Fluorobiphenyl	12.668	172	6814	0.271	ng	0.01
27) Fluoranthene-d10	18.841	212	10969	0.388	ng	0.00
31) Terphenyl-d14	19.464	244	6989	0.454	ng	0.00
Target Compounds						Qvalue
20) 4,6-Dinitro-2-methylph...	16.282	198	1	0.138	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN100824\
Data File : BN034483.D
Acq On : 09 Oct 2024 00:44
Operator : RC/JU
Sample : PB163796BL
Misc :
ALS Vial : 55 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
PB163796BL


Quant Time: Oct 09 01:13:52 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN091924.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Sep 26 14:44:02 2024
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.380 min Scan# 61
Delta R.T. -0.014 min
Lab File: BN034483.D
Acq: 09 Oct 2024 00:44

Instrument :
BNA_N
ClientSampleId :
PB163796BL







Tgt Ion:152 Resp: 3744
Ion Ratio Lower Upper
152 100
150 153.6 124.6 187.0
115 65.3 50.0 75.0



#4
2-Fluorophenol
Concen: 0.364 ng
RT: 5.026 min Scan# 297
Delta R.T. -0.007 min
Lab File: BN034483.D
Acq: 09 Oct 2024 00:44

Tgt Ion:112 Resp: 3863
Ion Ratio Lower Upper
112 100
64 55.1 48.6 72.8
63 29.1 25.6 38.4









#5
Phenol-d6
Concen: 0.190 ng
RT: 6.600 min Scan# 51
Delta R.T. 0.000 min
Lab File: BN034483.D
Acq: 09 Oct 2024 00:44




Instrument :
BNA_N
ClientSampleId :
PB163796BL


Tgt Ion: 99 Resp: 2345
Ion Ratio Lower Upper
99 100
42 15.8 17.8 26.8#
71 34.4 26.2 39.2



#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.148 min Scan# 924
Delta R.T. 0.000 min
Lab File: BN034483.D
Acq: 09 Oct 2024 00:44

Tgt Ion: 136 Resp: 10410
Ion Ratio Lower Upper
136 100
137 13.0 9.0 13.6
54 9.0 6.8 10.2
68 7.8 5.0 7.6#









#8
Nitrobenzene-d5
Concen: 0.238 ng
RT: 8.547 min Scan# 71
Delta R.T. 0.011 min
Lab File: BN034483.D
Acq: 09 Oct 2024 00:44




Instrument :
BNA_N
ClientSampleId :
PB163796BL


Tgt Ion: 82 Resp: 1892
Ion Ratio Lower Upper
82 100
128 52.3 31.4 47.2#
54 57.5 47.4 71.0



#11
2-Methylnaphthalene-d10
Concen: 0.328 ng
RT: 11.761 min Scan# 1119
Delta R.T. 0.008 min
Lab File: BN034483.D
Acq: 09 Oct 2024 00:44

Tgt Ion:152 Resp: 5035
Ion Ratio Lower Upper
152 100
151 20.8 16.8 25.2









#13
 Acenaphthene-d10
 Concen: 0.400 ng
 RT: 14.037 min Scan# 1466
 Delta R.T. -0.010 min
 Lab File: BN034483.D
 Acq: 09 Oct 2024 00:44




Instrument :
 BNA_N
 ClientSampleId :
 PB163796BL


Tgt Ion:	164	Resp:	6180
Ion	Ratio	Lower	Upper
164	100		
162	103.9	84.2	126.2
160	50.3	41.7	62.5



#14
 2,4,6-Tribromophenol
 Concen: 0.200 ng
 RT: 15.574 min Scan# 1619
 Delta R.T. 0.025 min
 Lab File: BN034483.D
 Acq: 09 Oct 2024 00:44

Tgt Ion:	330	Resp:	560
Ion	Ratio	Lower	Upper
330	100		
332	158.2	77.4	116.0
141	37.5	35.9	53.9









#15
2-Fluorobiphenyl
Concen: 0.271 ng
RT: 12.668 min Scan# 11
Delta R.T. 0.011 min
Lab File: BN034483.D
Acq: 09 Oct 2024 00:44




Instrument :
BNA_N
ClientSampleId :
PB163796BL


Tgt Ion:172 Resp: 6814
Ion Ratio Lower Upper
172 100
171 36.4 27.3 40.9
170 24.9 18.1 27.1



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 16.803 min Scan# 1718
Delta R.T. 0.000 min
Lab File: BN034483.D
Acq: 09 Oct 2024 00:44

Tgt Ion:188 Resp: 11191
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 12.8 7.4 11.0#









#20
4,6-Dinitro-2-methylphenol
Concen: 0.138 ng
RT: 16.282 min Scan# 1
Delta R.T. -0.025 min
Lab File: BN034483.D
Acq: 09 Oct 2024 00:44




Instrument :
BNA_N
ClientSampleId :
PB163796BL


Tgt Ion:198 Resp: 1
Ion Ratio Lower Upper
198 100
51 371.4 106.4 159.6#
105 218.4 38.5 57.7#



#27
Fluoranthene-d10
Concen: 0.388 ng
RT: 18.841 min Scan# 1926
Delta R.T. -0.004 min
Lab File: BN034483.D
Acq: 09 Oct 2024 00:44

Tgt Ion:212 Resp: 10969
Ion Ratio Lower Upper
212 100
106 14.9 13.4 20.2
104 8.4 7.8 11.6





#29

Chrysene-d12

Concen: 0.400 ng

RT: 21.015 min Scan# 21

Delta R.T. 0.000 min

Lab File: BN034483.D

Acq: 09 Oct 2024 00:44

Instrument :

BNA_N

ClientSampleId :

PB163796BL





Tgt Ion:240 Resp: 7704

Ion Ratio Lower Upper

240 100

120 22.5 13.5 20.3#

236 31.0 23.4 35.0



#31

Terphenyl-d14

Concen: 0.454 ng

RT: 19.464 min Scan# 2060

Delta R.T. -0.004 min

Lab File: BN034483.D

Acq: 09 Oct 2024 00:44




Tgt Ion:244 Resp: 6989


Ion Ratio Lower Upper

244 100

212 10.7 7.8 11.6


122 17.5 14.8 22.2





#35
 Perylene-d12
 Concen: 0.400 ng
 RT: 23.122 min Scan# 21
 Delta R.T. -0.006 min
 Lab File: BN034483.D
 Acq: 09 Oct 2024 00:44

Instrument :
 BNA_N
 ClientSampleId :
 PB163796BL



Tgt Ion:264 Resp: 8020
 Ion Ratio Lower Upper
 264 100
 260 27.4 21.7 32.5
 265 124.7 52.1 78.1#

