

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN101321\
 Data File : BN016909.D
 Acq On : 12 Oct 2021 21:48
 Operator : CG/JU
 Sample : SSTDIC5.0
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 SSTDIC5.0

Quant Time: Oct 13 01:54:28 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN101321.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Oct 13 01:50:22 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.689	152	23237	0.40	ng	0.00
7) Naphthalene-d8	10.445	136	94194	0.40	ng	#-0.01
13) Acenaphthene-d10	14.294	164	50700	0.40	ng	0.00
19) Phenanthrene-d10	17.042	188	94755	0.40	ng	0.00
29) Chrysene-d12	21.227	240	93765	0.40	ng	0.00
35) Perylene-d12	23.471	264	99750	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.291	112	254773	4.28	ng	0.00
5) Phenol-d6	6.868	99	294400	4.41	ng	0.00
8) Nitrobenzene-d5	8.822	82	335798	5.28	ng	0.00
11) 2-Methylnaphthalene-d10	12.038	152	623423	4.57	ng	0.00
14) 2,4,6-Tribromophenol	15.791	330	137400	5.59	ng	0.00
15) 2-Fluorobiphenyl	12.924	172	879302	4.53	ng	0.00
27) Fluoranthene-d10	19.073	212	1189296	4.78	ng	0.00
31) Terphenyl-d14	19.679	244	991158	4.65	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	3.281	88	72659	4.18	ng	93
3) n-Nitrosodimethylamine	3.604	42	91827	4.83	ng	97
6) bis(2-Chloroethyl)ether	7.126	93	281143	4.31	ng	98
9) Naphthalene	10.495	128	1113805	4.34	ng	99
10) Hexachlorobutadiene	10.787	225	220511	4.58	ng	# 100
12) 2-Methylnaphthalene	12.114	142	708398	4.41	ng	100
16) Acenaphthylene	14.015	152	1077041	4.98	ng	100
17) Acenaphthene	14.358	154	667114	4.64	ng	97
18) Fluorene	15.347	166	804151	4.64	ng	99
21) 4-Bromophenyl-phenylether	16.239	248	280052	4.93	ng	97
22) Hexachlorobenzene	16.348	284	299151	4.63	ng	100
25) Phenanthrene	17.078	178	1246508	4.58	ng	100
26) Anthracene	17.164	178	1185667	4.96	ng	100
28) Fluoranthene	19.103	202	1364846	4.56	ng	99
30) Pyrene	19.465	202	1429187	4.65	ng	100
32) Benzo(a)anthracene	21.217	228	1444328	4.81	ng	99
33) Chrysene	21.259	228	1384491	4.49	ng	97
36) Indeno(1,2,3-cd)pyrene	25.747	276	1768259	4.52	ng	99
37) Benzo(b)fluoranthene	22.797	252	1532206	4.59	ng	100
38) Benzo(k)fluoranthene	22.841	252	1440404	4.37	ng	97
39) Benzo(a)pyrene	23.372	252	1413878	4.66	ng	99
40) Dibenzo(a,h)anthracene	25.768	278	1453696	4.55	ng	99
41) Benzo(g,h,i)perylene	26.442	276	1530415	4.55	ng	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN101321\
Data File : BN016909.D
Acq On : 12 Oct 2021 21:48
Operator : CG/JU
Sample : SSTDIC5.0
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
SSTDICC5.0

Quant Time: Oct 13 01:54:28 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN101321.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Oct 13 01:50:22 2021
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 0.40 ng
 RT: 7.689 min Scan# 500
 Delta R.T. -0.000 min
 Lab File: BN016909.D
 Acq: 12 Oct 2021 21:48




Instrument :
 BNA_N
 ClientSampleId :
 SSTDICC5.0


Tgt Ion:152 Resp: 23237
 Ion Ratio Lower Upper
 152 100
 150 156.8 122.6 183.8
 115 58.1 46.1 69.1



#2
 1,4-Dioxane
 Concen: 4.18 ng
 RT: 3.281 min Scan# 22
 Delta R.T. -0.000 min
 Lab File: BN016909.D
 Acq: 12 Oct 2021 21:48

Tgt Ion: 88 Resp: 72659
 Ion Ratio Lower Upper
 88 100
 43 27.6 24.3 36.5
 58 74.8 65.2 97.8









#3
n-Nitrosodimethylamine
Concen: 4.83 ng
RT: 3.604 min Scan# 57
Delta R.T. -0.000 min
Lab File: BN016909.D
Acq: 12 Oct 2021 21:48




Instrument :
BNA_N
ClientSampleId :
SSTDICC5.0


Tgt Ion: 42 Resp: 91827
Ion Ratio Lower Upper
42 100
74 146.7 114.4 171.6
44 6.4 5.7 8.5



#4
2-Fluorophenol
Concen: 4.28 ng
RT: 5.291 min Scan# 240
Delta R.T. -0.000 min
Lab File: BN016909.D
Acq: 12 Oct 2021 21:48

Tgt Ion: 112 Resp: 254773
Ion Ratio Lower Upper
112 100
64 56.0 45.0 67.4
63 28.1 22.6 33.8









#5
Phenol-d6
Concen: 4.41 ng
RT: 6.868 min Scan# 411
Delta R.T. -0.000 min
Lab File: BN016909.D
Acq: 12 Oct 2021 21:48




Instrument :
BNA_N
ClientSampleId :
SSTDICC5.0


Tgt Ion: 99 Resp: 294400
Ion Ratio Lower Upper
99 100
42 17.4 14.2 21.4
71 30.5 24.5 36.7



#6
bis(2-Chloroethyl)ether
Concen: 4.31 ng
RT: 7.126 min Scan# 439
Delta R.T. -0.000 min
Lab File: BN016909.D
Acq: 12 Oct 2021 21:48

Tgt Ion: 93 Resp: 281143
Ion Ratio Lower Upper
93 100
63 73.0 60.3 90.5
95 32.1 26.2 39.4









#7
Naphthalene-d8
Concen: 0.40 ng
RT: 10.445 min Scan# 736
Delta R.T. -0.013 min
Lab File: BN016909.D
Acq: 12 Oct 2021 21:48




Instrument :
BNA_N
ClientSampleId :
SSTDICC5.0


Tgt Ion:	136	Resp:	94194
Ion	Ratio	Lower	Upper
136	100		
137	11.0	8.7	13.1
54	9.2	3.7	5.5#
68	7.4	3.2	4.8#



#8
Nitrobenzene-d5
Concen: 5.28 ng
RT: 8.822 min Scan# 608
Delta R.T. -0.000 min
Lab File: BN016909.D
Acq: 12 Oct 2021 21:48

Tgt Ion:	82	Resp:	335798
Ion	Ratio	Lower	Upper
82	100		
128	37.4	28.3	42.5
54	51.9	43.0	64.4









#9
Naphthalene
Concen: 4.34 ng
RT: 10.495 min Scan# 740
Delta R.T. -0.000 min
Lab File: BN016909.D
Acq: 12 Oct 2021 21:48




Instrument :
BNA_N
ClientSampleId :
SSTDICC5.0


Tgt Ion:128 Resp: 1113805
Ion Ratio Lower Upper
128 100
129 11.1 8.7 13.1
127 13.1 10.6 16.0



#10
Hexachlorobutadiene
Concen: 4.58 ng
RT: 10.787 min Scan# 763
Delta R.T. -0.000 min
Lab File: BN016909.D
Acq: 12 Oct 2021 21:48

Tgt Ion:225 Resp: 220511
Ion Ratio Lower Upper
225 100
223 0.0 0.0 0.0
227 64.1 51.1 76.7









#11
2-Methylnaphthalene-d10
Concen: 4.57 ng
RT: 12.038 min Scan# 939
Delta R.T. -0.005 min
Lab File: BN016909.D
Acq: 12 Oct 2021 21:48




Instrument :
BNA_N
ClientSampleId :
SSTDICC5.0


Tgt Ion:152 Resp: 623423
Ion Ratio Lower Upper
152 100
151 20.2 16.2 24.4



#12
2-Methylnaphthalene
Concen: 4.41 ng
RT: 12.114 min Scan# 956
Delta R.T. -0.000 min
Lab File: BN016909.D
Acq: 12 Oct 2021 21:48

Tgt Ion:142 Resp: 708398
Ion Ratio Lower Upper
142 100
141 88.0 70.5 105.7
115 32.6 26.0 39.0









#13
Acenaphthene-d10
Concen: 0.40 ng
RT: 14.294 min Scan# 1185
Delta R.T. -0.000 min
Lab File: BN016909.D
Acq: 12 Oct 2021 21:48




Instrument :
BNA_N
ClientSampleId :
SSTDICC5.0


Tgt Ion:164 Resp: 50700
Ion Ratio Lower Upper
164 100
162 101.9 81.4 122.0
160 45.6 37.0 55.4



#14
2,4,6-Tribromophenol
Concen: 5.59 ng
RT: 15.791 min Scan# 1303
Delta R.T. -0.000 min
Lab File: BN016909.D
Acq: 12 Oct 2021 21:48

Tgt Ion:330 Resp: 137400
Ion Ratio Lower Upper
330 100
332 0.0 0.0 0.0
141 29.7 24.4 36.6









#15
2-Fluorobiphenyl
Concen: 4.53 ng
RT: 12.924 min Scan# 1077
Delta R.T. -0.000 min
Lab File: BN016909.D
Acq: 12 Oct 2021 21:48




Instrument :
BNA_N
ClientSampleId :
SSTDICC5.0


Tgt Ion:172 Resp: 879302
Ion Ratio Lower Upper
172 100
171 33.9 27.4 41.0
170 22.0 18.1 27.1



#16
Acenaphthylene
Concen: 4.98 ng
RT: 14.015 min Scan# 1163
Delta R.T. -0.000 min
Lab File: BN016909.D
Acq: 12 Oct 2021 21:48

Tgt Ion:152 Resp: 1077041
Ion Ratio Lower Upper
152 100
151 19.4 15.5 23.3
153 13.2 10.3 15.5









#17
Acenaphthene
Concen: 4.64 ng
RT: 14.358 min Scan# 1190
Delta R.T. -0.000 min
Lab File: BN016909.D
Acq: 12 Oct 2021 21:48




Instrument :
BNA_N
ClientSampleId :
SSTDICC5.0


Tgt Ion:154 Resp: 667114
Ion Ratio Lower Upper
154 100
153 110.8 91.2 136.8
152 52.4 44.4 66.6



#18
Fluorene
Concen: 4.64 ng
RT: 15.347 min Scan# 1268
Delta R.T. -0.000 min
Lab File: BN016909.D
Acq: 12 Oct 2021 21:48

Tgt Ion:166 Resp: 804151
Ion Ratio Lower Upper
166 100
165 96.0 78.1 117.1
167 13.6 10.7 16.1









#19
Phenanthrene-d10
Concen: 0.40 ng
RT: 17.042 min Scan# 1405
Delta R.T. -0.000 min
Lab File: BN016909.D
Acq: 12 Oct 2021 21:48




Instrument :
BNA_N
ClientSampleId :
SSTDICC5.0


Tgt Ion:188	Resp:	94755
Ion Ratio	Lower	Upper
188	100	
94	0.0	0.0
80	6.4	7.3



#21
4-Bromophenyl-phenylether
Concen: 4.93 ng
RT: 16.239 min Scan# 1339
Delta R.T. -0.000 min
Lab File: BN016909.D
Acq: 12 Oct 2021 21:48

Tgt Ion:248	Resp:	280052
Ion Ratio	Lower	Upper
248	100	
250	97.7	78.2
141	47.6	64.7









#22
Hexachlorobenzene
Concen: 4.63 ng
RT: 16.348 min Scan# 1348
Delta R.T. -0.000 min
Lab File: BN016909.D
Acq: 12 Oct 2021 21:48




Instrument :
BNA_N
ClientSampleId :
SSTDICC5.0


Tgt Ion:284 Resp: 299151
Ion Ratio Lower Upper
284 100
142 31.6 25.1 37.7
249 29.3 23.2 34.8



#25
Phenanthrene
Concen: 4.58 ng
RT: 17.078 min Scan# 1408
Delta R.T. -0.000 min
Lab File: BN016909.D
Acq: 12 Oct 2021 21:48

Tgt Ion:178 Resp: 1246508
Ion Ratio Lower Upper
178 100
176 18.7 15.0 22.4
179 15.5 12.3 18.5









#26
 Anthracene
 Concen: 4.96 ng
 RT: 17.164 min Scan# 1415
 Delta R.T. -0.000 min
 Lab File: BN016909.D
 Acq: 12 Oct 2021 21:48

Instrument :
 BNA_N
 ClientSampleId :
 SSTDICC5.0

Tgt Ion:178 Resp: 1185667




Ion	Ratio	Lower	Upper
178	100		
176	18.1	14.6	21.8
179	15.4	12.2	18.4




#27
 Fluoranthene-d10
 Concen: 4.78 ng
 RT: 19.073 min Scan# 1698
 Delta R.T. -0.000 min
 Lab File: BN016909.D
 Acq: 12 Oct 2021 21:48

Tgt Ion:212 Resp: 1189296

Ion	Ratio	Lower	Upper
212	100		
106	13.8	10.7	16.1
104	7.5	5.8	8.8









#28
Fluoranthene
Concen: 4.56 ng
RT: 19.103 min Scan# 1704
Delta R.T. -0.000 min
Lab File: BN016909.D
Acq: 12 Oct 2021 21:48




Instrument :
BNA_N
ClientSampleId :
SSTDICC5.0


Tgt Ion:202 Resp: 1364846
Ion Ratio Lower Upper
202 100
101 11.5 9.0 13.4
203 17.6 13.8 20.8



#29
Chrysene-d12
Concen: 0.40 ng
RT: 21.227 min Scan# 2001
Delta R.T. -0.000 min
Lab File: BN016909.D
Acq: 12 Oct 2021 21:48

Tgt Ion:240 Resp: 93765
Ion Ratio Lower Upper
240 100
120 9.6 8.6 12.8
236 26.2 21.0 31.4









#30
Pyrene
Concen: 4.65 ng
RT: 19.465 min Scan# 1777
Delta R.T. -0.000 min
Lab File: BN016909.D
Acq: 12 Oct 2021 21:48

Instrument :
BNA_N
ClientSampleId :
SSTDICC5.0

Tgt Ion:202 Resp: 1429187




Ion	Ratio	Lower	Upper
202	100		
200	20.6	16.5	24.7
203	17.7	14.0	21.0




#31
Terphenyl-d14
Concen: 4.65 ng
RT: 19.679 min Scan# 1820
Delta R.T. -0.000 min
Lab File: BN016909.D
Acq: 12 Oct 2021 21:48

Tgt Ion:244 Resp: 991158

Ion	Ratio	Lower	Upper
244	100		
212	7.1	5.7	8.5
122	12.0	9.8	14.6









#32
Benzo(a)anthracene
Concen: 4.81 ng
RT: 21.217 min Scan# 2000
Delta R.T. -0.000 min
Lab File: BN016909.D
Acq: 12 Oct 2021 21:48




Instrument :
BNA_N
ClientSampleId :
SSTDICC5.0


Tgt Ion:228 Resp: 1444328
Ion Ratio Lower Upper
228 100
226 25.5 20.6 31.0
229 20.5 15.8 23.8



#33
Chrysene
Concen: 4.49 ng
RT: 21.259 min Scan# 2004
Delta R.T. -0.011 min
Lab File: BN016909.D
Acq: 12 Oct 2021 21:48


Tgt Ion:228 Resp: 1384491
Ion Ratio Lower Upper
228 100
226 30.5 22.6 34.0
229 19.4 16.0 24.0








#35
Perylene-d12
Concen: 0.40 ng
RT: 23.471 min Scan# 2423
Delta R.T. -0.003 min
Lab File: BN016909.D
Acq: 12 Oct 2021 21:48

Instrument :
BNA_N
ClientSampleId :
SSTDICC5.0







Tgt Ion:264 Resp: 99750
Ion Ratio Lower Upper
264 100
260 24.8 19.4 29.2
265 23.0 18.6 27.8



#36
Indeno(1,2,3-cd)pyrene
Concen: 4.52 ng
RT: 25.747 min Scan# 3088
Delta R.T. 0.003 min
Lab File: BN016909.D
Acq: 12 Oct 2021 21:48

Tgt Ion:276 Resp: 1768259
Ion Ratio Lower Upper
276 100
138 24.5 20.2 30.4
277 25.2 20.2 30.4









#37
Benzo(b)fluoranthene
Concen: 4.59 ng
RT: 22.797 min Scan# 2226
Delta R.T. -0.003 min
Lab File: BN016909.D
Acq: 12 Oct 2021 21:48




Instrument :
BNA_N
ClientSampleId :
SSTDICC5.0


Tgt Ion:252 Resp: 1532206
Ion Ratio Lower Upper
252 100
253 22.0 17.7 26.5
125 10.0 7.8 11.8



#38
Benzo(k)fluoranthene
Concen: 4.37 ng
RT: 22.841 min Scan# 2239
Delta R.T. -0.000 min
Lab File: BN016909.D
Acq: 12 Oct 2021 21:48


Tgt Ion:252 Resp: 1440404
Ion Ratio Lower Upper
252 100
253 22.0 18.1 27.1
125 10.0 9.8 14.8








#39
Benzo(a)pyrene
Concen: 4.66 ng
RT: 23.372 min Scan# 2394
Delta R.T. -0.004 min
Lab File: BN016909.D
Acq: 12 Oct 2021 21:48

Instrument :
BNA_N
ClientSampleId :
SSTDICC5.0







Tgt Ion:252 Resp: 1413878
Ion Ratio Lower Upper
252 100
253 22.2 18.1 27.1
125 10.9 9.0 13.4



#40
Dibenzo(a,h)anthracene
Concen: 4.55 ng
RT: 25.768 min Scan# 3094
Delta R.T. 0.003 min
Lab File: BN016909.D
Acq: 12 Oct 2021 21:48

Tgt Ion:278 Resp: 1453696
Ion Ratio Lower Upper
278 100
139 16.1 13.8 20.6
279 24.0 19.0 28.6





#41
 Benzo(g,h,i)perylene
 Concen: 4.55 ng
 RT: 26.442 min Scan# 3291
 Delta R.T. 0.007 min
 Lab File: BN016909.D
 Acq: 12 Oct 2021 21:48

Instrument :
 BNA_N
 ClientSampleId :
 SSTDICC5.0

Tgt Ion:276 Resp: 1530415
 Ion Ratio Lower Upper
 276 100
 277 23.9 19.1 28.7
 138 20.6 16.6 24.8

