

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN102918\
 Data File : BN003350.D
 Acq On : 30 Oct 2018 01:58
 Operator : MJ/SJ
 Sample : J5692-15
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 FT-DUP02-20181025

Quant Time: Oct 30 06:47:10 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN102618.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Oct 29 16:15:49 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.86	152	15545	0.40	ng	0.00
7) Naphthalene-d8	10.66	136	69744	0.40	ng	-0.01
13) Acenaphthene-d10	14.49	164	42255	0.40	ng	-0.01
19) Phenanthrene-d10	17.24	188	107028	0.40	ng	0.00
27) Chrysene-d12	21.41	240	125707	0.40	ng	-0.01
34) Perylene-d12	23.73	264	125093	0.40	ng	-0.01
System Monitoring Compounds						
4) 2-Fluorophenol	5.42	112	1561	0.04	ng	0.00
5) Phenol-d6	7.01	99	1417	0.03	ng	0.00
8) Nitrobenzene-d5	9.02	82	2866	0.09	ng	0.00
11) 2-Methylnaphthalene-d10	12.24	152	6924	0.06	ng	0.00
14) 2,4,6-Tribromophenol	15.98	330	1120	0.07	ng	0.00
15) 2-Fluorobiphenyl	13.12	172	15615	0.09	ng	-0.01
25) Fluoranthene-d10	19.26	212	20710	0.07	ng	0.00
29) Terphenyl-d14	19.86	244	41349	0.14	ng	0.00
Target Compounds						Qvalue
32) Bis(2-ethylhexyl)phthalate	21.31	149	35045	0.359	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN102918\
Data File : BN003350.D
Acq On : 30 Oct 2018 01:58
Operator : MJ/SJ
Sample : J5692-15
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
FT-DUP02-20181025

Quant Time: Oct 30 06:47:10 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN102618.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Oct 29 16:15:49 2018
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 0.400 ng

RT: 7.86 min Scan# 600

Delta R.T. -0.01 min

Lab File: BN003350.D

Acq: 30 Oct 2018 01:58

Instrument :

BNA_N

ClientSampleId :

FT-DUP02-20181025


Tgt Ion:152 Resp: 15545

Ion Ratio Lower Upper

152 100

150 155.0 124.6 187.0

115 57.0 46.4 69.6






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#4

2-Fluorophenol

Concen: 0.041 ng

RT: 5.42 min Scan# 297

Delta R.T. -0.01 min

Lab File: BN003350.D

Acq: 30 Oct 2018 01:58


Tgt Ion:112 Resp: 1561

Ion Ratio Lower Upper

112 100

64 54.6 44.3 66.5

63 25.8 22.4 33.6






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BNC

Ion 63.00 (62.70 to 63.70): BNC





#5

Phenol-d6

Concen: 0.029 ng

RT: 7.01 min Scan# 494

Delta R.T. -0.01 min

Lab File: BN003350.D

Acq: 30 Oct 2018 01:58

Instrument :

BNA_N

ClientSampleId :

FT-DUP02-20181025


Tgt Ion: 99 Resp: 1417

Ion Ratio Lower Upper

99 100

42 0.0 14.8 22.2#

71 46.6 24.8 37.2#






Abundance

Ion 99.00 (98.70 to 99.70): BN0

Ion 42.00 (41.70 to 42.70): BN0

Ion 71.00 (70.70 to 71.70): BN0



#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.66 min Scan# 850

Delta R.T. -0.01 min

Lab File: BN003350.D

Acq: 30 Oct 2018 01:58

Tgt Ion: 136 Resp: 69744


Ion Ratio Lower Upper

136 100

137 11.1 9.0 13.4

54 6.3 4.1 6.1#

68 5.4 3.5 5.3#





Abundance


Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BN0

Ion 68.00 (67.70 to 68.70): BN0





#8

Nitrobenzene-d5

Concen: 0.094 ng

RT: 9.02 min Scan# 721

Delta R.T. 0.00 min

Lab File: BN003350.D

Acq: 30 Oct 2018 01:58

Instrument :

BNA_N

ClientSampleId :

FT-DUP02-20181025


Tgt Ion: 82 Resp: 2866

Ion Ratio Lower Upper

82 100

128 49.2 28.9 43.3#




54 51.2 46.1 69.1



Abundance Ion 82.00 (81.70 to 82.70): BN003350.D (-705) (-)

Ion 128.00 (127.70 to 128.70): BN003350.D (-705) (-)

Ion 54.00 (53.70 to 54.70): BN003350.D (-705) (-)



#11

2-Methylnaphthalene-d10

Concen: 0.061 ng

RT: 12.24 min Scan# 1083

Delta R.T. -0.01 min

Lab File: BN003350.D


Acq: 30 Oct 2018 01:58

Tgt Ion: 152 Resp: 6924

Ion Ratio Lower Upper



152 100


151 19.4 15.1 22.7



Abundance Ion 152.00 (151.70 to 152.70): BN003350.D (-1040) (-)

Ion 151.00 (150.70 to 151.70): BN003350.D (-1040) (-)





#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.49 min Scan# 1347

Delta R.T. -0.01 min

Lab File: BN003350.D

Acq: 30 Oct 2018 01:58

Instrument :

BNA_N

ClientSampleId :

FT-DUP02-20181025


Tgt Ion:164 Resp: 42255

Ion Ratio Lower Upper

164 100

162 103.6 81.8 122.6




160 46.8 37.2 55.8



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#14

2,4,6-Tribromophenol

Concen: 0.067 ng

RT: 15.98 min Scan# 1481

Delta R.T. 0.00 min

Lab File: BN003350.D

Acq: 30 Oct 2018 01:58


Tgt Ion:330 Resp: 1120

Ion Ratio Lower Upper

330 100

332 0.0 0.0 0.0



141 47.5 28.3 42.5#




Abundance Ion 330.00 (329.70 to 330.70): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E





#15

2-Fluorobiphenyl

Concen: 0.086 ng

RT: 13.12 min Scan# 1224

Delta R.T. -0.01 min

Lab File: BN003350.D

Acq: 30 Oct 2018 01:58

Instrument :

BNA_N

ClientSampleId :

FT-DUP02-20181025


Tgt Ion:172 Resp: 15615

Ion Ratio Lower Upper

172 100

171 34.1 27.1 40.7




170 22.0 17.4 26.0



Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E



#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 17.24 min Scan# 1599

Delta R.T. 0.00 min

Lab File: BN003350.D

Acq: 30 Oct 2018 01:58


Tgt Ion:188 Resp: 107028

Ion Ratio Lower Upper

188 100

94 0.0 0.0 0.0



80 6.7 8.6 12.8#




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BNC

Ion 80.00 (79.70 to 80.70): BNC





#25

Fluoranthene-d10

Concen: 0.067 ng

RT: 19.26 min Scan# 1923

Delta R.T. -0.01 min

Lab File: BN003350.D

Acq: 30 Oct 2018 01:58

Instrument :

BNA_N

ClientSampleId :

FT-DUP02-20181025


Tgt Ion:212 Resp: 20710

Ion Ratio Lower Upper

212 100

106 17.4 10.3 15.5#




104 9.5 5.6 8.4#



Abundance Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E



#27

Chrysene-d12

Concen: 0.400 ng

RT: 21.41 min Scan# 2205

Delta R.T. -0.01 min

Lab File: BN003350.D

Acq: 30 Oct 2018 01:58


Tgt Ion:240 Resp: 125707

Ion Ratio Lower Upper

240 100

120 15.1 9.3 13.9#



236 26.7 21.0 31.4




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#29

Terphenyl-d14

Concen: 0.141 ng

RT: 19.86 min Scan# 2043

Delta R.T. -0.01 min

Lab File: BN003350.D

Acq: 30 Oct 2018 01:58

Instrument :

BNA_N

ClientSampleId :

FT-DUP02-20181025


Tgt Ion:244 Resp: 41349

Ion Ratio Lower Upper

244 100

212 6.8 5.6 8.4




122 11.0 8.5 12.7



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#32

Bis(2-ethylhexyl)phthalate

Concen: 0.359 ng

RT: 21.31 min Scan# 2196

Delta R.T. -0.02 min

Lab File: BN003350.D

Acq: 30 Oct 2018 01:58


Tgt Ion:149 Resp: 35045

Ion Ratio Lower Upper

149 100

167 27.7 22.4 33.6



279 5.0 3.9 5.9






Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E





#34

Perylene-d12

Concen: 0.400 ng

RT: 23.73 min Scan# 2686

Delta R.T. -0.01 min

Lab File: BN003350.D

Acq: 30 Oct 2018 01:58

Instrument :

BNA_N

ClientSampleId :

FT-DUP02-20181025

Tgt Ion:264 Resp: 125093

Ion Ratio Lower Upper

264 100

260 24.0 19.1 28.7

265 28.4 26.4 39.6

