

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN102921\
 Data File : BN017199.D
 Acq On : 30 Oct 2021 04:23
 Operator : CG/JU
 Sample : PB140247BL
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 PB140247BL

Quant Time: Oct 30 05:21:14 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN102921.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Oct 30 00:49:11 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.570	152	34086	0.400	ng	0.00
7) Naphthalene-d8	10.332	136	155137	0.400	ng	0.00
13) Acenaphthene-d10	14.194	164	80822	0.400	ng	0.00
19) Phenanthrene-d10	16.946	188	145476	0.400	ng	0.00
29) Chrysene-d12	21.154	240	136276	0.400	ng	#-0.01
35) Perylene-d12	23.369	264	141310	0.400	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.209	112	25943	0.339	ng	0.04
5) Phenol-d6	6.768	99	23281	0.274	ng	0.02
8) Nitrobenzene-d5	8.709	82	25135	0.278	ng	0.00
11) 2-Methylnaphthalene-d10	11.928	152	75281	0.320	ng	0.00
14) 2,4,6-Tribromophenol	15.704	330	4276	0.250	ng	0.00
15) 2-Fluorobiphenyl	12.823	172	97065	0.321	ng	0.00
27) Fluoranthene-d10	18.995	212	127556	0.312	ng	0.00
31) Terphenyl-d14	19.610	244	105615	0.361	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN102921\
Data File : BN017199.D
Acq On : 30 Oct 2021 04:23
Operator : CG/JU
Sample : PB140247BL
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
PB140247BL

Quant Time: Oct 30 05:21:14 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN102921.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Oct 30 00:49:11 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.570 min Scan# 498
Delta R.T. 0.009 min
Lab File: BN017199.D
Acq: 30 Oct 2021 04:23




Instrument :
BNA_N
ClientSampleId :
PB140247BL


Tgt Ion:152 Resp: 34086
Ion Ratio Lower Upper
152 100
150 153.3 124.6 187.0
115 57.0 47.0 70.6



#4
2-Fluorophenol
Concen: 0.339 ng
RT: 5.209 min Scan# 242
Delta R.T. 0.037 min
Lab File: BN017199.D
Acq: 30 Oct 2021 04:23

Tgt Ion:112 Resp: 25943
Ion Ratio Lower Upper
112 100
64 58.2 46.6 70.0
63 29.9 23.8 35.6









#5
Phenol-d6
Concen: 0.274 ng
RT: 6.768 min Scan# 411
Delta R.T. 0.018 min
Lab File: BN017199.D
Acq: 30 Oct 2021 04:23

Instrument :
BNA_N
ClientSampleId :
PB140247BL

Tgt Ion: 99 Resp: 23281




Ion	Ratio	Lower	Upper
99	100		
42	19.4	16.2	24.4
71	31.3	24.6	37.0




#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.332 min Scan# 738
Delta R.T. -0.000 min
Lab File: BN017199.D
Acq: 30 Oct 2021 04:23

Tgt Ion: 136 Resp: 155137

Ion	Ratio	Lower	Upper
136	100		
137	10.9	8.8	13.2
54	6.6	4.8	7.2
68	5.0	3.6	5.4









#8
Nitrobenzene-d5
Concen: 0.278 ng
RT: 8.709 min Scan# 610
Delta R.T. -0.000 min
Lab File: BN017199.D
Acq: 30 Oct 2021 04:23




Instrument :
BNA_N
ClientSampleId :
PB140247BL


Tgt Ion: 82 Resp: 25135
Ion Ratio Lower Upper
82 100
128 39.4 36.0 54.0
54 56.3 41.0 61.6



#11
2-Methylnaphthalene-d10
Concen: 0.320 ng
RT: 11.928 min Scan# 925
Delta R.T. -0.000 min
Lab File: BN017199.D
Acq: 30 Oct 2021 04:23

Tgt Ion: 152 Resp: 75281
Ion Ratio Lower Upper
152 100
151 20.2 15.9 23.9









#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.194 min Scan# 1188
Delta R.T. -0.000 min
Lab File: BN017199.D
Acq: 30 Oct 2021 04:23




Instrument :
BNA_N
ClientSampleId :
PB140247BL


Tgt Ion:164 Resp: 80822
Ion Ratio Lower Upper
164 100
162 104.8 83.6 125.4
160 47.9 38.3 57.5



#14
2,4,6-Tribromophenol
Concen: 0.250 ng
RT: 15.704 min Scan# 1307
Delta R.T. -0.000 min
Lab File: BN017199.D
Acq: 30 Oct 2021 04:23

Tgt Ion:330 Resp: 4276
Ion Ratio Lower Upper
330 100
332 0.0 0.0 0.0
141 38.9 30.7 46.1









#15
2-Fluorobiphenyl
Concen: 0.321 ng
RT: 12.823 min Scan# 1080
Delta R.T. -0.001 min
Lab File: BN017199.D
Acq: 30 Oct 2021 04:23




Instrument :
BNA_N
ClientSampleId :
PB140247BL


Tgt Ion:	172	Resp:	97065
Ion	Ratio	Lower	Upper
172	100		
171	34.0	27.0	40.6
170	22.4	17.5	26.3



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 16.946 min Scan# 1408
Delta R.T. -0.000 min
Lab File: BN017199.D
Acq: 30 Oct 2021 04:23

Tgt Ion:	188	Resp:	145476
Ion	Ratio	Lower	Upper
188	100		
94	0.0	0.0	0.0
80	12.5	10.3	15.5









#27
Fluoranthene-d10
Concen: 0.312 ng
RT: 18.995 min Scan# 1693
Delta R.T. -0.000 min
Lab File: BN017199.D
Acq: 30 Oct 2021 04:23




Instrument :
BNA_N
ClientSampleId :
PB140247BL


Tgt Ion:212 Resp: 127556
Ion Ratio Lower Upper
212 100
106 13.1 10.6 15.8
104 7.1 5.8 8.6



#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.154 min Scan# 2005
Delta R.T. -0.011 min
Lab File: BN017199.D
Acq: 30 Oct 2021 04:23

Tgt Ion:240 Resp: 136276
Ion Ratio Lower Upper
240 100
120 14.5 5.0 7.4#
236 26.7 20.3 30.5









#31
Terphenyl-d14
Concen: 0.361 ng
RT: 19.610 min Scan# 1817
Delta R.T. -0.000 min
Lab File: BN017199.D
Acq: 30 Oct 2021 04:23

Instrument :
BNA_N
ClientSampleId :
PB140247BL

Tgt Ion:244 Resp: 105615
Ion Ratio Lower Upper
244 100
212 7.1 5.8 8.6
122 10.6 9.2 13.8



#35
Perylene-d12
Concen: 0.400 ng
RT: 23.369 min Scan# 2404
Delta R.T. -0.007 min
Lab File: BN017199.D
Acq: 30 Oct 2021 04:23

Tgt Ion:264 Resp: 141310
Ion Ratio Lower Upper
264 100
260 24.3 19.4 29.0
265 23.9 18.2 27.4

