

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN110223\
 Data File : BN028438.D
 Acq On : 03 Nov 2023 01:10
 Operator : MA/JU
 Sample : 05005-04
 Misc :
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 N-3(0-5)

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 11/04/2023
 Supervised By :mohammad ahmed 11/04/2023

Quant Time: Nov 03 01:52:14 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN110123.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Nov 02 06:26:50 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.732	152	16014	0.400	ng	0.00
7) Naphthalene-d8	10.519	136	45620	0.400	ng	# 0.00
13) Acenaphthene-d10	14.374	164	31831	0.400	ng	0.01
19) Phenanthrene-d10	17.121	188	46121	0.400	ng	# 0.00
29) Chrysene-d12	21.337	240	32776	0.400	ng	# 0.00
35) Perylene-d12	23.654	264	49490	0.400	ng	# 0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.312	112	8443	0.202	ng	0.01
5) Phenol-d6	6.901	99	17131	0.323	ng	0.01
8) Nitrobenzene-d5	8.886	82	26639m	0.903	ng	0.00
11) 2-Methylnaphthalene-d10	12.113	152	12748	0.195	ng	0.00
14) 2,4,6-Tribromophenol	15.867	330	1903	0.153	ng	0.01
15) 2-Fluorobiphenyl	13.006	172	6612	0.175	ng	0.00
27) Fluoranthene-d10	19.138	212	47965	0.421	ng	-0.02
31) Terphenyl-d14	19.770	244	23155	0.335	ng	0.00
Target Compounds						Qvalue
2) 1,4-Dioxane	3.203	88	1879	0.106	ng	# 1
9) Naphthalene	10.573	128	2700975	21.936	ng	99
10) Hexachlorobutadiene	10.861	225	2036	0.099	ng	# 98
12) 2-Methylnaphthalene	12.189	142	960597	11.195	ng	99
16) Acenaphthylene	14.085	152	2176211	13.842	ng	99
17) Acenaphthene	14.428	154	516950	5.186	ng	98
18) Fluorene	15.422	166	1442452	10.633	ng	97
24) Pentachlorophenol	16.773	266	3304	0.340	ng	97
25) Phenanthrene	17.171	178	11015892	80.856	ng	97
26) Anthracene	17.257	178	4055241	31.172	ng	99
28) Fluoranthene	19.213	202	13510852	84.959	ng	95
30) Pyrene	19.570	202	14619486	106.938	ng	# 89
32) Benzo(a)anthracene	21.319	228	8086066	62.167	ng	91
33) Chrysene	21.373	228	7130792	55.036	ng	96
34) Bis(2-ethylhexyl)phtha...	21.265	149	149825	2.228	ng	# 88
36) Indeno(1,2,3-cd)pyrene	26.072	276	5066899	25.991	ng	# 91
37) Benzo(b)fluoranthene	22.967	252	8901365	46.210	ng	98
38) Benzo(k)fluoranthene	23.005	252	3313116m	17.098	ng	
39) Benzo(a)pyrene	23.567	252	7417085	44.015	ng	96
40) Dibenzo(a,h)anthracene	26.081	278	1292825	8.169	ng	95
41) Benzo(g,h,i)perylene	26.815	276	5235299	30.891	ng	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN110223\
Data File : BN028438.D
Acq On : 03 Nov 2023 01:10
Operator : MA/JU
Sample : 05005-04
Misc :
ALS Vial : 23 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
N-3(0-5)

Quant Time: Nov 03 01:52:14 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN110123.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Nov 02 06:26:50 2023
Response via : Initial Calibration

Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 11/04/2023
Supervised By :mohammad ahmed 11/04/2023





#1
1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.732 min Scan# 64
Delta R.T. 0.005 min
Lab File: BN028438.D
Acq: 03 Nov 2023 01:10




Instrument :
BNA_N
ClientSampleId :
N-3(0-5)



Tgt Ion:152 Resp: 16014
Ion Ratio Lower Upper
152 100
150 132.1 123.8 185.6
115 66.9 47.0 70.6




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 11/04/2023
Supervised By :mohammad ahmed 11/04/2023



#2
1,4-Dioxane
Concen: 0.106 ng
RT: 3.203 min Scan# 17
Delta R.T. -0.002 min
Lab File: BN028438.D
Acq: 03 Nov 2023 01:10


Tgt Ion: 88 Resp: 1879
Ion Ratio Lower Upper
88 100
43 202.1 24.3 36.5#
58 54.6 59.8 89.6#





#4
2-Fluorophenol
Concen: 0.202 ng
RT: 5.312 min Scan# 309
Delta R.T. 0.012 min
Lab File: BN028438.D
Acq: 03 Nov 2023 01:10




Instrument :
BNA_N
ClientSampleId :
N-3(0-5)



Tgt Ion: 112 Resp: 844
Ion Ratio Lower Upper
112 100
64 0.0 44.3 66.5
63 25.2 22.6 33.8




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 11/04/2023
Supervised By :mohammad ahmed 11/04/2023



#5
Phenol-d6
Concen: 0.323 ng
RT: 6.901 min Scan# 529
Delta R.T. 0.012 min
Lab File: BN028438.D
Acq: 03 Nov 2023 01:10


Tgt Ion: 99 Resp: 17131
Ion Ratio Lower Upper
99 100
42 0.0 15.4 23.0#
71 5490.0 24.4 36.6#





#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.519 min Scan# 91
Delta R.T. 0.008 min
Lab File: BN028438.D
Acq: 03 Nov 2023 01:10




Instrument :
BNA_N
ClientSampleId :
N-3(0-5)



Tgt Ion:136 Resp: 45620
Ion Ratio Lower Upper
136 100
137 12.9 9.0 13.4
54 13.3 7.9 11.9
68 11.1 6.1 9.1#




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 11/04/2023
Supervised By :mohammad ahmed 11/04/2023



#8
Nitrobenzene-d5
Concen: 0.903 ng m
RT: 8.886 min Scan# 778
Delta R.T. 0.008 min
Lab File: BN028438.D
Acq: 03 Nov 2023 01:10

Tgt Ion: 82 Resp: 26639
Ion Ratio Lower Upper
82 100
128 13.2 38.8 58.2#
54 30.6 40.3 60.5#





#9

Naphthalene

Concen: 21.936 ng

RT: 10.573 min Scan# 91

Delta R.T. 0.008 min

Lab File: BN028438.D

Acq: 03 Nov 2023 01:10

Instrument :

BNA_N

ClientSampleId :

N-3(0-5)

Tgt Ion:128 Resp: 270097

Ion Ratio Lower Upper

128 100

129 11.2 8.9 13.3





127 12.6 10.4 15.6

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 11/04/2023

Supervised By :mohammad ahmed 11/04/2023



#10

Hexachlorobutadiene

Concen: 0.099 ng

RT: 10.861 min Scan# 963

Delta R.T. -0.002 min

Lab File: BN028438.D

Acq: 03 Nov 2023 01:10




Tgt Ion:225 Resp: 2036


Ion Ratio Lower Upper

225 100

223 0.0 0.0 0.0


227 65.6 51.4 77.0





#11
2-Methylnaphthalene-d10
Concen: 0.195 ng
RT: 12.113 min Scan# 11
Delta R.T. 0.001 min
Lab File: BN028438.D
Acq: 03 Nov 2023 01:10




Instrument :
BNA_N
ClientSampleId :
N-3(0-5)




Tgt Ion:152 Resp: 12748
Ion Ratio Lower Upper
152 100
151 45.8 16.4 24.6

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 11/04/2023
Supervised By :mohammad ahmed 11/04/2023




#12
2-Methylnaphthalene
Concen: 11.195 ng
RT: 12.189 min Scan# 1203
Delta R.T. 0.005 min
Lab File: BN028438.D
Acq: 03 Nov 2023 01:10




Tgt Ion:142 Resp: 960597
Ion Ratio Lower Upper
142 100
141 87.8 70.7 106.1
115 33.1 27.6 41.4





#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.374 min Scan# 11
Delta R.T. 0.012 min
Lab File: BN028438.D
Acq: 03 Nov 2023 01:10




Instrument :
BNA_N
ClientSampleId :
N-3(0-5)




Tgt Ion:164 Resp: 3183
Ion Ratio Lower Upper
164 100
162 98.7 84.6 127.0
160 50.2 41.3 61.9

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 11/04/2023
Supervised By :mohammad ahmed 11/04/2023




#14
2,4,6-Tribromophenol
Concen: 0.153 ng
RT: 15.867 min Scan# 1682
Delta R.T. 0.013 min
Lab File: BN028438.D
Acq: 03 Nov 2023 01:10



Tgt Ion:330 Resp: 1903
Ion Ratio Lower Upper
330 100
332 97.3 76.2 114.2
141 406.0 32.8 49.2#









#15
2-Fluorobiphenyl
Concen: 0.175 ng
RT: 13.006 min Scan# 1448
Delta R.T. 0.001 min
Lab File: BN028438.D
Acq: 03 Nov 2023 01:10

Instrument :
BNA_N
ClientSampleId :
N-3(0-5)

Tgt Ion:172 Resp: 661
Ion Ratio Lower Upper
172 100
171 34.2 27.2 40.8
170 22.2 17.1 25.7




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 11/04/2023
Supervised By :mohammad ahmed 11/04/2023



#16
Acenaphthylene
Concen: 13.842 ng
RT: 14.085 min Scan# 1520
Delta R.T. 0.001 min
Lab File: BN028438.D
Acq: 03 Nov 2023 01:10


Tgt Ion:152 Resp: 2176211
Ion Ratio Lower Upper
152 100
151 19.6 15.7 23.5
153 13.8 10.5 15.7





#17
Acenaphthene
Concen: 5.186 ng
RT: 14.428 min Scan# 1581
Delta R.T. 0.001 min
Lab File: BN028438.D
Acq: 03 Nov 2023 01:10




Instrument :
BNA_N
ClientSampleId :
N-3(0-5)



Tgt Ion:154 Resp: 516950
Ion Ratio Lower Upper
154 100
153 114.8 90.5 135.7
152 55.7 45.8 68.6




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 11/04/2023
Supervised By :mohammad ahmed 11/04/2023



#18
Fluorene
Concen: 10.633 ng
RT: 15.422 min Scan# 1645
Delta R.T. 0.001 min
Lab File: BN028438.D
Acq: 03 Nov 2023 01:10

Tgt Ion:166 Resp: 1442452
Ion Ratio Lower Upper
166 100
165 101.6 79.2 118.8
167 15.9 10.6 16.0





#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 17.121 min Scan# 1

Delta R.T. 0.001 min

Lab File: BN028438.D

Acq: 03 Nov 2023 01:10

Instrument :

BNA_N

ClientSampleId :

N-3(0-5)

Tgt Ion:188 Resp: 4612





Ion	Ratio	Lower	Upper
188	100		
94	0.0	0.0	0.0
80	18.7	5.3	7.9

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 11/04/2023

Supervised By :mohammad ahmed 11/04/2023



#24

Pentachlorophenol

Concen: 0.340 ng

RT: 16.773 min Scan# 1755




Delta R.T. 0.013 min


Lab File: BN028438.D

Acq: 03 Nov 2023 01:10

Tgt Ion:266 Resp: 3304


Ion	Ratio	Lower	Upper
266	100		
264	67.5	50.9	76.3
268	62.5	51.0	76.4





#25
Phenanthrene
Concen: 80.856 ng
RT: 17.171 min Scan# 1794
Delta R.T. 0.013 min
Lab File: BN028438.D
Acq: 03 Nov 2023 01:10




Instrument :
BNA_N
ClientSampleId :
N-3(0-5)



Tgt Ion:178 Resp:1101589
Ion Ratio Lower Upper
178 100
176 19.7 15.2 22.8
179 16.9 12.2 18.2




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 11/04/2023
Supervised By :mohammad ahmed 11/04/2023



#26
Anthracene
Concen: 31.172 ng
RT: 17.257 min Scan# 1794
Delta R.T. 0.013 min
Lab File: BN028438.D
Acq: 03 Nov 2023 01:10


Tgt Ion:178 Resp: 4055241
Ion Ratio Lower Upper
178 100
176 18.4 14.9 22.3
179 16.3 12.2 18.4





#27
Fluoranthene-d10
Concen: 0.421 ng
RT: 19.138 min Scan# 2030
Delta R.T. -0.018 min
Lab File: BN028438.D
Acq: 03 Nov 2023 01:10




Instrument :
BNA_N
ClientSampleId :
N-3(0-5)




Tgt Ion:212 Resp: 4796
Ion Ratio Lower Upper
212 100
106 0.0 11.9 17.9
104 19.8 6.7 10.1

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 11/04/2023
Supervised By :mohammad ahmed 11/04/2023




#28
Fluoranthene
Concen: 84.959 ng
RT: 19.213 min Scan# 2046
Delta R.T. 0.029 min
Lab File: BN028438.D
Acq: 03 Nov 2023 01:10




Tgt Ion:202 Resp:13510852
Ion Ratio Lower Upper
202 100
101 12.4 9.3 13.9
203 20.0 13.7 20.5





#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.337 min Scan# 2497
Delta R.T. 0.010 min
Lab File: BN028438.D
Acq: 03 Nov 2023 01:10




Instrument :
BNA_N
ClientSampleId :
N-3(0-5)




Tgt Ion:240 Resp: 32770
Ion Ratio Lower Upper
240 100
120 55.3 9.8 14.6
236 55.5 22.2 33.2

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 11/04/2023
Supervised By :mohammad ahmed 11/04/2023




#30
Pyrene
Concen: 106.938 ng
RT: 19.570 min Scan# 2123
Delta R.T. 0.019 min
Lab File: BN028438.D
Acq: 03 Nov 2023 01:10




Tgt Ion:202 Resp:14619486
Ion Ratio Lower Upper
202 100
200 22.9 16.6 25.0
203 26.1 14.2 21.2





#31
Terphenyl-d14
Concen: 0.335 ng
RT: 19.770 min Scan# 2195
Delta R.T. 0.001 min
Lab File: BN028438.D
Acq: 03 Nov 2023 01:10




Instrument :
BNA_N
ClientSampleId :
N-3(0-5)



Tgt Ion:244 Resp: 2315
Ion Ratio Lower Upper
244 100
212 34.5 6.6 10.0
122 50.4 12.6 19.0




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 11/04/2023
Supervised By :mohammad ahmed 11/04/2023



#32
Benzo(a)anthracene
Concen: 62.167 ng
RT: 21.319 min Scan# 2467
Delta R.T. 0.010 min
Lab File: BN028438.D
Acq: 03 Nov 2023 01:10


Tgt Ion:228 Resp: 8086066
Ion Ratio Lower Upper
228 100
226 32.7 21.8 32.8
229 22.5 15.5 23.3





#33
Chrysene
Concen: 55.036 ng
RT: 21.373 min Scan# 2473
Delta R.T. 0.010 min
Lab File: BN028438.D
Acq: 03 Nov 2023 01:10




Instrument :
BNA_N
ClientSampleId :
N-3(0-5)




Tgt Ion:228 Resp: 713079
Ion Ratio Lower Upper
228 100
226 31.9 24.6 36.8
229 23.1 15.7 23.5

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 11/04/2023
Supervised By :mohammad ahmed 11/04/2023




#34
Bis(2-ethylhexyl)phthalate
Concen: 2.228 ng
RT: 21.265 min Scan# 2461
Delta R.T. -0.009 min
Lab File: BN028438.D
Acq: 03 Nov 2023 01:10




Tgt Ion:149 Resp: 149825
Ion Ratio Lower Upper
149 100
167 33.2 21.4 32.0#
279 5.0 2.3 3.5#





#35
 Perylene-d12
 Concen: 0.400 ng
 RT: 23.654 min Scan# 3040
 Delta R.T. 0.010 min
 Lab File: BN028438.D
 Acq: 03 Nov 2023 01:10




Instrument :
 BNA_N
 ClientSampleId :
 N-3(0-5)




Tgt Ion:264 Resp: 49490
 Ion Ratio Lower Upper
 264 100
 260 53.4 20.8 31.2
 265 164.2 21.7 32.5

Manual Integrations
 APPROVED



Reviewed By :Yogesh Patel 11/04/2023
 Supervised By :mohammad ahmed 11/04/2023




#36
 Indeno(1,2,3-cd)pyrene
 Concen: 25.991 ng
 RT: 26.072 min Scan# 3841
 Delta R.T. 0.050 min
 Lab File: BN028438.D
 Acq: 03 Nov 2023 01:10




Tgt Ion:276 Resp: 5066899
 Ion Ratio Lower Upper
 276 100
 138 21.2 24.1 36.1#
 277 24.9 19.7 29.5





#37
Benzo(b)fluoranthene
Concen: 46.210 ng
RT: 22.967 min Scan# 21
Delta R.T. 0.024 min
Lab File: BN028438.D
Acq: 03 Nov 2023 01:10




Instrument :
BNA_N
ClientSampleId :
N-3(0-5)



Tgt Ion:252 Resp: 890136
Ion Ratio Lower Upper
252 100
253 23.6 18.2 27.4
125 11.7 10.0 15.0




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 11/04/2023
Supervised By :mohammad ahmed 11/04/2023



#38
Benzo(k)fluoranthene
Concen: 17.098 ng m
RT: 23.005 min Scan# 2792
Delta R.T. 0.015 min
Lab File: BN028438.D
Acq: 03 Nov 2023 01:10


Tgt Ion:252 Resp: 3313116
Ion Ratio Lower Upper
252 100
253 24.3 18.1 27.1
125 11.3 10.2 15.2





#39
Benzo(a)pyrene
Concen: 44.015 ng
RT: 23.567 min Scan# 2984
Delta R.T. 0.027 min
Lab File: BN028438.D
Acq: 03 Nov 2023 01:10




Instrument :
BNA_N
ClientSampleId :
N-3(0-5)



Tgt Ion:252 Resp: 7417085
Ion Ratio Lower Upper
252 100
253 24.0 17.9 26.9
125 11.7 11.0 16.6




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 11/04/2023
Supervised By :mohammad ahmed 11/04/2023



#40
Dibenzo(a,h)anthracene
Concen: 8.169 ng
RT: 26.081 min Scan# 3844
Delta R.T. 0.030 min
Lab File: BN028438.D
Acq: 03 Nov 2023 01:10


Tgt Ion:278 Resp: 1292825
Ion Ratio Lower Upper
278 100
139 20.6 15.8 23.8
279 28.6 19.7 29.5





#41
 Benzo(g,h,i)perylene
 Concen: 30.891 ng
 RT: 26.815 min Scan# 4095
 Delta R.T. 0.071 min
 Lab File: BN028438.D
 Acq: 03 Nov 2023 01:10

Instrument :
 BNA_N
 ClientSampleId :
 N-3(0-5)



Tgt Ion:276 Resp: 5235299
 Ion Ratio Lower Upper
 276 100
 277 24.5 19.0 28.4
 138 21.9 21.1 31.7

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 11/04/2023
 Supervised By :mohammad ahmed 11/04/2023

