

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN110519\
 Data File : BN008462.D
 Acq On : 06 Nov 2019 00:11
 Operator : JU
 Sample : PB124382BL
 Misc :
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :

Quant Time: Nov 07 11:15:51 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\SOM-EPA-SIM-BN110519.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Nov 07 10:57:49 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.56	152	1527	0.40	ng/ul	0.00
2) Naphthalene-d8	10.32	136	6748	0.40	ng/ul	0.00
6) Acenaphthene-d10	14.19	164	4028	0.40	ng/ul	0.00
10) Phenanthrene-d10	0.00	188	0	0.00	ng/ul	-16.95
16) Chrysene-d12	21.16	240	5885	0.40	ng/ul	0.00
20) Perylene-d12	23.32	264	7576	0.40	ng/ul	-0.01
System Monitoring Compounds						
4) 2-Methylnaphthalene-d10	11.93	152	3125	0.29	ng/ul	0.02
14) Fluoranthene-d10	18.99	212	7772	0.00	ng/ul	0.00
Target Compounds						
					Ovalue	
9) Fluorene	15.19	166	1150	0.069	ng/ul#	16
17) Pyrene	19.35	202	1074	0.037	ng/ul#	1
23) Benzo(a)pyrene	23.18	252	1680	0.059	ng/ul#	89


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN110519\
Data File : BN008462.D
Acq On : 06 Nov 2019 00:11
Operator : JU
Sample : PB124382BL
Misc :
ALS Vial : 23 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :

Quant Time: Nov 07 11:15:51 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\SOM-EPA-SIM-BN110519.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Nov 07 10:57:49 2019
Response via : Initial Calibration





#9

Fluorene

Concen: 0.069 ng/ul

RT: 15.19 min Scan# 3256

Delta R.T. -0.06 min

Lab File: BN008462.D

Acq: 06 Nov 2019 00:11

Instrument :

BNA_N

ClientSampleId :


Tot Ion:166 Resp: 1150

Ion Ratio Lower Upper




166 100

165 9.6 78.2 117.2#

167 36.3 12.1 18.1#



Abundance Ion 166.00 (165.70 to 166.70): E
Ion 165.00 (164.70 to 165.70): E
Ion 167.00 (166.70 to 167.70): E



#17

Pyrene

Concen: 0.037 ng/ul

RT: 19.35 min Scan# 4205

Delta R.T. -0.04 min

Lab File: BN008462.D

Acq: 06 Nov 2019 00:11


Tgt Ion:202 Resp: 1074

Ion Ratio Lower Upper



202 100


101 182.3 11.6 17.4#

100 1234.4 9.4 14.0#



Abundance Ion 202.00 (201.70 to 202.70): E
Ion 101.00 (100.70 to 101.70): E
Ion 100.00 (99.70 to 100.70): B





#23

Benzo(a)pyrene

Concen: 0.059 ng/ul

RT: 23.18 min Scan# 5370

Delta R.T. -0.06 min


Lab File: BN008462.D

Acq: 06 Nov 2019 00:11

Instrument :

BNA_N

ClientSampleId :



Tot Ion:	252	Resp:	1680
Ion	Ratio	Lower	Upper
252	100		
253	48.7	27.2	40.8#
125	45.6	37.0	55.6

