

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN110718\
 Data File : BN003459.D
 Acq On : 07 Nov 2018 19:30
 Operator : MJ/SJ
 Sample : J5829-08
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 110518-TIPC-E-U-M

Quant Time: Nov 08 16:01:18 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-BN102418.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Nov 07 08:25:32 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.85	152	109342	20.00	ng	0.00
21) Naphthalene-d8	10.65	136	491245	20.00	ng	0.00
39) Acenaphthene-d10	14.49	164	300678	20.00	ng	0.00
64) Phenanthrene-d10	17.23	188	676728	20.00	ng	0.00
76) Chrysene-d12	21.40	240	548608	20.00	ng	0.00
87) Perylene-d12	23.72	264	516421	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.42	112	226255	36.04	ng	0.00
7) Phenol-d6	7.00	99	179249	20.08	ng	-0.01
23) Nitrobenzene-d5	9.02	82	713348	83.28	ng	0.00
42) 2,4,6-Tribromophenol	15.97	330	390347	96.41	ng	0.00
45) 2-Fluorobiphenyl	13.11	172	1985602	89.57	ng	0.00
79) Terphenyl-d14	19.85	244	2488229	96.99	ng	0.00
Target Compounds						
10) Phenol	7.03	94	36369	3.861	ng	96
50) Dimethylphthalate	13.94	163	70215	2.888	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN110718\
Data File : BN003459.D
Acq On : 07 Nov 2018 19:30
Operator : MJ/SJ
Sample : J5829-08
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
110518-TIPC-E-U-M

Quant Time: Nov 08 16:01:18 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\8270-BN102418.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Nov 07 08:25:32 2018
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 20.000 ng

RT: 7.85 min Scan# 827

Delta R.T. -0.00 min

Lab File: BN003459.D

Acq: 07 Nov 2018 19:30

Instrument :

BNA_N

ClientSampleId :

110518-TIPC-E-U-M


Tot Ion:152 Resp: 109342

Ion Ratio Lower Upper

152 100

150 156.0 123.8 185.8




115 56.3 45.9 68.9



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol

Concen: 36.041 ng

RT: 5.42 min Scan# 413

Delta R.T. 0.01 min

Lab File: BN003459.D

Acq: 07 Nov 2018 19:30


Tgt Ion:112 Resp: 226255

Ion Ratio Lower Upper

112 100

64 51.6 46.6 69.8



63 26.2 23.8 35.8




Abundance Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BNC

Ion 63.00 (62.70 to 63.70): BNC





#7

Phenol-d6

Concen: 20.080 ng

RT: 7.00 min Scan# 682

Delta R.T. -0.01 min

Lab File: BN003459.D

Acq: 07 Nov 2018 19:30

Instrument :

BNA_N

ClientSampleId :

110518-TIPC-E-U-M


Tot Ion: 99 Resp: 179249

Ion Ratio Lower Upper




99 100

42 15.5 13.0 19.6

71 30.2 24.5 36.7



Abundance Ion 99.00 (98.70 to 99.70): BNC
Ion 42.00 (41.70 to 42.70): BNC
Ion 71.00 (70.70 to 71.70): BNC



#10

Phenol

Concen: 3.861 ng

RT: 7.03 min Scan# 687

Delta R.T. -0.01 min

Lab File: BN003459.D

Acq: 07 Nov 2018 19:30


Tgt Ion: 94 Resp: 36369

Ion Ratio Lower Upper



94 100


65 25.2 7.7 47.7

66 33.3 15.8 55.8



Abundance Ion 94.00 (93.70 to 94.70): BNC
Ion 65.00 (64.70 to 65.70): BNC
Ion 66.00 (65.70 to 66.70): BNC









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.65 min Scan# 1302
Delta R.T. -0.01 min
Lab File: BN003459.D
Acq: 07 Nov 2018 19:30

Instrument :
BNA_N
ClientSampleId :
110518-TIPC-E-U-M

Tot Ion:	136	Resp:	491245
Ion	Ratio	Lower	Upper
136	100		
137	11.2	8.7	13.1
54	7.5	6.6	10.0
68	6.2	4.6	7.0




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BNC
Ion 68.00 (67.70 to 68.70): BNC






#23
Nitrobenzene-d5
Concen: 83.278 ng
RT: 9.02 min Scan# 1026
Delta R.T. -0.00 min
Lab File: BN003459.D
Acq: 07 Nov 2018 19:30

Tgt Ion:	82	Resp:	713348
Ion	Ratio	Lower	Upper
82	100		
128	50.8	37.1	55.7
54	44.1	39.4	59.2



Abundance Ion 82.00 (81.70 to 82.70): BNC
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BNC





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.49 min Scan# 1955

Delta R.T. -0.00 min

Lab File: BN003459.D

Acq: 07 Nov 2018 19:30

Instrument :

BNA_N

ClientSampleId :

110518-TIPC-E-U-M


Tot Ion:164 Resp: 300678

Ion Ratio Lower Upper




164 100

162 102.8 80.8 121.2

160 44.7 35.5 53.3



Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 96.412 ng

RT: 15.97 min Scan# 2208

Delta R.T. -0.01 min

Lab File: BN003459.D

Acq: 07 Nov 2018 19:30


Tgt Ion:330 Resp: 390347

Ion Ratio Lower Upper



330 100


332 96.1 76.6 114.8

141 27.6 24.5 36.7



Abundance Ion 329.80 (329.50 to 330.50): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E









#45
2-Fluorobiphenyl
Concen: 89.575 ng
RT: 13.11 min Scan# 1721
Delta R.T. -0.00 min
Lab File: BN003459.D
Acq: 07 Nov 2018 19:30

Instrument :
BNA_N
ClientSampleId :
110518-TIPC-E-U-M

Tot Ion:172 Resp: 1985602




Ion	Ratio	Lower	Upper
172	100		
171	36.0	28.2	42.4
170	23.7	18.4	27.6




#50
Dimethylphthalate
Concen: 2.888 ng
RT: 13.94 min Scan# 1862
Delta R.T. -0.01 min
Lab File: BN003459.D
Acq: 07 Nov 2018 19:30

Tgt Ion:163 Resp: 70215

Ion	Ratio	Lower	Upper
163	100		
194	4.9	3.4	5.2
164	10.0	7.9	11.9









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.23 min Scan# 2421
Delta R.T. -0.01 min
Lab File: BN003459.D
Acq: 07 Nov 2018 19:30

Instrument :
BNA_N
ClientSampleId :
110518-TIPC-E-U-M

Tot Ion:188 Resp: 676728
Ion Ratio Lower Upper
188 100
94 9.8 8.1 12.1
80 10.5 8.6 13.0




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BNC
Ion 80.00 (79.70 to 80.70): BNC






#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.40 min Scan# 3131
Delta R.T. -0.01 min
Lab File: BN003459.D
Acq: 07 Nov 2018 19:30

Tgt Ion:240 Resp: 548608
Ion Ratio Lower Upper
240 100
120 11.5 9.4 14.0
236 25.3 20.3 30.5



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 96.995 ng

RT: 19.85 min Scan# 2867

Delta R.T. -0.00 min

Lab File: BN003459.D

Acq: 07 Nov 2018 19:30

Instrument :

BNA_N

ClientSampleId :

110518-TIPC-E-U-M


Tot Ion:244 Resp: 2488229

Ion Ratio Lower Upper

244 100

212 6.6 5.4 8.0




122 9.7 9.4 14.2



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 23.72 min Scan# 3525

Delta R.T. -0.01 min

Lab File: BN003459.D

Acq: 07 Nov 2018 19:30


Tgt Ion:264 Resp: 516421

Ion Ratio Lower Upper

264 100

260 23.8 18.5 27.7

265 22.0 16.6 25.0



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

