

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN111318\
 Data File : BN003524.D
 Acq On : 13 Nov 2018 22:27
 Operator : MJ/SJ
 Sample : J5908-12
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 SR-4-S

Quant Time: Nov 14 01:11:53 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-BN111218.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Nov 12 15:59:25 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.85	152	94097	20.00	ng	0.00
21) Naphthalene-d8	10.65	136	396337	20.00	ng	0.00
39) Acenaphthene-d10	14.48	164	237706	20.00	ng	0.00
64) Phenanthrene-d10	17.22	188	537185	20.00	ng	0.00
76) Chrysene-d12	21.40	240	441520	20.00	ng	0.00
87) Perylene-d12	23.72	264	430942	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.42	112	587144	112.54	ng	0.00
7) Phenol-d6	7.00	99	709089	98.00	ng	0.00
23) Nitrobenzene-d5	9.02	82	510327	81.05	ng	0.00
42) 2,4,6-Tribromophenol	15.97	330	454420	128.24	ng	0.00
45) 2-Fluorobiphenyl	13.10	172	1404397	78.86	ng	0.00
79) Terphenyl-d14	19.84	244	2079722	92.73	ng	0.00
Target Compounds						
19) n-Nitroso-di-n-propylamine	9.02	70	64294	13.198	ng	# 76
51) 2,6-Dinitrotoluene	14.48	165	30604	7.041	ng	# 32
57) 2,4-Dinitrotoluene	14.48	165	30604	5.209	ng	# 32
65) 4,6-Dinitro-2-methylphenol	15.97	198	801	5.131	ng	# 1
67) 4-Bromophenyl-phenylether	15.97	248	28811	4.252	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN111318\
Data File : BN003524.D
Acq On : 13 Nov 2018 22:27
Operator : MJ/SJ
Sample : J5908-12
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
SR-4-S

Quant Time: Nov 14 01:11:53 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-BN111218.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Nov 12 15:59:25 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.85 min Scan# 826
Delta R.T. -0.00 min
Lab File: BN003524.D
Acq: 13 Nov 2018 22:27

Instrument :
BNA_N
ClientSampleId :
SR-4-S

Tgt Ion:152 Resp: 94097
Ion Ratio Lower Upper
152 100
150 154.6 125.4 188.0
115 56.5 45.9 68.9




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 112.539 ng
RT: 5.42 min Scan# 413
Delta R.T. 0.01 min
Lab File: BN003524.D
Acq: 13 Nov 2018 22:27

Tgt Ion:112 Resp: 587144
Ion Ratio Lower Upper
112 100
64 52.7 41.4 62.2
63 25.7 20.5 30.7



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BNC
Ion 63.00 (62.70 to 63.70): BNC





#7

Phenol-d6

Concen: 98.000 ng

RT: 7.00 min Scan# 683

Delta R.T. -0.00 min

Lab File: BN003524.D

Acq: 13 Nov 2018 22:27

Instrument :

BNA_N

ClientSampleId :

SR-4-S


Tgt Ion: 99 Resp: 709089

Ion Ratio Lower Upper

99 100

42 14.7 11.6 17.4




71 30.1 24.2 36.2



Abundance Ion 99.00 (98.70 to 99.70): BN003503.D (-674) (-)

Ion 42.00 (41.70 to 42.70): BN003503.D (-674) (-)

Ion 71.00 (70.70 to 71.70): BN003503.D (-674) (-)



#19

n-Nitroso-di-n-propylamine

Concen: 13.198 ng

RT: 9.02 min Scan# 1025

Delta R.T. 0.36 min

Lab File: BN003524.D

Acq: 13 Nov 2018 22:27

Tgt Ion: 70 Resp: 64294


Ion Ratio Lower Upper

70 100

42 41.5 39.7 59.5

101 0.0 8.8 13.2#

130 2.5 20.8 31.2#






Abundance Ion 70.00 (69.70 to 70.70): BN003503.D (-956) (-)

Ion 42.00 (41.70 to 42.70): BN003503.D (-956) (-)

Ion 101.00 (100.70 to 101.70): BN003503.D (-956) (-)

Ion 130.00 (129.70 to 130.70): BN003503.D (-956) (-)









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.65 min Scan# 1302
Delta R.T. -0.00 min
Lab File: BN003524.D
Acq: 13 Nov 2018 22:27

Instrument :
BNA_N
ClientSampleId :
SR-4-S

Tgt Ion:	136	Resp:	396337
Ion	Ratio	Lower	Upper
136	100		
137	10.9	8.7	13.1
54	7.0	5.7	8.5
68	5.8	4.7	7.1




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BNC
Ion 68.00 (67.70 to 68.70): BNC






#23
Nitrobenzene-d5
Concen: 81.051 ng
RT: 9.02 min Scan# 1025
Delta R.T. -0.00 min
Lab File: BN003524.D
Acq: 13 Nov 2018 22:27

Tgt Ion:	82	Resp:	510327
Ion	Ratio	Lower	Upper
82	100		
128	49.3	40.0	60.0
54	44.3	36.1	54.1



Abundance Ion 82.00 (81.70 to 82.70): BNC
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BNC





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.48 min Scan# 1954

Delta R.T. -0.01 min

Lab File: BN003524.D

Acq: 13 Nov 2018 22:27

Instrument :

BNA_N

ClientSampleId :

SR-4-S


Tgt Ion:164 Resp: 237706

Ion Ratio Lower Upper

164 100

162 101.8 81.8 122.6




160 44.8 36.2 54.2



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 128.237 ng

RT: 15.97 min Scan# 2207

Delta R.T. -0.01 min

Lab File: BN003524.D

Acq: 13 Nov 2018 22:27


Tgt Ion:330 Resp: 454420

Ion Ratio Lower Upper

330 100

332 95.6 76.8 115.2



141 26.6 21.6 32.4




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#45
 2-Fluorobiphenyl
 Concen: 78.859 ng
 RT: 13.10 min Scan# 1720
 Delta R.T. -0.00 min
 Lab File: BN003524.D
 Acq: 13 Nov 2018 22:27

Instrument :
 BNA_N
 ClientSampleId :
 SR-4-S

Tgt Ion:172 Resp: 1404397
 Ion Ratio Lower Upper
 172 100
 171 36.5 28.3 42.5
 170 23.6 18.7 28.1




Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E






#51
 2,6-Dinitrotoluene
 Concen: 7.041 ng
 RT: 14.48 min Scan# 1954
 Delta R.T. 0.41 min
 Lab File: BN003524.D
 Acq: 13 Nov 2018 22:27

Tgt Ion:165 Resp: 30604
 Ion Ratio Lower Upper
 165 100
 63 0.0 34.3 51.5#
 89 0.0 36.7 55.1#



Abundance Ion 165.00 (164.70 to 165.70): E
 Ion 63.00 (62.70 to 63.70): BNC
 Ion 89.00 (88.70 to 89.70): BNC









#57
2,4-Dinitrotoluene
Concen: 5.209 ng
RT: 14.48 min Scan# 1954
Delta R.T. -0.38 min
Lab File: BN003524.D
Acq: 13 Nov 2018 22:27




Instrument :
BNA_N
ClientSampleId :
SR-4-S


Tgt Ion	Ratio	Lower	Upper
165	100		
63	0.0	25.4	38.2#
89	0.0	44.7	67.1#
182	0.0	2.6	3.8#



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.22 min Scan# 2420
Delta R.T. -0.01 min
Lab File: BN003524.D
Acq: 13 Nov 2018 22:27

Tgt Ion	Ratio	Lower	Upper
188	100		
94	9.6	7.6	11.4
80	10.7	8.2	12.2





#65

4,6-Dinitro-2-methylphenol

Concen: 5.131 ng

RT: 15.97 min Scan# 2207

Delta R.T. 0.36 min

Lab File: BN003524.D

Acq: 13 Nov 2018 22:27

Instrument :

BNA_N

ClientSampled :

SR-4-S


Tgt Ion:198 Resp: 801

Ion Ratio Lower Upper

198 100

51 129.7 13.8 53.8#




105 160.2 18.3 58.3#



Abundance Ion 198.00 (197.70 to 198.70): E

Ion 51.00 (50.70 to 51.70): B

Ion 105.00 (104.70 to 105.70): E



#67

4-Bromophenyl-phenylether

Concen: 4.252 ng

RT: 15.97 min Scan# 2207

Delta R.T. -0.45 min

Lab File: BN003524.D

Acq: 13 Nov 2018 22:27


Tgt Ion:248 Resp: 28811

Ion Ratio Lower Upper

248 100

250 199.2 79.0 118.6#



141 400.1 50.7 76.1#




Abundance Ion 248.00 (247.70 to 248.70): E

Ion 250.00 (249.70 to 250.70): E

Ion 141.00 (140.70 to 141.70): E









#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.40 min Scan# 3130
Delta R.T. -0.01 min
Lab File: BN003524.D
Acq: 13 Nov 2018 22:27




Instrument :
BNA_N
ClientSampleId :
SR-4-S


Tgt Ion:240 Resp: 441520
Ion Ratio Lower Upper
240 100
120 11.6 9.1 13.7
236 26.1 20.6 30.8



#79
Terphenyl-d14
Concen: 92.734 ng
RT: 19.84 min Scan# 2866
Delta R.T. -0.00 min
Lab File: BN003524.D
Acq: 13 Nov 2018 22:27

Tgt Ion:244 Resp: 2079722
Ion Ratio Lower Upper
244 100
212 6.5 5.4 8.0
122 10.0 8.2 12.2





#87
Perylene-d12
Concen: 20.000 ng
RT: 23.72 min Scan# 3524
Delta R.T. -0.00 min
Lab File: BN003524.D
Acq: 13 Nov 2018 22:27

Instrument :
BNA_N
ClientSampleId :
SR-4-S

Tgt Ion: 264 Resp: 430942
Ion Ratio Lower Upper
264 100
260 23.4 18.8 28.2
265 21.8 17.2 25.8

