

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN111418\
 Data File : BN003544.D
 Acq On : 15 Nov 2018 01:23
 Operator : MJ/SJ
 Sample : J5833-03
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 ESNS1

Quant Time: Nov 15 01:59:24 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN111418MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Nov 15 01:42:46 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.85	152	97417	20.00	ng/ul	0.00
18) Naphthalene-d8	10.64	136	405295	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.48	164	259106	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.22	188	613591	20.00	ng/ul	0.00
77) Chrysene-d12	21.40	240	700626	20.00	ng/ul	0.00
85) Perylene-d12	23.72	264	831625	20.00	ng/ul	0.00

System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.29	96	12816	6.22	ng/uL	0.00
5) Phenol-d5	6.99	99	274806	34.09	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.18	67	158002	34.73	ng/ul	0.00
9) 2-Chlorophenol-d4	7.37	132	221384	32.15	ng/ul	0.00
13) 4-Methylphenol-d8	8.53	113	234455	34.67	ng/ul	0.00
19) Nitrobenzene-d5	9.01	128	113504	36.13	ng/ul	0.00
22) 2-Nitrophenol-d4	9.73	143	126633	36.22	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.25	165	217362	32.30	ng/ul	0.00
29) 4-Chloroaniline-d4	10.78	131	305186	53.04	ng/ul	0.00
43) Dimethylphthalate-d6	13.89	166	773401	36.01	ng/ul	0.00
46) Acenaphthylene-d8	14.17	160	926304	34.67	ng/ul	0.00
51) 4-Nitrophenol-d4	14.67	143	143414	33.30	ng/ul	0.00
57) Fluorene-d10	15.47	176	700280	38.88	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.59	200	118030	27.38	ng/ul	0.00
70) Anthracene-d10	17.32	188	1120364	37.17	ng/ul	0.00
78) Pyrene-d10	19.62	212	1298310	37.33	ng/ul	0.00
89) Benzo(a)pyrene-d12	23.57	264	1724135	38.30	ng/ul	0.00


Target Compounds					Ovalue	
6) Phenol	7.02	94	57914	7.149	ng/ul	96
44) Dimethylphthalate	13.93	163	152290	7.219	ng/ul	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN111418\
Data File : BN003544.D
Acq On : 15 Nov 2018 01:23
Operator : MJ/SJ
Sample : J5833-03
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
ESNS1

Quant Time: Nov 15 01:59:24 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN111418MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Nov 15 01:42:46 2018
Response via : Initial Calibration









#6

Phenol

Concen: 7.149 ng/ul
 RT: 7.02 min Scan# 686
 Delta R.T. -0.00 min
 Lab File: BN003544.D
 Acq: 15 Nov 2018 01:23

Instrument :
 BNA_N
 ClientSampled :
 ESNS1

Tot Ion: 94 Resp: 57914
 Ion Ratio Lower Upper
 94 100
 65 25.5 19.2 28.8
 66 34.4 25.8 38.6



#44

Dimethylphthalate

Concen: 7.219 ng/ul
 RT: 13.93 min Scan# 1861
 Delta R.T. -0.00 min
 Lab File: BN003544.D
 Acq: 15 Nov 2018 01:23

Tgt Ion:163 Resp: 152290
 Ion Ratio Lower Upper
 163 100
 194 4.4 3.5 5.3
 164 9.9 8.0 12.0

