

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN111820\
 Data File : BN012608.D
 Acq On : 18 Nov 2020 23:43
 Operator : CG/JU
 Sample : L4753-08
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 DBGG8

Quant Time: Nov 19 06:44:29 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN102220.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Nov 18 14:31:59 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.45	152	139532	20.00	ng/ul	0.00
18) Naphthalene-d8	10.21	136	557057	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.10	164	354297	20.00	ng/ul	0.00
62) Phenanthrene-d10	16.86	188	754197	20.00	ng/ul	0.00
78) Chrysene-d12	21.07	240	784831	20.00	ng/ul	0.00
86) Perylene-d12	23.18	264	896828	20.00	ng/ul	-0.02

System Monitoring Compounds

3) 1,4-Dioxane-d8	2.98	96	19506	4.98	ng/uL	0.00
5) Phenol-d5	6.63	99	71621	5.64	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.79	67	242910	32.49	ng/ul	0.00
9) 2-Chlorophenol-d4	6.98	132	250550	25.24	ng/ul	0.00
13) 4-Methylphenol-d8	8.16	113	139344	13.43	ng/ul	0.00
19) Nitrobenzene-d5	8.59	128	152467	33.36	ng/ul	0.00
22) 2-Nitrophenol-d4	9.31	143	177854	35.03	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	9.84	165	282016	29.23	ng/ul	0.00
29) 4-Chloroaniline-d4	0.00	131	0d	0.00	ng/ul	
44) Dimethylphthalate-d6	13.53	166	1059112	36.60	ng/ul	0.00
47) Acenaphthylene-d8	13.79	160	1238562	35.86	ng/ul	0.00
52) 4-Nitrophenol-d4	14.32	143	22876	4.22	ng/ul	0.00
58) Fluorene-d10	15.10	176	891524	35.02	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.23	200	177121	34.43	ng/ul	0.00
71) Anthracene-d10	16.96	188	1486122	38.79	ng/ul	0.00
79) Pyrene-d10	19.26	212	1680892	40.95	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.05	264	1933875	39.46	ng/ul	-0.01


Target Compounds					Ovalue	
45) Dimethylphthalate	13.57	163	153321	5.260	ng/ul	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN111820\
Data File : BN012608.D
Acq On : 18 Nov 2020 23:43
Operator : CG/JU
Sample : L4753-08
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
DBGG8

Quant Time: Nov 19 06:44:29 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN102220.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Nov 18 14:31:59 2020
Response via : Initial Calibration





#45

Dimethylphthalate

Concen: 5.260 ng/ul

RT: 13.57 min Scan# 1884

Delta R.T. -0.01 min

Lab File: BN012608.D

Acq: 18 Nov 2020 23:43

Instrument :

BNA_N

ClientSampleId :

DBG8


Tot Ion:163 Resp: 153321

Ion Ratio Lower Upper

163 100

194 4.4 3.0 4.4

164 9.9 8.6 13.0



Abundance Ion 163.00 (162.70 to 163.70): E

150000 Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

