

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN112123\
 Data File : BN028812.D
 Acq On : 20 Nov 2023 17:29
 Operator : MA/JU
 Sample : PB156727BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 PB156727BL

Quant Time: Nov 21 01:34:29 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN110723.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Nov 21 01:23:43 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.725	152	4293	0.400	ng	# 0.04
7) Naphthalene-d8	10.477	136	16282	0.400	ng	# 0.02
13) Acenaphthene-d10	14.311	164	11749	0.400	ng	0.01
19) Phenanthrene-d10	17.085	188	15520	0.400	ng	# 0.01
29) Chrysene-d12	21.285	240	12075	0.400	ng	# 0.00
35) Perylene-d12	23.565	264	15290	0.400	ng	# 0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.298	112	3747	0.292	ng	0.00
5) Phenol-d6	7.039	99	1220	0.074	ng	0.10
8) Nitrobenzene-d5	8.886	82	14	0.001	ng	-0.03
11) 2-Methylnaphthalene-d10	12.091	152	8787	0.311	ng	0.03
14) 2,4,6-Tribromophenol	15.844	330	1235	0.188	ng	0.02
15) 2-Fluorobiphenyl	12.964	172	8195	0.159	ng	0.02
27) Fluoranthene-d10	19.112	212	16902	0.357	ng	0.00
31) Terphenyl-d14	19.720	244	9408	0.293	ng	0.00
Target Compounds						
20) 4,6-Dinitro-2-methylph...	15.533	198	7	0.181	ng	# 1
34) Bis(2-ethylhexyl)phtha...	21.204	149	838	0.027	ng	# 89


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN112123\
Data File : BN028812.D
Acq On : 20 Nov 2023 17:29
Operator : MA/JU
Sample : PB156727BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
PB156727BL

Quant Time: Nov 21 01:34:29 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN110723.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Nov 21 01:23:43 2023
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 0.400 ng
 RT: 7.725 min Scan# 74
 Delta R.T. 0.036 min
 Lab File: BN028812.D
 Acq: 20 Nov 2023 17:29




Instrument :
 BNA_N
 ClientSampleId :
 PB156727BL


Tgt Ion:152 Resp: 4293
 Ion Ratio Lower Upper
 152 100
 150 140.8 122.5 183.7
 115 94.2 47.5 71.3#



#4
 2-Fluorophenol
 Concen: 0.292 ng
 RT: 5.298 min Scan# 404
 Delta R.T. 0.000 min
 Lab File: BN028812.D
 Acq: 20 Nov 2023 17:29

Tgt Ion:112 Resp: 3747
 Ion Ratio Lower Upper
 112 100
 64 56.0 44.6 67.0
 63 31.3 23.3 34.9









#5
Phenol-d6
Concen: 0.074 ng
RT: 7.039 min Scan# 64
Delta R.T. 0.101 min
Lab File: BN028812.D
Acq: 20 Nov 2023 17:29




Instrument :
BNA_N
ClientSampleId :
PB156727BL


Tgt Ion: 99 Resp: 1220
Ion Ratio Lower Upper
99 100
42 4.7 15.8 23.8#
71 30.2 25.1 37.7



#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.477 min Scan# 1024
Delta R.T. 0.021 min
Lab File: BN028812.D
Acq: 20 Nov 2023 17:29

Tgt Ion: 136 Resp: 16282
Ion Ratio Lower Upper
136 100
137 13.4 9.0 13.4
54 12.9 5.1 7.7#
68 9.5 4.2 6.4#









#8
Nitrobenzene-d5
Concen: 0.001 ng
RT: 8.886 min Scan# 81
Delta R.T. -0.032 min
Lab File: BN028812.D
Acq: 20 Nov 2023 17:29




Instrument :
BNA_N
ClientSampleId :
PB156727BL


Tgt Ion: 82 Resp: 14
Ion Ratio Lower Upper
82 100
128 89.6 36.5 54.7#
54 88.7 43.8 65.8#



#11
2-Methylnaphthalene-d10
Concen: 0.311 ng
RT: 12.091 min Scan# 1274
Delta R.T. 0.027 min
Lab File: BN028812.D
Acq: 20 Nov 2023 17:29

Tgt Ion: 152 Resp: 8787
Ion Ratio Lower Upper
152 100
151 22.0 16.1 24.1





#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.311 min Scan# 11749

Delta R.T. 0.011 min

Lab File: BN028812.D

Acq: 20 Nov 2023 17:29

Instrument :

BNA_N

ClientSampleId :

PB156727BL





Tgt Ion:164 Resp: 11749

Ion Ratio Lower Upper

164 100

162 103.2 82.5 123.7

160 47.3 38.1 57.1



#14

2,4,6-Tribromophenol

Concen: 0.188 ng

RT: 15.844 min Scan# 1726

Delta R.T. 0.025 min

Lab File: BN028812.D

Acq: 20 Nov 2023 17:29




Tgt Ion:330 Resp: 1235


Ion Ratio Lower Upper

330 100

332 91.1 77.0 115.4

141 43.9 32.6 49.0









#15
2-Fluorobiphenyl
Concen: 0.159 ng
RT: 12.964 min Scan# 1461
Delta R.T. 0.021 min
Lab File: BN028812.D
Acq: 20 Nov 2023 17:29




Instrument :
BNA_N
ClientSampleId :
PB156727BL


Tgt Ion:172 Resp: 8195
Ion Ratio Lower Upper
172 100
171 36.2 27.9 41.9
170 25.9 18.9 28.3



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.085 min Scan# 1826
Delta R.T. 0.013 min
Lab File: BN028812.D
Acq: 20 Nov 2023 17:29

Tgt Ion:188 Resp: 15520
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 13.2 8.3 12.5#









#20
4,6-Dinitro-2-methylphenol
Concen: 0.181 ng
RT: 15.533 min Scan# 11
Delta R.T. 0.025 min
Lab File: BN028812.D
Acq: 20 Nov 2023 17:29




Instrument :
BNA_N
ClientSampleId :
PB156727BL


Tgt Ion:198 Resp: 7
Ion Ratio Lower Upper
198 100
51 566.0 42.1 63.1#
105 250.9 32.6 48.8#



#27
Fluoranthene-d10
Concen: 0.357 ng
RT: 19.112 min Scan# 2070
Delta R.T. 0.005 min
Lab File: BN028812.D
Acq: 20 Nov 2023 17:29

Tgt Ion:212 Resp: 16902
Ion Ratio Lower Upper
212 100
106 14.4 11.5 17.3
104 7.5 6.4 9.6









#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.285 min Scan# 21
Delta R.T. 0.000 min
Lab File: BN028812.D
Acq: 20 Nov 2023 17:29




Instrument :
BNA_N
ClientSampleId :
PB156727BL


Tgt Ion:240 Resp: 12075
Ion Ratio Lower Upper
240 100
120 21.5 7.6 11.4#
236 30.3 21.9 32.9



#31
Terphenyl-d14
Concen: 0.293 ng
RT: 19.720 min Scan# 2201
Delta R.T. 0.000 min
Lab File: BN028812.D
Acq: 20 Nov 2023 17:29

Tgt Ion:244 Resp: 9408
Ion Ratio Lower Upper
244 100
212 11.6 6.6 9.8#
122 17.9 11.4 17.2#









#34
 Bis(2-ethylhexyl)phthalate
 Concen: 0.027 ng
 RT: 21.204 min Scan# 21
 Delta R.T. 0.000 min
 Lab File: BN028812.D
 Acq: 20 Nov 2023 17:29

Instrument :
 BNA_N
 ClientSampleId :
 PB156727BL

Tgt Ion:149 Resp: 838
 Ion Ratio Lower Upper
 149 100
 167 20.0 21.0 31.4#
 279 5.4 2.6 3.8#



#35
 Perylene-d12
 Concen: 0.400 ng
 RT: 23.565 min Scan# 3031
 Delta R.T. 0.003 min
 Lab File: BN028812.D
 Acq: 20 Nov 2023 17:29

Tgt Ion:264 Resp: 15290
 Ion Ratio Lower Upper
 264 100
 260 27.2 20.7 31.1
 265 69.1 31.6 47.4#

