

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN112719\
 Data File : BN008803.D
 Acq On : 28 Nov 2019 18:21
 Operator : JU
 Sample : K6007-05
 Misc :
 ALS Vial : 44 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :

Quant Time: Nov 29 00:29:52 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN112719MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Nov 27 15:51:44 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.58	152	628877	20.00	ng/ul	0.00
18) Naphthalene-d8	10.35	136	2841879	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.21	164	1849770	20.00	ng/ul	0.00
61) Phenanthrene-d10	16.95	188	3899765	20.00	ng/ul	0.00
77) Chrysene-d12	21.16	240	3330446	20.00	ng/ul	0.00
85) Perylene-d12	23.32	264	3112678	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.18	96	63944	4.45	ng/uL	0.00
5) Phenol-d5	6.77	99	397356	6.16	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.93	67	1189901	29.90	ng/ul	0.00
9) 2-Chlorophenol-d4	7.12	132	1105956	24.58	ng/ul	0.00
13) 4-Methylphenol-d8	8.29	113	759307	14.86	ng/ul	0.00
19) Nitrobenzene-d5	8.72	128	731484	33.36	ng/ul	0.00
22) 2-Nitrophenol-d4	9.43	143	823442	34.77	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	9.97	165	1300647	27.58	ng/ul	0.00
29) 4-Chloroaniline-d4	10.49	131	3012	0.05	ng/ul	0.01
43) Dimethylphthalate-d6	13.63	166	4614255	31.31	ng/ul	0.00
46) Acenaphthylene-d8	13.90	160	5587038	34.32	ng/ul	0.00
51) 4-Nitrophenol-d4	14.42	143	171049	5.72	ng/ul	0.00
57) Fluorene-d10	15.21	176	4002432	32.14	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.33	200	692401	30.73	ng/ul	0.00
70) Anthracene-d10	17.06	188	6280588	34.02	ng/ul	0.00
78) Pyrene-d10	19.36	212	6676526	35.93	ng/ul	0.00
89) Benzo(a)pyrene-d12	23.18	264	5640286	34.73	ng/ul	0.00

Target Compounds Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN112719\
Data File : BN008803.D
Acq On : 28 Nov 2019 18:21
Operator : JU
Sample : K6007-05
Misc :
ALS Vial : 44 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :

Quant Time: Nov 29 00:29:52 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN112719MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Nov 27 15:51:44 2019
Response via : Initial Calibration

