

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN112719\
 Data File : BN008765.D
 Acq On : 27 Nov 2019 19:43
 Operator : JU
 Sample : K5846-04
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 BFPP4

Quant Time: Nov 28 01:21:15 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN112719MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Nov 27 15:51:44 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.59	152	420804	20.00	ng/ul	0.00
18) Naphthalene-d8	10.35	136	1939195	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.21	164	1360548	20.00	ng/ul	0.00
61) Phenanthrene-d10	16.96	188	3062946	20.00	ng/ul	0.00
77) Chrysene-d12	21.16	240	2855093	20.00	ng/ul	0.00
85) Perylene-d12	23.32	264	3224732	20.00	ng/ul	0.00

System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.18	96	19898	2.07	ng/uL	0.00
5) Phenol-d5	6.77	99	395580	9.16	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.93	67	415367	15.60	ng/ul	0.00
9) 2-Chlorophenol-d4	7.13	132	353615	11.74	ng/ul	0.00
13) 4-Methylphenol-d8	8.29	113	228411	6.68	ng/ul	0.00
19) Nitrobenzene-d5	8.72	128	230446	15.40	ng/ul	0.00
22) 2-Nitrophenol-d4	9.44	143	151765	9.39	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	9.98	165	319565	9.93	ng/ul	0.00
29) 4-Chloroaniline-d4	10.48	131	180760	4.42	ng/ul	0.00
43) Dimethylphthalate-d6	13.63	166	1285337	11.86	ng/ul	0.00
46) Acenaphthylene-d8	13.90	160	1938973	16.19	ng/ul	0.00
51) 4-Nitrophenol-d4	14.42	143	31699	1.44	ng/ul	0.00
57) Fluorene-d10	15.21	176	1517068	16.56	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.33	200	31639	1.79	ng/ul	0.00
70) Anthracene-d10	17.05	188	2276583	15.70	ng/ul	0.00
78) Pyrene-d10	19.36	212	2955296	18.55	ng/ul	0.00
89) Benzo(a)pyrene-d12	23.19	264	2878470	17.11	ng/ul	0.00


Target Compounds					Ovalue	
6) Phenol	6.80	94	80639	1.801	ng/ul	98
44) Dimethylphthalate	13.67	163	301478	2.848	ng/ul	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN112719\
Data File : BN008765.D
Acq On : 27 Nov 2019 19:43
Operator : JU
Sample : K5846-04
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
BFPP4

Quant Time: Nov 28 01:21:15 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN112719MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Nov 27 15:51:44 2019
Response via : Initial Calibration





#6

Phenol

Concen: 1.801 ng/ul

RT: 6.80 min Scan# 648

Delta R.T. 0.00 min

Lab File: BN008765.D

Acq: 27 Nov 2019 19:43

Instrument :

BNA_N

ClientSampleId :

BFPP4


Tot Ion: 94 Resp: 80639

Ion Ratio Lower Upper

94 100

65 31.1 25.4 38.0




66 40.7 34.2 51.4



Abundance Ion 94.00 (93.70 to 94.70): BN008760.D (-641) (-)

Ion 65.00 (64.70 to 65.70): BN008760.D (-641) (-)

Ion 66.00 (65.70 to 66.70): BN008760.D (-641) (-)



#44

Dimethylphthalate

Concen: 2.848 ng/ul

RT: 13.67 min Scan# 1817

Delta R.T. -0.01 min

Lab File: BN008765.D

Acq: 27 Nov 2019 19:43


Tgt Ion:163 Resp: 301478

Ion Ratio Lower Upper

163 100

194 4.8 3.3 4.9

164 10.6 7.9 11.9



Abundance Ion 163.00 (162.70 to 163.70): BN008765.D (-1784) (-)

Ion 194.00 (193.70 to 194.70): BN008765.D (-1784) (-)

Ion 164.00 (163.70 to 164.70): BN008765.D (-1784) (-)

