

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN112719\
 Data File : BN008768.D
 Acq On : 27 Nov 2019 21:31
 Operator : JU
 Sample : K5846-08
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 BFPP8

Quant Time: Nov 28 01:21:34 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN112719MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Nov 27 15:51:44 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.59	152	428980	20.00	ng/ul	0.00
18) Naphthalene-d8	10.35	136	1997431	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.21	164	1391764	20.00	ng/ul	0.00
61) Phenanthrene-d10	16.96	188	3150208	20.00	ng/ul	0.00
77) Chrysene-d12	21.16	240	2936384	20.00	ng/ul	0.00
85) Perylene-d12	23.32	264	3316854	20.00	ng/ul	0.00

System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.18	96	29988	3.06	ng/uL	0.00
5) Phenol-d5	6.77	99	633685	14.40	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.93	67	472039	17.39	ng/ul	0.00
9) 2-Chlorophenol-d4	7.13	132	487413	15.88	ng/ul	0.00
13) 4-Methylphenol-d8	8.29	113	283537	8.13	ng/ul	0.00
19) Nitrobenzene-d5	8.72	128	262414	17.03	ng/ul	0.00
22) 2-Nitrophenol-d4	9.44	143	272105	16.35	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	9.98	165	487583	14.71	ng/ul	0.00
29) 4-Chloroaniline-d4	10.48	131	537354	12.76	ng/ul	0.00
43) Dimethylphthalate-d6	13.63	166	2097342	18.92	ng/ul	0.00
46) Acenaphthylene-d8	13.90	160	2262986	18.47	ng/ul	0.00
51) 4-Nitrophenol-d4	14.42	143	270941	12.05	ng/ul	0.00
57) Fluorene-d10	15.21	176	1786136	19.06	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.33	200	208516	11.46	ng/ul	0.00
70) Anthracene-d10	17.05	188	2744340	18.40	ng/ul	0.00
78) Pyrene-d10	19.36	212	3329520	20.33	ng/ul	0.00
89) Benzo(a)pyrene-d12	23.18	264	3348132	19.34	ng/ul	0.00


Target Compounds					Ovalue	
6) Phenol	6.80	94	107869	2.363	ng/ul	99
44) Dimethylphthalate	13.67	163	327093	3.021	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN112719\
Data File : BN008768.D
Acq On : 27 Nov 2019 21:31
Operator : JU
Sample : K5846-08
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
BFPP8

Quant Time: Nov 28 01:21:34 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN112719MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Nov 27 15:51:44 2019
Response via : Initial Calibration





#6

Phenol

Concen: 2.363 ng/ul

RT: 6.80 min Scan# 648

Delta R.T. 0.00 min

Lab File: BN008768.D

Acq: 27 Nov 2019 21:31

Instrument :

BNA_N

ClientSampleId :

BFPP8


Tot Ion: 94 Resp: 107869

Ion Ratio Lower Upper

94 100

65 32.5 25.4 38.0




66 43.7 34.2 51.4



Abundance Ion 94.00 (93.70 to 94.70): BN008768.D (-614) (-)

Ion 65.00 (64.70 to 65.70): BN008768.D (-614) (-)

Ion 66.00 (65.70 to 66.70): BN008768.D (-614) (-)



#44

Dimethylphthalate

Concen: 3.021 ng/ul

RT: 13.67 min Scan# 1817

Delta R.T. -0.01 min

Lab File: BN008768.D

Acq: 27 Nov 2019 21:31


Tgt Ion: 163 Resp: 327093

Ion Ratio Lower Upper

163 100

194 4.4 3.3 4.9

164 9.7 7.9 11.9



Abundance Ion 163.00 (162.70 to 163.70): BN008768.D (-1784) (-)

Ion 194.00 (193.70 to 194.70): BN008768.D (-1784) (-)

Ion 164.00 (163.70 to 164.70): BN008768.D (-1784) (-)

