

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN120123\
 Data File : BN028973.D
 Acq On : 02 Dec 2023 08:03
 Operator : MA/JU
 Sample : 05403-02
 Misc :
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 RW11-MW01I-20231107

Quant Time: Dec 03 08:11:54 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN113023.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Dec 01 23:11:55 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.789	152	2305	0.400	ng	0.00
7) Naphthalene-d8	10.573	136	6683	0.400	ng	#-0.01
13) Acenaphthene-d10	14.417	164	4207	0.400	ng	0.00
19) Phenanthrene-d10	17.159	188	8829	0.400	ng	#-0.01
29) Chrysene-d12	21.365	240	7547	0.400	ng	# 0.00
35) Perylene-d12	23.687	264	7102	0.400	ng	#-0.02
System Monitoring Compounds						
4) 2-Fluorophenol	5.406	112	774	0.111	ng	0.00
5) Phenol-d6	7.002	99	521	0.067	ng	0.00
8) Nitrobenzene-d5	8.961	82	2014	0.303	ng	-0.01
11) 2-Methylnaphthalene-d10	12.163	152	2790	0.260	ng	0.00
14) 2,4,6-Tribromophenol	15.918	330	642	0.226	ng	0.00
15) 2-Fluorobiphenyl	13.049	172	5090	0.280	ng	0.00
27) Fluoranthene-d10	19.199	212	7852	0.338	ng	0.00
31) Terphenyl-d14	19.808	244	7425	0.365	ng	0.00
Target Compounds						
30) Pyrene	19.594	202	148	0.097	ng	Qvalue # 58


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN120123\
Data File : BN028973.D
Acq On : 02 Dec 2023 08:03
Operator : MA/JU
Sample : 05403-02
Misc :
ALS Vial : 25 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
RW11-MW01I-20231107


Quant Time: Dec 03 08:11:54 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN113023.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Dec 01 23:11:55 2023
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.789 min Scan# 61
Delta R.T. -0.008 min
Lab File: BN028973.D
Acq: 02 Dec 2023 08:03

Instrument :
BNA_N
ClientSampleId :
RW11-MW01I-20231107







Tgt Ion:152 Resp: 2305
Ion Ratio Lower Upper
152 100
150 151.8 123.4 185.2
115 74.1 59.1 88.7



#4
2-Fluorophenol
Concen: 0.111 ng
RT: 5.406 min Scan# 322
Delta R.T. -0.007 min
Lab File: BN028973.D
Acq: 02 Dec 2023 08:03

Tgt Ion:112 Resp: 774
Ion Ratio Lower Upper
112 100
64 72.4 51.5 77.3
63 52.7 30.4 45.6#









#5
Phenol-d6
Concen: 0.067 ng
RT: 7.002 min Scan# 54
Delta R.T. -0.007 min
Lab File: BN028973.D
Acq: 02 Dec 2023 08:03




Instrument :
BNA_N
ClientSampleId :
RW11-MW01I-20231107


Tgt Ion: 99 Resp: 521
Ion Ratio Lower Upper
99 100
42 41.8 21.2 31.8#
71 50.9 35.4 53.0



#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.573 min Scan# 936
Delta R.T. -0.011 min
Lab File: BN028973.D
Acq: 02 Dec 2023 08:03

Tgt Ion:136 Resp: 6683
Ion Ratio Lower Upper
136 100
137 13.0 10.6 16.0
54 11.5 7.5 11.3#
68 7.0 5.9 8.9









#8
 Nitrobenzene-d5
 Concen: 0.303 ng
 RT: 8.961 min Scan# 71
 Delta R.T. -0.011 min
 Lab File: BN028973.D
 Acq: 02 Dec 2023 08:03




Instrument :
 BNA_N
 ClientSampleId :
 RW11-MW01I-20231107


Tgt Ion: 82 Resp: 2014
 Ion Ratio Lower Upper
 82 100
 128 38.6 29.2 43.8
 54 63.2 47.0 70.6



#11
 2-Methylnaphthalene-d10
 Concen: 0.260 ng
 RT: 12.163 min Scan# 1196
 Delta R.T. -0.008 min
 Lab File: BN028973.D
 Acq: 02 Dec 2023 08:03

Tgt Ion: 152 Resp: 2790
 Ion Ratio Lower Upper
 152 100
 151 23.1 16.7 25.1









#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.417 min Scan# 11
Delta R.T. -0.000 min
Lab File: BN028973.D
Acq: 02 Dec 2023 08:03




Instrument :
BNA_N
ClientSampleId :
RW11-MW01I-20231107


Tgt Ion:164 Resp: 4207
Ion Ratio Lower Upper
164 100
162 103.5 81.7 122.5
160 48.1 37.0 55.6



#14
2,4,6-Tribromophenol
Concen: 0.226 ng
RT: 15.918 min Scan# 1635
Delta R.T. -0.000 min
Lab File: BN028973.D
Acq: 02 Dec 2023 08:03

Tgt Ion:330 Resp: 642
Ion Ratio Lower Upper
330 100
332 94.7 75.4 113.2
141 40.2 35.7 53.5





#15

2-Fluorobiphenyl

Concen: 0.280 ng

RT: 13.049 min Scan# 11

Delta R.T. -0.000 min

Lab File: BN028973.D

Acq: 02 Dec 2023 08:03

Instrument :

BNA_N

ClientSampleId :

RW11-MW01I-20231107





Tgt Ion:172 Resp: 5090

Ion Ratio Lower Upper

172 100

171 36.3 29.0 43.4

170 23.5 19.7 29.5



#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 17.159 min Scan# 1735

Delta R.T. -0.013 min

Lab File: BN028973.D

Acq: 02 Dec 2023 08:03




Tgt Ion:188 Resp: 8829


Ion Ratio Lower Upper

188 100

94 0.0 0.0 0.0

80 14.3 9.0 13.6#









#27
Fluoranthene-d10
Concen: 0.338 ng
RT: 19.199 min Scan# 1992
Delta R.T. -0.010 min
Lab File: BN028973.D
Acq: 02 Dec 2023 08:03




Instrument :
BNA_N
ClientSampleId :
RW11-MW01I-20231107


Tgt Ion:212 Resp: 7852
Ion Ratio Lower Upper
212 100
106 12.9 9.4 14.2
104 9.1 6.2 9.2



#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.365 min Scan# 2421
Delta R.T. -0.009 min
Lab File: BN028973.D
Acq: 02 Dec 2023 08:03

Tgt Ion:240 Resp: 7547
Ion Ratio Lower Upper
240 100
120 12.6 37.1 55.7#
236 29.3 32.4 48.6#









#30
Pyrene
Concen: 0.097 ng
RT: 19.594 min Scan# 2083
Delta R.T. -0.010 min
Lab File: BN028973.D
Acq: 02 Dec 2023 08:03




Instrument :
BNA_N
ClientSampleId :
RW11-MW01I-20231107


Tgt Ion:	202	Resp:	148
Ion	Ratio	Lower	Upper
202	100		
200	28.4	16.9	25.3#
203	50.7	14.8	22.2#



#31
Terphenyl-d14
Concen: 0.365 ng
RT: 19.808 min Scan# 2123
Delta R.T. -0.010 min
Lab File: BN028973.D
Acq: 02 Dec 2023 08:03


Tgt Ion:	244	Resp:	7425
Ion	Ratio	Lower	Upper
244	100		
212	10.4	11.5	17.3#
122	13.5	13.2	19.8





#35
 Perylene-d12
 Concen: 0.400 ng
 RT: 23.687 min Scan# 2994
 Delta R.T. -0.021 min
 Lab File: BN028973.D
 Acq: 02 Dec 2023 08:03

Instrument :
 BNA_N
 ClientSampleId :
 RW11-MW01I-20231107



Tgt Ion:264 Resp: 7102

Ion	Ratio	Lower	Upper
264	100		
260	28.6	20.6	30.8
265	84.6	464.5	696.7#

