

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN120418\
 Data File : BN003695.D
 Acq On : 04 Dec 2018 11:30
 Operator : JU/SJ
 Sample : J6137-05
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :

Quant Time: Dec 04 12:57:49 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\SOM-EPA-SIM-BN111918.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Dec 04 11:17:33 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.84	152	6279	0.40	ng/ul	0.00
2) Naphthalene-d8	10.63	136	25685	0.40	ng/ul	0.00
6) Acenaphthene-d10	14.47	164	14722	0.40	ng/ul	0.00
10) Phenanthrene-d10	17.31	188	1974805	0.40	ng/ul	0.10
16) Chrysene-d12	0.00	240	0	0.00	ng/ul	-21.40
20) Perylene-d12	23.70	264	31545	0.40	ng/ul	0.00
System Monitoring Compounds						
4) 2-Methylnaphthalene-d10	12.22	152	10483	0.27	ng/ul	0.00
14) Fluoranthene-d10	0.00	212	0	0.00	ng/ul	
Target Compounds						
					Ovalue	
3) Naphthalene	10.68	128	2303985	31.935	ng/ul	100
5) 2-Methylnaphthalene	12.29	142	78033	1.549	ng/ul	100
7) Acenaphthylene	14.19	152	6367	0.096	ng/ul	97
8) Acenaphthene	14.53	153	31459	0.542	ng/ul	99
9) Fluorene	15.52	166	17463	0.258	ng/ul	98
23) Benzo(a)pyrene	23.56	252	7393	0.065	ng/ul#	65


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN120418\
Data File : BN003695.D
Acq On : 04 Dec 2018 11:30
Operator : JU/SJ
Sample : J6137-05
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :

Quant Time: Dec 04 12:57:49 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\SOM-EPA-SIM-BN11918.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Dec 04 11:17:33 2018
Response via : Initial Calibration





#3

Naphthalene

Concen: 31.935 ng/ul

RT: 10.68 min Scan# 2374

Delta R.T. -0.01 min

Lab File: BN003695.D

Acq: 04 Dec 2018 11:30

Instrument :

BNA_N

ClientSampleId :


Tot Ion:128 Resp: 2303985

Ion Ratio Lower Upper

128 100

129 11.3 9.0 13.6




127 13.2 10.5 15.7



Abundance Ion 128.00 (127.70 to 128.70): E

Ion 129.00 (128.70 to 129.70): E

Ion 127.00 (126.70 to 127.70): E



#5

2-Methylnaphthalene

Concen: 1.549 ng/ul

RT: 12.29 min Scan# 2667

Delta R.T. -0.01 min

Lab File: BN003695.D


Acq: 04 Dec 2018 11:30

Tgt Ion:142 Resp: 78033

Ion Ratio Lower Upper



142 100


141 89.2 71.5 107.3



Abundance Ion 142.00 (141.70 to 142.70): E

Ion 141.00 (140.70 to 141.70): E





#7

Acenaphthylene

Concen: 0.096 ng/ul

RT: 14.19 min Scan# 3040

Delta R.T. -0.00 min

Lab File: BN003695.D

Acq: 04 Dec 2018 11:30

Instrument :

BNA_N

ClientSampleId :


Tot Ion:152 Resp: 6367

Ion Ratio Lower Upper

152 100

151 20.8 15.9 23.9




153 15.2 10.7 16.1



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 151.00 (150.70 to 151.70): E

Ion 153.00 (152.70 to 153.70): E



#8

Acenaphthene

Concen: 0.542 ng/ul

RT: 14.53 min Scan# 3113

Delta R.T. -0.00 min

Lab File: BN003695.D

Acq: 04 Dec 2018 11:30


Tgt Ion:153 Resp: 31459

Ion Ratio Lower Upper

153 100

152 48.6 39.3 58.9



154 87.1 70.3 105.5




Abundance Ion 153.00 (152.70 to 153.70): E

Ion 152.00 (151.70 to 152.70): E

Ion 154.00 (153.70 to 154.70): E





#9

Fluorene

Concen: 0.258 ng/ul

RT: 15.52 min Scan# 3327

Delta R.T. -0.00 min

Lab File: BN003695.D

Acq: 04 Dec 2018 11:30

Instrument :

BNA_N

ClientSampleId :





Tot Ion:166 Resp: 17463

Ion Ratio Lower Upper

166 100

165 96.2 78.3 117.5

167 15.0 11.3 16.9



#23

Benzo(a)pyrene

Concen: 0.065 ng/ul

RT: 23.56 min Scan# 5489

Delta R.T. -0.04 min

Lab File: BN003695.D

Acq: 04 Dec 2018 11:30

Tgt Ion:252 Resp: 7393

Ion Ratio Lower Upper

252 100

253 36.6 19.0 28.4#

125 32.8 10.2 15.4#

