

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN120418\
 Data File : BN003694.D
 Acq On : 04 Dec 2018 10:55
 Operator : JU/SJ
 Sample : J6137-04DL 2X
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 F9J02DL

Manual Integrations
 APPROVED

mohammad
 12/6/2018 10:33:48 AM

Quant Time: Dec 04 11:38:16 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\SOM-EPA-SIM-BN111918.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Dec 04 11:17:33 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.84	152	5847	0.40	ng/ul	0.00
2) Naphthalene-d8	10.63	136	23819	0.40	ng/ul	0.00
6) Acenaphthene-d10	14.47	164	13229	0.40	ng/ul	0.00
10) Phenanthrene-d10	17.22	188	29589m	0.40	ng/ul	0.00
16) Chrysene-d12	21.39	240	26214m	0.40	ng/ul	0.00
20) Perylene-d12	23.70	264	21631m	0.40	ng/ul	0.00
System Monitoring Compounds						
4) 2-Methylnaphthalene-d10	12.22	152	5864	0.16	ng/ul	0.00
14) Fluoranthene-d10	19.24	212	14774m	0.17	ng/ul	0.00
Target Compounds						
3) Naphthalene	10.68	128	1373024	20.522	ng/ul	100
5) 2-Methylnaphthalene	12.29	142	43135	0.923	ng/ul	100
7) Acenaphthylene	14.19	152	3285	0.055	ng/ul	95
8) Acenaphthene	14.54	153	14577	0.279	ng/ul	98
9) Fluorene	15.52	166	7991	0.131	ng/ul	99
11) Pentachlorophenol	16.86	266	257m	0.048	ng/ul	
12) Phenanthrene	17.26	178	5197	0.054	ng/ul	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN120418\
Data File : BN003694.D
Acq On : 04 Dec 2018 10:55
Operator : JU/SJ
Sample : J6137-04DL 2X
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
F9J02DL

Manual Integrations
APPROVED

mohammad
12/6/2018 10:33:48 AM

Quant Time: Dec 04 11:38:16 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\SOM-EPA-SIM-BN111918.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Dec 04 11:17:33 2018
Response via : Initial Calibration

